

Legend: ■ Negative □ Neutral ■ Positive

True Label	Predicted Label	Attribution Label	Attribution Score	Word Importance
SurroundingEnvironment	Normal (0.97)	SurroundingEnvironment	1.62	[CLS] <span style="color: green;">a</span> passenger aircraft is nearby . [SEP]
				[CLS] <span style="color: green;">fly</span> with caution [SEP]
				[CLS] <span style="color: red;">account not logged in</span> . [SEP]
Normal	Normal (1.00)	Normal	1.28	[CLS] <span style="color: green;">flight altitude and distance</span> restricted to nnn and nnn . [SEP]
Normal	SoftwareFault (0.69)	Normal	-1.37	[CLS] <span style="color: red;">check</span> and log in [SEP]
ParamViolation	ParamViolation (0.94)	ParamViolation	2.01	[CLS] <span style="color: green;">activetrack</span> flight <span style="color: red;">paused</span> [SEP]
				[CLS] <span style="color: red;">aircraft</span> <span style="color: green;">activetrack</span> available at max speed . [SEP]
				[CLS] obstacle avoidance <span style="color: green;">is</span> <span style="color: red;">not</span> available [SEP]
Normal	Normal (1.00)	Normal	0.90	[CLS] <span style="color: red;">aircraft</span> <span style="color: green;">activetrack</span> available at max speed . [SEP]
Normal	Normal (1.00)	Normal	1.38	[CLS] <span style="color: green;">when</span> exceeding nnn , obstacle avoidance <span style="color: green;">is</span> <span style="color: red;">not</span> available [SEP]
Normal	Normal (1.00)	Normal	1.76	[CLS] <span style="color: red;">aircraft</span> <span style="color: green;">activetrack</span> available at max speed . [SEP]
Normal	Normal (0.99)	Normal	0.04	[CLS] <span style="color: green;">when</span> exceeding nnn , obstacle avoidance <span style="color: green;">is</span> <span style="color: red;">not</span> available [SEP]
Normal	Normal (1.00)	Normal	1.76	[CLS] <span style="color: red;">aircraft</span> <span style="color: green;">activetrack</span> available at max speed . [SEP]
Normal	Normal (0.98)	Normal	0.05	[CLS] <span style="color: red;">aircraft</span> <span style="color: green;">activetrack</span> available at max speed . [SEP]

Normal	Normal (1.00)	Normal	1.21	activetrack
				max speed of
				nnn and
				obstacle
				avoidance functions normally [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	2.51	[CLS] aircraft
				core board
				overheated
				[SEP]
				[CLS] aircraft
Normal	Normal (1.00)	Normal	0.87	entered fixed
				- wing mode .
				[SEP]
				[CLS] aircraft
				current
Normal	Normal (1.00)	Normal	1.01	flight speed is
				nnn . [SEP]
				[CLS] press
				c2 to exit
				[SEP]
Normal	Normal (1.00)	Normal	1.16	[CLS] aircraft
				flight control
				unlocked
				[SEP]
				[CLS] aircraft
RegulationViolation	RegulationViolation (0.91)	RegulationViolation	1.91	in restricted
				zones . [SEP]
				[CLS] check
				map to find
				recommended
Normal	Normal (1.00)	Normal	0.75	zones [SEP]
				[CLS] aircraft
				is in attitude
				mode , so that
				it will not
Normal	Normal (1.00)	Normal	0.77	hover . [SEP]
				[CLS] please
				fly with
				caution .
				[SEP]
Normal	Normal (1.00)	Normal	1.09	[CLS] aircraft
				is in tripod
				mode . [SEP]
				[CLS] exit
				this mode and
Normal	Normal (1.00)	Normal	1.25	try again

				[SEP]
				[CLS] aircraft
				is returning
Normal	Normal (1.00)	Normal	1.37	to the
				starting point
				[SEP]
ParamViolation	ParamViolation (0.97)	ParamViolation	2.13	[CLS] aircraft
				out of range
				[SEP]
RegulationViolation	RegulationViolation (0.73)	RegulationViolation	2.09	[CLS]
				approaching
				a no - fly zone
				. [SEP]
Normal	Normal (1.00)	Normal	0.74	[CLS] rth may
				be affected .
				[SEP]
Normal	Normal (1.00)	Normal	1.28	[CLS] fly with
				caution [SEP]
Normal	Normal (1.00)	Normal	0.60	[CLS] arrived
				at start point
				. [SEP]
Normal	Normal (1.00)	Normal	1.10	[CLS] starting
				waypoint
				mission [SEP]
Normal	Normal (1.00)	Normal	1.88	[CLS] auto
				landing
				initiated
				[SEP]
Normal	Normal (0.99)	Normal	0.08	[CLS]
				auxiliary
				bottom light
				turned off
				[SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.93	[CLS]
				backward
				obstacle
				sensing is not
				functioning .
				[SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.98	[CLS] battery
				cell broken ,
				please
				replace the
				battery [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.45	[CLS] battery
				error . [SEP]
				[CLS] aircraft
				returning to

Normal	Normal (1.00)	Normal	1.10	home automatically [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.95	[CLS] battery power low . [SEP]
Normal	Normal (1.00)	Normal	1.64	[CLS] check battery status and charge or warm up battery [SEP]
HardwareFault	HardwareFault (0.82)	HardwareFault	1.80	[CLS] cache space full [SEP]
SurroundingEnvironment	SoftwareFault (0.98)	SurroundingEnvironment	1.16	[CLS] calibration subject is too close . [SEP]
Normal	Normal (1.00)	Normal	1.13	[CLS] recalibrate using a subject that is farther away [SEP]
HardwareFault	SoftwareFault (0.88)	HardwareFault	1.48	[CLS] camera busy , cannot enter playback [SEP]
SoftwareFault	SoftwareFault (0.99)	SoftwareFault	1.02	[CLS] cannot enable intelligent flight mode [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.70	[CLS] low battery [SEP] [CLS] cannot start return
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.44	to home due to weak gps signal [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.22	[CLS] cannot start self - timer . [SEP]
SoftwareFault	SoftwareFault (0.48)	SoftwareFault	0.43	[CLS] exposure time is too long [SEP]

SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.01	[CLS] cannot switch flight mode . [SEP]
Normal	Normal (1.00)	Normal	1.89	[CLS] turn on " multiple flight modes " to enable atti and sport modes . [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.45	[CLS] cannot track subject [SEP]
SurroundingEnvironment	SoftwareFault (0.94)	SurroundingEnvironment	0.85	[CLS] no image [SEP]
Normal	Normal (1.00)	Normal	1.13	[CLS] please retry [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.45	[CLS] cannot track subject [SEP]
SurroundingEnvironment	SoftwareFault (0.98)	SurroundingEnvironment	1.33	[CLS] subject too large [SEP]
Normal	Normal (1.00)	Normal	1.00	[CLS] move away and retry [SEP]
Normal	Normal (1.00)	Normal	1.51	[CLS] color display in the liveview has been enhanced . [SEP]
Normal	Normal (1.00)	Normal	1.91	[CLS] videos and photos will still be shot in d - log mode [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.68	[CLS] compass abnormal . [SEP]
Normal	Normal (1.00)	Normal	0.44	[CLS] solution : 1 . ensure there are no magnets or metal objects near the aircraft .

				[SEP]
Normal	Normal (1.00)	Normal	0.60	[CLS] the ground or walls may contain metal . [SEP]
Normal	Normal (1.00)	Normal	0.97	[CLS] move away from sources of interference before attempting flight . [SEP]
Normal	Normal (1.00)	Normal	1.39	[CLS] 2 . calibrate compass before takeoff [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.48	[CLS] compass error [SEP]
HardwareFault	HardwareFault (0.80)	HardwareFault	0.84	[CLS] compass error , calibration required [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.57	[CLS] compass error . [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.57	[CLS] compass error . [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.55	[CLS] compass disconnected [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.57	[CLS] compass error . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.38	[CLS] magnetic filed interference . [SEP]
Normal	Normal (1.00)	Normal	0.93	[CLS] exit p - gps mode [SEP]

				[CLS]
SoftwareFault	HardwareFault (0.95)	SoftwareFault	0.07	compass initialization failed . [SEP]
Normal	Normal (1.00)	Normal	1.49	[CLS] restart aircraft [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.89	[CLS] critical low battery . [SEP]
Normal	Normal (1.00)	Normal	1.16	[CLS] aircraft in auto power off protection . [SEP]
Normal	Normal (1.00)	Normal	1.09	[CLS] forced landing in progress [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.89	[CLS] critical low battery . [SEP]
Normal	Normal (1.00)	Normal	1.42	[CLS] aircraft landing automatically [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.89	[CLS] critical low battery . [SEP]
Normal	Normal (1.00)	Normal	1.36	[CLS] return to home or land promptly [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	2.06	[CLS] critically low power . [SEP]
Normal	Normal (1.00)	Normal	0.96	[CLS] aircraft is landing [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	2.06	[CLS] critically low power . [SEP]
Normal	Normal (1.00)	Normal	1.01	[CLS] aircraft landing . [SEP]
Normal	Normal (1.00)	Normal	1.01	[CLS] aircraft landing . [SEP]
				[CLS] throttle up to reduce

Normal	Normal (1.00)	Normal	1.34	the speed of descent and use sticks to avoid obstacles [SEP] [CLS]
HardwareFault	HardwareFault (0.99)	HardwareFault	2.05	critically low voltage warning . [SEP] [CLS]
Normal	Normal (1.00)	Normal	0.98	aircraft will be forced to land [SEP] [CLS]
HardwareFault	HardwareFault (0.99)	HardwareFault	2.00	critically low voltage . [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.48	aircraft will land [SEP] [CLS]
Normal	Normal (1.00)	Normal	0.59	data recorder file index is 15 . [SEP] [CLS]
Normal	Normal (1.00)	Normal	0.66	data recorder file index is 17 . [SEP] [CLS]
Normal	Normal (1.00)	Normal	0.65	data recorder file index is 30 . [SEP] [CLS]
Normal	Normal (1.00)	Normal	0.68	data recorder file index is 45 . [SEP] [CLS]
Normal	Normal (1.00)	Normal	0.67	data recorder file index is 46 . [SEP] [CLS]
Normal	Normal (1.00)	Normal	0.68	data recorder file index is 65 . [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.39	disable sd card read and write



				protection or change card [SEP]
CommunicationIssue	CommunicationIssue (0.91)	CommunicationIssue	1.62	[CLS] downlink lost . [SEP]
Normal	Normal (1.00)	Normal	1.18	[CLS] downlink restored ( after 0m 2 . 9s ) . [SEP]
Normal	HardwareFault (0.77)	Normal	-1.09	[CLS] drone is vibrating [SEP]
Normal	Normal (1.00)	Normal	1.07	[CLS] entered cruise control mode . [SEP]
Normal	Normal (1.00)	Normal	1.13	[CLS] press c1 or c2 to exit [SEP]
ParamViolation	ParamViolation (0.81)	ParamViolation	1.53	[CLS] excessive attitude angle detected [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.66	[CLS] forward obstacle avoidance has stopped working [SEP]
Normal	Normal (1.00)	Normal	0.55	[CLS] exit backward sensing system [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.99	[CLS] ambient light is too weak [SEP]
Normal	Normal (1.00)	Normal	0.43	[CLS] exited visual avoidance system . [SEP]
SoftwareFault	SoftwareFault (0.99)	SoftwareFault	1.26	[CLS] exiting gps mode : unknown error [SEP]

ParamViolation	ParamViolation (0.98)	ParamViolation	1.59	[CLS] extra payload detected . [SEP]
Normal	Normal (1.00)	Normal	0.78	[CLS] flight performance will be affected . [SEP]
Normal	Normal (1.00)	Normal	1.28	[CLS] fly with caution [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.65	[CLS] forward obstacle sensing is not functioning . [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.55	[CLS] forward obstacle sensing not responding [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.85	[CLS] gimbal motor overloaded . [SEP]
Normal	Normal (1.00)	Normal	1.24	[CLS] check whether gimbal can rotate freely [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	2.03	[CLS] gimbal pitch limit reached . [SEP]
Normal	Normal (1.00)	Normal	0.93	[CLS] ground plain . [SEP]
Normal	Normal (1.00)	Normal	0.93	[CLS] safe to land . [SEP]
ParamViolation	ParamViolation (0.93)	ParamViolation	1.66	[CLS] high altitude . [SEP]
Normal	ParamViolation (0.94)	Normal	-1.61	[CLS] aircraft braking distance increased and flight time decreased . [SEP]

Normal	Normal (1.00)	Normal	1.28	[CLS] fly with caution [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.78	[CLS] high wind velocity . [SEP]
Normal	Normal (1.00)	Normal	1.41	[CLS] ensure the aircraft remains within your line of sight and fly with caution . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.78	[CLS] high wind velocity . [SEP]
Normal	Normal (1.00)	Normal	1.41	[CLS] ensure the aircraft remains within your line of sight and fly with caution . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.78	[CLS] high wind velocity . [SEP]
Normal	Normal (1.00)	Normal	1.60	[CLS] fly with caution and land in a safe place asap . [SEP]
Normal	ParamViolation (0.96)	Normal	-2.07	[CLS] high - altitude flight [SEP]
Normal	Normal (1.00)	Normal	1.28	[CLS] fly with caution [SEP]
Normal	Normal (0.86)	Normal	-0.38	[CLS] aircraft braking distance is extended [SEP]
Normal	Normal (0.83)	Normal	-0.71	[CLS] flight time is shortened . [SEP]
Normal	Normal (1.00)	Normal	0.85	[CLS] home

ParamViolation	SoftwareFault (0.97)	ParamViolation	1.60	point updated . [SEP]
				[CLS] imu attitude restricted . [SEP]
				[CLS] ensure aircraft is level [SEP]
				[CLS] imu not calibrated . [SEP]
Normal	Normal (1.00)	Normal	0.77	[CLS]
SoftwareFault	SoftwareFault (0.60)	SoftwareFault	0.80	calibrate imu [SEP]
Normal	Normal (1.00)	Normal	0.86	[CLS] landing canceled . [SEP]
Normal	Normal (0.98)	Normal	-0.11	[CLS] landing gear function restored [SEP]
Normal	Normal (1.00)	Normal	1.21	[CLS] landing gear paused . [SEP]
Normal	Normal (1.00)	Normal	0.97	[CLS] landing gear raising . [SEP]
Normal	Normal (1.00)	Normal	1.28	[CLS] home point recorded [SEP]
Normal	Normal (0.60)	Normal	-1.37	[CLS] live stream video frame rate less than 9hz . [SEP]
Normal	Normal (1.00)	Normal	1.28	[CLS] fly with caution [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.88	[CLS] low power . [SEP]
Normal	Normal (1.00)	Normal	1.45	[CLS] aircraft is returning to the home point . [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.88	[CLS] low power . [SEP]

Normal	Normal (1.00)	Normal	1.02	[CLS] returning home . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.38	[CLS] magnetic filed interference . [SEP]
Normal	Normal (1.00)	Normal	0.90	[CLS] exit p - gps mode . [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.97	[CLS] yaw error . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.97)	SurroundingEnvironment	1.85	[CLS] manned aircraft detected nearby . [SEP]
Normal	Normal (1.00)	Normal	1.28	[CLS] fly with caution [SEP]
ParamViolation	Normal (0.94)	ParamViolation	1.31	[CLS] max altitude approached . [SEP]
Normal	Normal (1.00)	Normal	1.72	[CLS] wait for the gps satellite signal recovery before ascend [SEP]
ParamViolation	ParamViolation (0.98)	ParamViolation	1.92	[CLS] max flight altitude reached . [SEP]
Normal	Normal (1.00)	Normal	1.07	[CLS] adjust in main controller settings if necessary [SEP]
ParamViolation	ParamViolation (0.98)	ParamViolation	2.04	[CLS] max flight distance reached . [SEP]
				[CLS] adjust

Normal	Normal (1.00)	Normal	1.07	in main controller settings if necessary . [SEP] [CLS] maximum
ParamViolation	ParamViolation (0.98)	ParamViolation	2.10	flight distance reached . [SEP] [CLS] adjust the distance in mc settings if required . [SEP] [CLS] mobile device cpu fully loaded . [SEP] [CLS] related performance
Normal	Normal (1.00)	Normal	1.09	will be affected . [SEP] [CLS] mobile device version too old to support hd image transmission and the image transmission mode has been switch to normal mode . [SEP] [CLS] motor
HardwareFault	HardwareFault (0.98)	HardwareFault	2.41	is blocked . [SEP] [CLS] motor stuck . [SEP] [CLS] check for objects blocking motor or contact dji support for
Normal	Normal (1.00)	Normal	1.08	
SoftwareFault	SoftwareFault (0.69)	SoftwareFault	0.43	
Normal	Normal (1.00)	Normal	0.15	
HardwareFault	HardwareFault (0.99)	HardwareFault	1.66	
Normal	Normal (1.00)	Normal	1.21	

Normal	Normal (0.98)	Normal	-0.30	assistance [SEP]
				[CLS] motors
				started . [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.27	[CLS] no gps signal . [SEP]
Normal	HardwareFault (0.98)	Normal	-1.07	[CLS] aircraft
				unable to hover . [SEP]
Normal	Normal (1.00)	Normal	1.28	[CLS] fly with caution [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.27	[CLS] no gps signal . [SEP]
Normal	HardwareFault (0.98)	Normal	-1.37	[CLS] unable
				to hover . [SEP]
Normal	Normal (1.00)	Normal	1.28	[CLS] fly with caution [SEP]
Normal	Normal (1.00)	Normal	0.49	[CLS] obstacle
				avoidance disabled . [SEP]
				[CLS] landing
Normal	Normal (1.00)	Normal	0.88	gear lowered . [SEP]
Normal	Normal (1.00)	Normal	0.49	[CLS] obstacle
				avoidance disabled . [SEP]
				[CLS] obstacle
Normal	Normal (1.00)	Normal	0.49	avoidance disabled . [SEP]
Normal	Normal (1.00)	Normal	0.88	[CLS] landing
				gear lowered . [SEP]
Normal	Normal (1.00)	Normal	0.55	[CLS] obstacle
				avoidance has been disabled . [SEP]
				[CLS] precision

				landing [SEP]
Normal	Normal (1.00)	Normal	0.84	[CLS] quickshot has ended [SEP]
Normal	Normal (1.00)	Normal	1.29	[CLS] recenter gimbal pan [SEP]
Normal	Normal (1.00)	Normal	1.10	[CLS] rectifying aircraft position [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.98)	SurroundingEnvironment	1.76	[CLS] remote controller in high interference environment . [SEP]
Normal	Normal (1.00)	Normal	1.73	[CLS] manually adjust flight route or return to home [SEP]
Normal	Normal (1.00)	Normal	1.06	[CLS] return - to - home altitude : 65ft [SEP]
Normal	Normal (1.00)	Normal	0.97	[CLS] return - to - home altitude : 98ft . [SEP]
Normal	Normal (1.00)	Normal	1.36	[CLS] rth : ascending to rth altitude . [SEP]
Normal	Normal (1.00)	Normal	0.92	[CLS] rth : heading alignment . [SEP]
Normal	Normal (1.00)	Normal	0.91	[CLS] rth altitude : 65ft . [SEP]
Normal	Normal (1.00)	Normal	0.84	[CLS] rth altitude : 98ft . [SEP]
CommunicationIssue	CommunicationIssue (0.91)	CommunicationIssue	1.67	[CLS] signal



				lost . [SEP]
Normal	Normal (1.00)	Normal	1.13	[CLS] aircraft returning to home point [SEP]
Normal	Normal (1.00)	Normal	1.04	[CLS] sprayer turned on [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.73	[CLS] strong wind warning . [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.04	[CLS] aircraft unable to return to home automatically . [SEP]
Normal	Normal (1.00)	Normal	1.41	[CLS] lower altitude immediately and return to home manually [SEP]
Normal	Normal (1.00)	Normal	1.08	[CLS] switched to s ( sport ) - mode . [SEP]
Normal	Normal (1.00)	Normal	1.05	[CLS] switched to t ( tripod ) - mode . [SEP]
Normal	Normal (1.00)	Normal	1.14	[CLS] take off in p - mode [SEP]
SoftwareFault	HardwareFault (0.70)	SoftwareFault	0.45	[CLS] vision sensor error . [SEP]
Normal	Normal (1.00)	Normal	0.97	[CLS] contact dji support for assistance [SEP]
Normal	Normal (1.00)	Normal	0.38	[CLS] vision systems and obstacle avoidance disabled [SEP]

Normal	Normal (1.00)	Normal	0.95	[CLS]
				waypoint
				mission
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.39	paused [SEP]
				[CLS] weak
				gps signal .
Normal	Normal (1.00)	Normal	0.80	[SEP]
				[CLS] aircraft
				is in attitude
Normal	Normal (1.00)	Normal	0.97	mode and
				hovering may
				be unstable .
CommunicationIssue	CommunicationIssue (0.91)	CommunicationIssue	1.57	[SEP]
				[CLS] fly with
				caution .
Normal	Normal (1.00)	Normal	1.55	[SEP]
				[CLS] weak
				signal . [SEP]
RegulationViolation	RegulationViolation (0.85)	RegulationViolation	2.50	[CLS] adjust
				antennas
				[SEP]
Normal	Normal (1.00)	Normal	1.32	[CLS] your
				aircraft is
				flying in an
Normal	Normal (1.00)	Normal	1.39	altitude zone
				( nnn ) . [SEP]
				[CLS] please
Normal	Normal (1.00)	Normal	1.32	fly with
				caution [SEP]