

Legend: ■ Negative □ Neutral ■ Positive

True Label	Predicted Label	Attribution Label	Attribution Score	Word Importance
SurroundingEnvironment	Normal (0.91)	Normal	0.55	[CLS] a passenger aircraft is nearby . [SEP]
				[CLS] fly with caution [SEP]
				[CLS] account not logged in . [SEP]
				[CLS] flight altitude and distance restricted to nnn and nnn . [SEP]
ParamViolation	ParamViolation (0.70)	ParamViolation	2.09	[CLS] check and log in [SEP]
				[CLS] activetrack flight paused [SEP]
				[CLS] aircraft activetrack available at max speed . [SEP]
				[CLS] obstacle avoidance is not available [SEP]
Normal	Normal (0.91)	Normal	0.53	[CLS] aircraft activetrack available at max speed . [SEP]
				[CLS] when exceeding nnn , obstacle avoidance is not available [SEP]
				[CLS] aircraft activetrack available at max speed . [SEP]
				[CLS] aircraft
Normal	Normal (0.91)	Normal	0.23	[CLS] aircraft
				[CLS] aircraft
				[CLS] aircraft
				[CLS] aircraft

Normal	Normal (0.92)	Normal	0.07	activetrack max speed of nnn and obstacle avoidance functions normally [SEP]
				[CLS] aircraft core board overheated [SEP]
				[CLS] aircraft entered fixed - wing mode . [SEP]
				[CLS] current flight speed is nnn . [SEP]
				[CLS] press c2 to exit [SEP]
Normal	Normal (0.90)	Normal	1.21	[CLS] aircraft flight control unlocked [SEP]
RegulationViolation	RegulationViolation (0.44)	RegulationViolation	1.92	[CLS] aircraft in restricted zones . [SEP]
				[CLS] check map to find recommended zones [SEP]
Normal	Normal (0.91)	Normal	1.32	[CLS] aircraft is in attitude mode , so that it will not hover . [SEP]
Normal	Normal (0.92)	Normal	0.58	[CLS] please fly with caution . [SEP]
Normal	Normal (0.91)	Normal	0.97	[CLS] aircraft is in tripod mode . [SEP]
Normal	Normal (0.91)	Normal	1.13	[CLS] exit this mode and try again
Normal	Normal (0.91)	Normal	1.81	

				[SEP]
Normal	Normal (0.91)	Normal	1.53	[CLS] aircraft is returning to the starting point [SEP]
ParamViolation	ParamViolation (0.74)	ParamViolation	1.87	[CLS] aircraft out of range [SEP]
RegulationViolation	RegulationViolation (0.37)	RegulationViolation	2.08	[CLS] approaching a no - fly zone . [SEP]
Normal	Normal (0.91)	Normal	1.26	[CLS] rth may be affected . [SEP]
Normal	Normal (0.90)	Normal	1.34	[CLS] fly with caution [SEP]
Normal	Normal (0.91)	Normal	1.23	[CLS] arrived at start point . [SEP]
Normal	Normal (0.90)	Normal	0.79	[CLS] starting waypoint mission [SEP]
Normal	Normal (0.90)	Normal	1.64	[CLS] auto landing initiated [SEP]
Normal	Normal (0.91)	Normal	1.13	[CLS] auxiliary bottom light turned off [SEP]
SoftwareFault	SoftwareFault (0.93)	SoftwareFault	1.64	[CLS] backward obstacle sensing is not functioning . [SEP]
HardwareFault	HardwareFault (0.87)	HardwareFault	1.80	[CLS] battery cell broken , please replace the battery [SEP]
HardwareFault	HardwareFault (0.85)	HardwareFault	1.00	[CLS] battery error . [SEP]
				[CLS] aircraft returning to

Normal	Normal (0.91)	Normal	1.77	home automatically [SEP]
HardwareFault	HardwareFault (0.86)	HardwareFault	1.90	[CLS] battery power low . [SEP]
Normal	Normal (0.91)	Normal	1.69	[CLS] check battery status and charge or warm up battery [SEP]
HardwareFault	HardwareFault (0.76)	HardwareFault	1.39	[CLS] cache space full [SEP]
SurroundingEnvironment	SoftwareFault (0.93)	SoftwareFault	-1.22	[CLS] calibration subject is too close . [SEP]
Normal	Normal (0.91)	Normal	0.31	[CLS] recalibrate using a subject that is farther away [SEP]
HardwareFault	HardwareFault (0.84)	HardwareFault	1.87	[CLS] camera busy , cannot enter playback [SEP]
SoftwareFault	SoftwareFault (0.92)	SoftwareFault	1.04	[CLS] cannot enable intelligent flight mode [SEP]
HardwareFault	HardwareFault (0.84)	HardwareFault	1.59	[CLS] low battery [SEP]
SoftwareFault	SoftwareFault (0.93)	SoftwareFault	1.37	[CLS] cannot start return to home due to weak gps signal [SEP]
SoftwareFault	SoftwareFault (0.92)	SoftwareFault	1.17	[CLS] cannot start self - timer . [SEP]
SoftwareFault	ParamViolation (0.51)	ParamViolation	0.06	[CLS] exposure time is too long [SEP]

SoftwareFault	SoftwareFault (0.92)	SoftwareFault	1.05	[CLS] cannot switch flight mode . [SEP]
Normal	Normal (0.92)	Normal	1.69	[CLS] turn on " multiple flight modes " to enable atti and sport modes . [SEP]
SoftwareFault	SoftwareFault (0.91)	SoftwareFault	1.05	[CLS] cannot track subject [SEP]
SurroundingEnvironment	SoftwareFault (0.88)	SoftwareFault	-1.09	[CLS] no image [SEP]
Normal	Normal (0.90)	Normal	1.18	[CLS] please retry [SEP]
SoftwareFault	SoftwareFault (0.91)	SoftwareFault	1.05	[CLS] cannot track subject [SEP]
SurroundingEnvironment	SoftwareFault (0.91)	SoftwareFault	-0.92	[CLS] subject too large [SEP]
Normal	Normal (0.91)	Normal	1.45	[CLS] move away and retry [SEP]
Normal	Normal (0.91)	Normal	1.64	[CLS] color display in the liveview has been enhanced . [SEP]
Normal	Normal (0.92)	Normal	1.56	[CLS] videos and photos will still be shot in d - log mode [SEP]
HardwareFault	HardwareFault (0.85)	HardwareFault	1.62	[CLS] compass abnormal . [SEP]
Normal	Normal (0.92)	Normal	0.05	[CLS] solution : 1 . ensure there are no magnets or metal objects near the aircraft .

				[SEP]
Normal	Normal (0.91)	Normal	0.71	[CLS] the ground or walls may contain metal . [SEP]
Normal	Normal (0.91)	Normal	0.91	[CLS] move away from sources of interference before attempting flight . [SEP]
Normal	Normal (0.91)	Normal	1.32	[CLS] 2 . calibrate compass before takeoff [SEP]
HardwareFault	HardwareFault (0.84)	HardwareFault	1.03	[CLS] compass error [SEP]
HardwareFault	HardwareFault (0.47)	HardwareFault	1.18	[CLS] compass error , calibration required [SEP]
HardwareFault	HardwareFault (0.85)	HardwareFault	1.20	[CLS] compass error . [SEP]
HardwareFault	HardwareFault (0.85)	HardwareFault	1.20	[CLS] compass error . [SEP]
HardwareFault	HardwareFault (0.84)	HardwareFault	1.52	[CLS] compass disconnected [SEP]
HardwareFault	HardwareFault (0.85)	HardwareFault	1.20	[CLS] compass error . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.77)	SurroundingEnvironment	1.44	[CLS] magnetic filed interference . [SEP]
Normal	Normal (0.91)	Normal	1.57	[CLS] exit p - gps mode [SEP]

SoftwareFault	HardwareFault (0.84)	HardwareFault	0.26	[CLS]
				compass
				initialization
Normal	Normal (0.89)	Normal	0.33	failed . [SEP]
				[CLS] restart
				aircraft [SEP]
HardwareFault	HardwareFault (0.86)	HardwareFault	1.94	[CLS] critical
				low battery .
				[SEP]
Normal	Normal (0.91)	Normal	1.46	[CLS] aircraft
				in auto power
				off protection
Normal	Normal (0.90)	Normal	1.72	. [SEP]
				[CLS] forced
				landing in
HardwareFault	HardwareFault (0.86)	HardwareFault	1.94	progress
				[SEP]
				[CLS] critical
HardwareFault	HardwareFault (0.86)	HardwareFault	1.94	low battery .
				[SEP]
				[CLS] aircraft
Normal	Normal (0.90)	Normal	0.75	landing
				automatically
				[SEP]
HardwareFault	HardwareFault (0.86)	HardwareFault	1.94	[CLS] critical
				low battery .
				[SEP]
Normal	Normal (0.91)	Normal	1.53	[CLS] return
				to home or
				land promptly
HardwareFault	HardwareFault (0.86)	HardwareFault	2.02	[SEP]
				[CLS]
				critically low
Normal	Normal (0.90)	Normal	0.53	power . [SEP]
				[CLS] aircraft
				is landing
HardwareFault	HardwareFault (0.86)	HardwareFault	2.02	[SEP]
				[CLS]
				critically low
Normal	Normal (0.90)	Normal	0.67	power . [SEP]
				[CLS] aircraft
				landing .
Normal	Normal (0.90)	Normal	0.67	[SEP]
				[CLS] aircraft
				landing .
Normal	Normal (0.90)	Normal	0.67	[SEP]
				[CLS] throttle
				up to reduce

Normal	Normal (0.92)	Normal	0.80	the speed of descent and use sticks to avoid obstacles [SEP] [CLS]
HardwareFault	HardwareFault (0.86)	HardwareFault	1.73	critically low voltage warning . [SEP] [CLS]
Normal	Normal (0.91)	Normal	0.54	aircraft will be forced to land [SEP] [CLS]
HardwareFault	HardwareFault (0.86)	HardwareFault	1.99	critically low voltage . [SEP] [CLS]
Normal	Normal (0.90)	Normal	0.82	aircraft will land [SEP] [CLS]
Normal	Normal (0.91)	Normal	0.98	data recorder file index is 15 . [SEP] [CLS]
Normal	Normal (0.91)	Normal	1.14	data recorder file index is 17 . [SEP] [CLS]
Normal	Normal (0.91)	Normal	1.20	data recorder file index is 30 . [SEP] [CLS]
Normal	Normal (0.91)	Normal	1.03	data recorder file index is 45 . [SEP] [CLS]
Normal	Normal (0.91)	Normal	1.06	data recorder file index is 46 . [SEP] [CLS]
Normal	Normal (0.91)	Normal	1.11	data recorder file index is 65 . [SEP] [CLS]
Normal	Normal (0.92)	Normal	1.57	disable sd card read and write

				protection or change card [SEP]
CommunicationIssue	CommunicationIssue (0.69)	CommunicationIssue	1.81	[CLS] downlink lost [SEP]
Normal	Normal (0.92)	Normal	0.72	[CLS] downlink restored (after 0m 2 . 9s) . [SEP]
Normal	HardwareFault (0.81)	HardwareFault	-1.63	[CLS] drone is vibrating [SEP]
Normal	Normal (0.91)	Normal	1.37	[CLS] entered cruise control mode . [SEP]
Normal	Normal (0.91)	Normal	1.06	[CLS] press c1 or c2 to exit [SEP]
ParamViolation	ParamViolation (0.64)	ParamViolation	1.70	[CLS] excessive attitude angle detected [SEP]
SoftwareFault	SoftwareFault (0.92)	SoftwareFault	1.90	[CLS] forward obstacle avoidance has stopped working [SEP]
Normal	Normal (0.90)	Normal	1.36	[CLS] exit backward sensing system [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.78)	SurroundingEnvironment	1.85	[CLS] ambient light is too weak [SEP]
Normal	Normal (0.91)	Normal	1.23	[CLS] exited visual avoidance system . [SEP]
SoftwareFault	SoftwareFault (0.92)	SoftwareFault	1.17	[CLS] exiting gps mode : unknown error [SEP]

ParamViolation	ParamViolation (0.75)	ParamViolation	1.53	[CLS] extra payload detected . [SEP]
Normal	Normal (0.91)	Normal	1.15	[CLS] flight performance will be affected . [SEP]
Normal	Normal (0.90)	Normal	1.34	[CLS] fly with caution [SEP]
SoftwareFault	SoftwareFault (0.93)	SoftwareFault	1.51	[CLS] forward obstacle sensing is not functioning . [SEP]
SoftwareFault	SoftwareFault (0.92)	SoftwareFault	1.59	[CLS] forward obstacle sensing not responding [SEP]
HardwareFault	HardwareFault (0.87)	HardwareFault	1.87	[CLS] gimbal motor overloaded . [SEP]
Normal	Normal (0.91)	Normal	1.32	[CLS] check whether gimbal can rotate freely [SEP]
HardwareFault	HardwareFault (0.86)	HardwareFault	1.97	[CLS] gimbal pitch limit reached . [SEP]
Normal	Normal (0.90)	Normal	0.41	[CLS] ground plain . [SEP]
Normal	Normal (0.90)	Normal	0.58	[CLS] safe to land . [SEP]
ParamViolation	ParamViolation (0.63)	ParamViolation	1.62	[CLS] high altitude . [SEP]
Normal	HardwareFault (0.71)	HardwareFault	-2.34	[CLS] aircraft braking distance increased and flight time decreased . [SEP]

Normal	Normal (0.90)	Normal	1.34	[CLS] fly with caution [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.77)	SurroundingEnvironment	1.72	[CLS] high wind velocity . [SEP]
Normal	Normal (0.92)	Normal	0.51	[CLS] ensure the aircraft remains within your line of sight and fly with caution . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.77)	SurroundingEnvironment	1.72	[CLS] high wind velocity . [SEP]
Normal	Normal (0.92)	Normal	0.51	[CLS] ensure the aircraft remains within your line of sight and fly with caution . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.77)	SurroundingEnvironment	1.72	[CLS] high wind velocity . [SEP]
Normal	Normal (0.92)	Normal	1.61	[CLS] fly with caution and land in a safe place asap . [SEP]
Normal	ParamViolation (0.60)	ParamViolation	-1.96	[CLS] high - altitude flight [SEP]
Normal	Normal (0.90)	Normal	1.34	[CLS] fly with caution [SEP]
Normal	Normal (0.89)	Normal	-0.02	[CLS] aircraft braking distance is extended [SEP]
Normal	ParamViolation (0.52)	ParamViolation	-1.79	[CLS] flight time is shortened . [SEP]
Normal	Normal (0.90)	Normal	0.87	[CLS] home

ParamViolation	ParamViolation (0.33)	ParamViolation	0.98	point updated
				. [SEP]
				[CLS] imu
Normal	Normal (0.90)	Normal	0.96	attitude
				restricted .
				[SEP]
SoftwareFault	Normal (0.91)	Normal	-0.84	[CLS] ensure
				aircraft is
				level [SEP]
Normal	Normal (0.91)	Normal	1.44	[CLS] imu not
				calibrated .
				[SEP]
Normal	Normal (0.89)	Normal	0.23	[CLS]
				calibrate imu
				[SEP]
Normal	Normal (0.90)	Normal	1.50	[CLS] landing
				gear function
				restored
Normal	Normal (0.90)	Normal	0.78	[SEP]
				[CLS] landing
				gear paused .
Normal	Normal (0.90)	Normal	0.86	[SEP]
				[CLS] landing
				gear raising .
Normal	Normal (0.90)	Normal	1.36	[SEP]
				[CLS] home
				point
Normal	Normal (0.91)	Normal	0.65	recorded
				[SEP]
				[CLS] live
Normal	Normal (0.90)	Normal	1.34	stream video
				frame rate
				less than 9hz
HardwareFault	HardwareFault (0.85)	HardwareFault	1.72	. [SEP]
				[CLS] fly with
				caution [SEP]
Normal	Normal (0.91)	Normal	1.34	[CLS] low
				power . [SEP]
				[CLS] aircraft
HardwareFault	HardwareFault (0.85)	HardwareFault	1.72	is returning
				to the home
				point . [SEP]
HardwareFault	HardwareFault (0.85)	HardwareFault	1.72	[CLS] low
				power . [SEP]

Normal	Normal (0.90)	Normal	0.81	[CLS] returning home . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.77)	SurroundingEnvironment	1.44	[CLS] magnetic filed interference . [SEP]
Normal	Normal (0.91)	Normal	1.27	[CLS] exit p - gps mode . [SEP]
HardwareFault	HardwareFault (0.85)	HardwareFault	2.15	[CLS] yaw error . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.65)	SurroundingEnvironment	0.93	[CLS] manned aircraft detected nearby . [SEP]
Normal	Normal (0.90)	Normal	1.34	[CLS] fly with caution [SEP]
ParamViolation	ParamViolation (0.60)	ParamViolation	0.94	[CLS] max altitude approached . [SEP]
Normal	Normal (0.91)	Normal	0.47	[CLS] wait for the gps satellite signal recovery before ascend [SEP]
ParamViolation	ParamViolation (0.75)	ParamViolation	2.16	[CLS] max flight altitude reached . [SEP]
Normal	Normal (0.91)	Normal	1.71	[CLS] adjust in main controller settings if necessary [SEP]
ParamViolation	ParamViolation (0.75)	ParamViolation	2.05	[CLS] max flight distance reached . [SEP]
				[CLS] adjust

Normal	Normal (0.91)	Normal	1.57	in main controller settings if necessary . [SEP]
				[CLS] maximum
ParamViolation	ParamViolation (0.75)	ParamViolation	2.02	flight distance reached . [SEP]
				[CLS] adjust the distance
Normal	Normal (0.91)	Normal	1.22	in mc settings if required . [SEP]
				[CLS] mobile device cpu
HardwareFault	HardwareFault (0.84)	HardwareFault	1.85	fully loaded . [SEP]
				[CLS] related performance
Normal	Normal (0.91)	Normal	1.25	will be affected . [SEP]
				[CLS] mobile device version too old to support hd image
SoftwareFault	Normal (0.91)	Normal	0.03	transmission and the image transmission mode has been switch to normal mode . [SEP]
				[CLS] motor is blocked . [SEP]
Normal	Normal (0.90)	Normal	0.28	[CLS] motor stuck . [SEP]
				[CLS] check for objects blocking motor or
HardwareFault	HardwareFault (0.85)	HardwareFault	1.50	contact dji support for
Normal	Normal (0.92)	Normal	1.40	

				assistance [SEP]
Normal	HardwareFault (0.83)	HardwareFault	-1.83	[CLS] motors started . [SEP]
SoftwareFault	SoftwareFault (0.91)	SoftwareFault	1.63	[CLS] no gps signal . [SEP]
Normal	HardwareFault (0.87)	HardwareFault	-0.91	[CLS] aircraft unable to hover . [SEP]
Normal	Normal (0.90)	Normal	1.34	[CLS] fly with caution [SEP]
SoftwareFault	SoftwareFault (0.91)	SoftwareFault	1.63	[CLS] no gps signal . [SEP]
Normal	HardwareFault (0.86)	HardwareFault	-1.18	[CLS] unable to hover . [SEP]
Normal	Normal (0.90)	Normal	1.34	[CLS] fly with caution [SEP]
Normal	Normal (0.90)	Normal	0.68	[CLS] obstacle avoidance disabled . [SEP]
Normal	Normal (0.90)	Normal	0.88	[CLS] landing gear lowered . [SEP]
Normal	Normal (0.90)	Normal	0.68	[CLS] obstacle avoidance disabled . [SEP]
Normal	Normal (0.90)	Normal	0.68	[CLS] obstacle avoidance disabled . [SEP]
Normal	Normal (0.90)	Normal	0.88	[CLS] landing gear lowered . [SEP]
Normal	Normal (0.91)	Normal	0.91	[CLS] obstacle avoidance has been disabled . [SEP]
Normal	Normal (0.89)	Normal	0.59	[CLS] precision

				landing [SEP]
				[CLS]
Normal	Normal (0.90)	Normal	1.35	quickshot has ended [SEP]
				[CLS]
Normal	Normal (0.91)	Normal	1.83	recenter gimbal pan [SEP]
				[CLS]
Normal	Normal (0.91)	Normal	0.21	rectifying aircraft position [SEP]
				[CLS]
SurroundingEnvironment	SurroundingEnvironment (0.77)	SurroundingEnvironment	1.88	remote controller in high interference environment . [SEP]
				[CLS]
Normal	Normal (0.91)	Normal	1.76	manually adjust flight route or return to home [SEP]
				[CLS]
Normal	Normal (0.91)	Normal	1.04	return - to - home altitude : 65ft [SEP]
				[CLS]
Normal	Normal (0.91)	Normal	0.74	return - to - home altitude : 98ft . [SEP]
				[CLS]
Normal	Normal (0.91)	Normal	1.46	rth : ascending to rth altitude . [SEP]
				[CLS]
Normal	Normal (0.91)	Normal	1.58	rth : heading alignment . [SEP]
				[CLS]
Normal	Normal (0.91)	Normal	1.09	rth altitude : 65ft . [SEP]
				[CLS]
Normal	Normal (0.91)	Normal	1.01	rth altitude : 98ft . [SEP]
				[CLS]
CommunicationIssue	CommunicationIssue (0.67)	CommunicationIssue	1.08	[CLS] signal

Normal	Normal (0.91)	Normal	1.67	lost . [SEP]
				[CLS] aircraft returning to home point [SEP]
Normal	Normal (0.90)	Normal	1.79	[CLS] sprayer turned on [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.77)	SurroundingEnvironment	1.59	[CLS] strong wind warning . [SEP]
SoftwareFault	SoftwareFault (0.93)	SoftwareFault	1.25	[CLS] aircraft unable to return to home automatically . [SEP]
Normal	Normal (0.91)	Normal	1.83	[CLS] lower altitude immediately and return to home manually [SEP]
				[CLS]
Normal	Normal (0.91)	Normal	1.21	switched to s (sport) - mode . [SEP]
Normal	Normal (0.91)	Normal	0.79	[CLS]
				switched to t (tripod) - mode . [SEP]
Normal	Normal (0.91)	Normal	1.61	[CLS] take off in p - mode [SEP]
SoftwareFault	HardwareFault (0.72)	HardwareFault	0.31	[CLS] vision sensor error . [SEP]
Normal	Normal (0.91)	Normal	1.34	[CLS] contact dji support for assistance [SEP]
				[CLS] vision systems and obstacle avoidance disabled [SEP]

Normal	Normal (0.90)	Normal	1.22	[CLS]
				waypoint
				mission
SoftwareFault	SoftwareFault (0.92)	SoftwareFault	1.62	paused [SEP]
				[CLS] weak
				gps signal .
Normal	Normal (0.91)	Normal	1.27	[SEP]
				[CLS] aircraft
				is in attitude
Normal	Normal (0.90)	Normal	0.72	mode and
				hovering may
				be unstable .
CommunicationIssue	CommunicationIssue (0.70)	CommunicationIssue	1.37	[SEP]
				[CLS] fly with
				caution .
Normal	Normal (0.89)	Normal	1.21	[SEP]
				[CLS] weak
				signal . [SEP]
RegulationViolation	RegulationViolation (0.40)	RegulationViolation	2.47	[CLS] adjust
				antennas
				[SEP]
Normal	Normal (0.90)	Normal	1.19	[CLS] your
				aircraft is
				flying in an
Normal	Normal (0.90)	Normal	1.19	altitude zone
				(nnn) . [SEP]
				[CLS] please
Normal	Normal (0.90)	Normal	1.19	fly with
				caution [SEP]