

Legend: ■ Negative □ Neutral ■ Positive

True Label	Predicted Label	Attribution Label	Attribution Score	Word Importance
SurroundingEnvironment	Normal (0.69)	SurroundingEnvironment	0.53	#s a passenger aircraft is nearby . #/s
Normal	Normal (0.89)	Normal	1.33	#s fly with caution #/s
Normal	Normal (0.27)	Normal	-0.67	#s account not logged in . #/s
ParamViolation	Normal (0.56)	ParamViolation	-0.77	#s flight altitude and distance restricted to nnn and nnn . #/s
Normal	Normal (0.44)	Normal	-0.10	#s check and log in #/s
Normal	Normal (0.83)	Normal	1.95	#s activetrack flight paused #/s
Normal	Normal (0.81)	Normal	1.18	#s aircraft activetrack available at max speed . #/s
Normal	Normal (0.55)	Normal	-1.82	#s obstacle avoidance is not available #/s
Normal	Normal (0.81)	Normal	1.18	#s aircraft activetrack available at max speed . #/s
Normal	Normal (0.37)	Normal	-0.18	#s when exceeding nnn , obstacle avoidance is not available #/s
Normal	Normal (0.52)	Normal	1.06	#s aircraft activetrack max speed of nnn and obstacle avoidance functions normally #/s
HardwareFault	Normal (0.36)	HardwareFault	-0.09	#s aircraft core board overheated #/s
Normal	Normal (0.84)	Normal	2.29	#s aircraft entered fixed - wing mode . #/s
Normal	Normal (0.79)	Normal	1.41	#s current flight speed is nnn . #/s
Normal	Normal (0.70)	Normal	-1.24	#s press c2 to exit #/s
Normal	Normal (0.79)	Normal	1.20	#s aircraft flight control unlocked #/s
RegulationViolation	Normal (0.70)	RegulationViolation	-1.46	#s aircraft in restricted zones . #/s
Normal	Normal (0.51)	Normal	-0.19	#s check map to find recommended zones #/s
Normal	Normal (0.83)	Normal	1.85	#s aircraft is in attitude mode , so that it will not hover . #/s

Normal	Normal (0.86)	Normal	1.28	#s please fly with caution . #/s
Normal	Normal (0.79)	Normal	1.40	#s aircraft is in tripod mode . #/s
Normal	Normal (0.33)	Normal	-1.42	#s exit this mode and try again #/s
Normal	Normal (0.88)	Normal	1.84	#s aircraft is returning to the starting point #/s
ParamViolation	Normal (0.68)	ParamViolation	-0.14	#s aircraft out of range #/s
RegulationViolation	Normal (0.83)	RegulationViolation	-1.75	#s approaching a no - fly zone . #/s
Normal	Normal (0.50)	Normal	0.41	#s rth may be affected . #/s
Normal	Normal (0.89)	Normal	1.33	#s fly with caution #/s
Normal	Normal (0.74)	Normal	1.36	#s arrived at start point . #/s
Normal	Normal (0.72)	Normal	1.00	#s starting waypoint mission #/s
Normal	Normal (0.89)	Normal	1.56	#s auto landing initiated #/s
Normal	Normal (0.33)	Normal	1.63	#s auxiliary bottom light turned off #/s
SoftwareFault	Normal (0.59)	SoftwareFault	1.99	#s backward obstacle sensing is not functioning . #/s
HardwareFault	HardwareFault (0.36)	HardwareFault	1.64	#s battery cell broken , please replace the battery #/s
HardwareFault	HardwareFault (0.49)	HardwareFault	1.50	#s battery error . #/s
Normal	Normal (0.86)	Normal	1.59	#s aircraft returning to home automatically #/s
HardwareFault	HardwareFault (0.41)	HardwareFault	1.61	#s battery power low . #/s
Normal	Normal (0.58)	Normal	2.00	#s check battery status and charge or warm up battery #/s
HardwareFault	HardwareFault (0.23)	HardwareFault	-0.71	#s cache space full #/s
SurroundingEnvironment	Normal (0.45)	SurroundingEnvironment	0.51	#s calibration subject is too close . #/s
Normal	Normal (0.52)	Normal	-0.40	#s recalibrate using a subject that is farther away #/s

HardwareFault	Normal (0.45)	HardwareFault	-0.84	#s camera busy , cannot enter playback #/s
SoftwareFault	Normal (0.71)	SoftwareFault	-0.35	#s cannot enable intelligent flight mode #/s
HardwareFault	HardwareFault (0.41)	HardwareFault	1.53	#s low battery #/s
SoftwareFault	Normal (0.52)	SoftwareFault	1.41	#s cannot start return to home due to weak gps signal #/s
SoftwareFault	Normal (0.23)	SoftwareFault	1.68	#s cannot start self - timer . #/s
SoftwareFault	Normal (0.41)	SoftwareFault	-1.20	#s exposure time is too long #/s
SoftwareFault	Normal (0.74)	SoftwareFault	0.98	#s cannot switch flight mode . #/s
Normal	Normal (0.86)	Normal	1.30	#s turn on " multiple flight modes " to enable atti and sport modes . #/s
SoftwareFault	Normal (0.30)	SoftwareFault	1.69	#s cannot track subject #/s
SurroundingEnvironment	HardwareFault (0.26)	SurroundingEnvironment	0.43	#s no image #/s
Normal	Normal (0.40)	Normal	0.80	#s please retry #/s
SoftwareFault	Normal (0.30)	SoftwareFault	1.69	#s cannot track subject #/s
SurroundingEnvironment	Normal (0.20)	SurroundingEnvironment	1.19	#s subject too large #/s
Normal	Normal (0.63)	Normal	1.36	#s move away and retry #/s
Normal	Normal (0.38)	Normal	0.59	#s color display in the liveview has been enhanced . #/s
Normal	Normal (0.57)	Normal	0.28	#s videos and photos will still be shot in d - log mode #/s
HardwareFault	HardwareFault (0.36)	HardwareFault	1.50	#s compass abnormal . #/s
Normal	Normal (0.80)	Normal	1.72	#s solution : 1 . ensure there are no magnets or metal objects near the aircraft . #/s
Normal	Normal (0.31)	Normal	-0.36	#s the ground or walls may contain metal . #/s
	Normal			#s move away from sources of interference

Normal	(0.90)	Normal	2.08	before attempting flight . #/s
Normal	Normal (0.87)	Normal	1.07	#s 2. calibrate compass before takeoff #/s
HardwareFault	HardwareFault (0.43)	HardwareFault	1.50	#s compass error #/s
HardwareFault	HardwareFault (0.41)	HardwareFault	1.56	#s compass error , calibration required #/s
HardwareFault	HardwareFault (0.40)	HardwareFault	1.50	#s compass error . #/s
HardwareFault	HardwareFault (0.40)	HardwareFault	1.50	#s compass error . #/s
HardwareFault	Normal (0.39)	HardwareFault	1.46	#s compass disconnected #/s
HardwareFault	HardwareFault (0.40)	HardwareFault	1.50	#s compass error . #/s
SurroundingEnvironment	Normal (0.23)	SurroundingEnvironment	0.99	#s magnetic filed interference . #/s
Normal	Normal (0.83)	Normal	1.68	#s exit p - gps mode #/s
SoftwareFault	HardwareFault (0.34)	SoftwareFault	0.87	#s compass initialization failed . #/s
Normal	Normal (0.89)	Normal	1.60	#s restart aircraft #/s
HardwareFault	HardwareFault (0.37)	HardwareFault	1.62	#s critical low battery . #/s
Normal	Normal (0.80)	Normal	0.86	#s aircraft in auto power off protection . #/s
Normal	Normal (0.78)	Normal	-1.01	#s forced landing in progress #/s
HardwareFault	HardwareFault (0.37)	HardwareFault	1.62	#s critical low battery . #/s
Normal	Normal (0.86)	Normal	1.12	#s aircraft landing automatically #/s
HardwareFault	HardwareFault (0.37)	HardwareFault	1.62	#s critical low battery . #/s
Normal	Normal (0.91)	Normal	1.09	#s return to home or land promptly #/s
HardwareFault	HardwareFault (0.31)	HardwareFault	1.46	#s critically low power . #/s
Normal	Normal (0.82)	Normal	1.49	#s aircraft is landing #/s
HardwareFault	HardwareFault (0.31)	HardwareFault	1.46	#s critically low power . #/s
Normal	Normal (0.77)	Normal	1.44	#s aircraft landing . #/s
Normal	Normal (0.77)	Normal	1.44	#s aircraft landing . #/s

Normal	Normal (0.75)	Normal	-0.20	#s throttle up to reduce the speed of descent and use sticks to avoid obstacles #/s
HardwareFault	HardwareFault (0.33)	HardwareFault	1.94	#s critically low voltage warning . #/s
Normal	Normal (0.78)	Normal	1.74	#s aircraft will be forced to land #/s
HardwareFault	HardwareFault (0.32)	HardwareFault	1.81	#s critically low voltage . #/s
Normal	Normal (0.86)	Normal	1.24	#s aircraft will land #/s
Normal	Normal (0.53)	Normal	1.87	#s data recorder file index is 15 . #/s
Normal	Normal (0.51)	Normal	1.45	#s data recorder file index is 17 . #/s
Normal	Normal (0.52)	Normal	0.77	#s data recorder file index is 30 . #/s
Normal	Normal (0.53)	Normal	1.38	#s data recorder file index is 45 . #/s
Normal	Normal (0.52)	Normal	0.15	#s data recorder file index is 46 . #/s
Normal	Normal (0.50)	Normal	2.25	#s data recorder file index is 65 . #/s
Normal	Normal (0.39)	Normal	1.85	#s disable sd card read and write protection or change card #/s
CommunicationIssue	Normal (0.46)	CommunicationIssue	-0.49	#s downlink lost . #/s
Normal	Normal (0.60)	Normal	-1.41	#s downlink restored ( after 0m 2 . 9s ) . #/s
Normal	Normal (0.64)	Normal	0.28	#s drone is vibrating #/s
Normal	Normal (0.88)	Normal	1.34	#s entered cruise control mode . #/s
Normal	Normal (0.65)	Normal	0.38	#s press c1 or c2 to exit #/s
ParamViolation	Normal (0.43)	ParamViolation	-1.22	#s excessive attitude angle detected #/s
SoftwareFault	Normal (0.44)	SoftwareFault	1.73	#s forward obstacle avoidance has stopped working #/s
Normal	Normal (0.72)	Normal	0.07	#s exit backward sensing system #/s
SurroundingEnvironment	HardwareFault (0.23)	SurroundingEnvironment	0.75	#s ambient light is too weak #/s
	Normal			#s exited visual

Normal	(0.61)	Normal	1.84	avoidance system . #/s
SoftwareFault	Normal (0.44)	SoftwareFault	1.49	#s exiting gps mode : unknown error #/s
ParamViolation	Normal (0.42)	ParamViolation	0.09	#s extra payload detected . #/s
Normal	Normal (0.73)	Normal	1.06	#s flight performance will be affected . #/s
Normal	Normal (0.89)	Normal	1.33	#s fly with caution #/s
SoftwareFault	Normal (0.54)	SoftwareFault	2.44	#s forward obstacle sensing is not functioning . #/s
SoftwareFault	Normal (0.49)	SoftwareFault	1.82	#s forward obstacle sensing not responding #/s
HardwareFault	Normal (0.44)	HardwareFault	1.51	#s gimbal motor overloaded . #/s
Normal	Normal (0.45)	Normal	-0.97	#s check whether gimbal can rotate freely #/s
HardwareFault	Normal (0.42)	HardwareFault	1.80	#s gimbal pitch limit reached . #/s
Normal	Normal (0.38)	Normal	1.18	#s ground plain . #/s
Normal	Normal (0.84)	Normal	1.34	#s safe to land . #/s
ParamViolation	Normal (0.47)	ParamViolation	1.10	#s high altitude . #/s
Normal	Normal (0.75)	Normal	0.03	#s aircraft braking distance increased and flight time decreased . #/s
Normal	Normal (0.89)	Normal	1.33	#s fly with caution #/s
SurroundingEnvironment	Normal (0.38)	SurroundingEnvironment	1.26	#s high wind velocity . #/s
Normal	Normal (0.93)	Normal	2.60	#s ensure the aircraft remains within your line of sight and fly with caution . #/s
SurroundingEnvironment	Normal (0.38)	SurroundingEnvironment	1.26	#s high wind velocity . #/s
Normal	Normal (0.93)	Normal	2.60	#s ensure the aircraft remains within your line of sight and fly with caution . #/s
SurroundingEnvironment	Normal (0.38)	SurroundingEnvironment	1.26	#s high wind velocity . #/s

Normal	Normal (0.94)	Normal	1.75	#s fly with caution and land in a safe place asap . #/s
Normal	Normal (0.73)	Normal	1.60	#s high - altitude flight #/s
Normal	Normal (0.89)	Normal	1.33	#s fly with caution #/s
Normal	Normal (0.62)	Normal	-1.11	#s aircraft braking distance is extended #/s
Normal	Normal (0.80)	Normal	1.11	#s flight time is shortened . #/s
Normal	Normal (0.59)	Normal	1.15	#s home point updated . #/s
ParamViolation	Normal (0.51)	ParamViolation	0.89	#s imu attitude restricted . #/s
Normal	Normal (0.90)	Normal	2.10	#s ensure aircraft is level #/s
SoftwareFault	Normal (0.44)	SoftwareFault	0.29	#s imu not calibrated . #/s
Normal	Normal (0.57)	Normal	0.50	#s calibrate imu #/s
Normal	Normal (0.65)	Normal	1.21	#s landing canceled . #/s
Normal	Normal (0.77)	Normal	1.30	#s landing gear function restored #/s
Normal	Normal (0.82)	Normal	1.53	#s landing gear paused . #/s
Normal	Normal (0.87)	Normal	1.35	#s landing gear raising . #/s
Normal	Normal (0.64)	Normal	0.90	#s home point recorded #/s
Normal	Normal (0.32)	Normal	1.66	#s live stream video frame rate less than 9hz . #/s
Normal	Normal (0.89)	Normal	1.33	#s fly with caution #/s
HardwareFault	HardwareFault (0.30)	HardwareFault	1.48	#s low power . #/s
Normal	Normal (0.87)	Normal	1.65	#s aircraft is returning to the home point . #/s
HardwareFault	HardwareFault (0.30)	HardwareFault	1.48	#s low power . #/s
Normal	Normal (0.69)	Normal	1.52	#s returning home . #/s
SurroundingEnvironment	Normal (0.23)	SurroundingEnvironment	0.99	#s magnetic filed interference . #/s
Normal	Normal (0.88)	Normal	1.80	#s exit p - gps mode . #/s
	HardwareFault			

HardwareFault	(0.31)	HardwareFault	1.65	#s yaw error . #/s
SurroundingEnvironment	Normal (0.73)	SurroundingEnvironment	0.62	#s manned aircraft detected nearby . #/s
Normal	Normal (0.89)	Normal	1.33	#s fly with caution #/s
ParamViolation	Normal (0.69)	ParamViolation	0.51	#s max altitude approached . #/s
Normal	Normal (0.76)	Normal	1.59	#s wait for the gps satellite signal recovery before ascend #/s
ParamViolation	Normal (0.69)	ParamViolation	1.01	#s max flight altitude reached . #/s
Normal	Normal (0.85)	Normal	2.35	#s adjust in main controller settings if necessary #/s
ParamViolation	Normal (0.70)	ParamViolation	1.16	#s max flight distance reached . #/s
Normal	Normal (0.87)	Normal	1.95	#s adjust in main controller settings if necessary . #/s
ParamViolation	Normal (0.72)	ParamViolation	1.13	#s maximum flight distance reached . #/s
Normal	Normal (0.78)	Normal	1.99	#s adjust the distance in mc settings if required . #/s
HardwareFault	Normal (0.36)	HardwareFault	1.93	#s mobile device cpu fully loaded . #/s
Normal	Normal (0.36)	Normal	-0.46	#s related performance will be affected . #/s
SoftwareFault	Normal (0.34)	SoftwareFault	1.68	#s mobile device version too old to support hd image transmission and the image transmission mode has been switch to normal mode . #/s
Normal	Normal (0.51)	Normal	1.64	#s motor is blocked . #/s
HardwareFault	Normal (0.46)	HardwareFault	1.43	#s motor stuck . #/s
Normal	Normal (0.75)	Normal	2.50	#s check for objects blocking motor or contact dji support for assistance #/s
Normal	Normal (0.58)	Normal	-0.86	#s motors started . #/s
SoftwareFault	Normal (0.52)	SoftwareFault	1.60	#s no gps signal . #/s



Normal	Normal (0.54)	Normal	1.42	#s aircraft unable to hover . #/s
Normal	Normal (0.89)	Normal	1.33	#s fly with caution #/s
SoftwareFault	Normal (0.52)	SoftwareFault	1.60	#s no gps signal . #/s
Normal	Normal (0.30)	Normal	1.01	#s unable to hover . #/s
Normal	Normal (0.89)	Normal	1.33	#s fly with caution #/s
Normal	Normal (0.73)	Normal	1.31	#s obstacle avoidance disabled . #/s
Normal	Normal (0.89)	Normal	1.73	#s landing gear lowered . #/s
Normal	Normal (0.73)	Normal	1.31	#s obstacle avoidance disabled . #/s
Normal	Normal (0.73)	Normal	1.31	#s obstacle avoidance disabled . #/s
Normal	Normal (0.89)	Normal	1.73	#s landing gear lowered . #/s
Normal	Normal (0.68)	Normal	1.97	#s obstacle avoidance has been disabled . #/s
Normal	Normal (0.75)	Normal	0.69	#s precision landing #/s
Normal	Normal (0.47)	Normal	-0.34	#s quickshot has ended #/s
Normal	Normal (0.52)	Normal	-0.64	#s recenter gimbal pan #/s
Normal	Normal (0.88)	Normal	1.24	#s rectifying aircraft position #/s
SurroundingEnvironment	Normal (0.42)	SurroundingEnvironment	0.02	#s remote controller in high interference environment . #/s
Normal	Normal (0.81)	Normal	0.44	#s manually adjust flight route or return to home #/s
Normal	Normal (0.75)	Normal	1.23	#s return - to - home altitude : 65ft #/s
Normal	Normal (0.78)	Normal	2.37	#s return - to - home altitude : 98ft . #/s
Normal	Normal (0.65)	Normal	2.21	#s rth : ascending to rth altitude . #/s
Normal	Normal (0.55)	Normal	1.03	#s rth : heading alignment . #/s
Normal	Normal (0.69)	Normal	1.10	#s rth altitude : 65ft . #/s
Normal	Normal (0.69)	Normal	0.70	#s rth altitude : 98ft . #/s
	Normal			

CommunicationIssue	(0.47)	CommunicationIssue	-0.17	#s signal lost . #/s
Normal	Normal (0.89)	Normal	1.49	#s aircraft returning to home point #/s
Normal	Normal (0.51)	Normal	-1.46	#s sprayer turned on #/s
SurroundingEnvironment	Normal (0.50)	SurroundingEnvironment	0.29	#s strong wind warning . #/s
SoftwareFault	Normal (0.78)	SoftwareFault	0.57	#s aircraft unable to return to home automatically . #/s
Normal	Normal (0.91)	Normal	0.94	#s lower altitude immediately and return to home manually #/s
Normal	Normal (0.77)	Normal	1.88	#s switched to s ( sport ) - mode . #/s
Normal	Normal (0.80)	Normal	1.21	#s switched to t ( tripod ) - mode . #/s
Normal	Normal (0.87)	Normal	2.17	#s take off in p - mode #/s
SoftwareFault	HardwareFault (0.32)	SoftwareFault	1.46	#s vision sensor error . #/s
Normal	Normal (0.80)	Normal	1.64	#s contact dji support for assistance #/s
Normal	Normal (0.59)	Normal	1.28	#s vision systems and obstacle avoidance disabled #/s
Normal	Normal (0.75)	Normal	1.51	#s waypoint mission paused #/s
SoftwareFault	Normal (0.43)	SoftwareFault	1.49	#s weak gps signal . #/s
Normal	Normal (0.71)	Normal	-0.11	#s aircraft is in attitude mode and hovering may be unstable . #/s
Normal	Normal (0.87)	Normal	1.24	#s fly with caution . #/s
CommunicationIssue	Normal (0.26)	CommunicationIssue	-0.61	#s weak signal . #/s
Normal	Normal (0.62)	Normal	0.92	#s adjust antennas #/s
RegulationViolation	Normal (0.72)	RegulationViolation	0.74	#s your aircraft is flying in an altitude zone ( nnn ) . #/s
Normal	Normal (0.88)	Normal	1.41	#s please fly with caution #/s