

Legend: ■ Negative □ Neutral ■ Positive

True Label	Predicted Label	Attribution Label	Attribution Score	Word Importance
SurroundingEnvironment	Normal (0.97)	SurroundingEnvironment	0.78	#s a passenger aircraft is nearby . #/s
				#s fly with caution #/s
				#s account not logged in . #/s
Normal	Normal (0.99)	Normal	1.67	
Normal	SoftwareFault (0.94)	Normal	-1.74	
ParamViolation	ParamViolation (0.89)	ParamViolation	2.23	#s flight altitude and distance restricted to nnn and nnn . #/s
				#s check and log in #/s
				#s activetrack flight paused #/s
Normal	Normal (0.99)	Normal	1.77	
Normal	Normal (0.99)	Normal	2.22	
Normal	Normal (0.99)	Normal	2.40	#s aircraft activetrack available at max speed . #/s
Normal	Normal (0.99)	Normal	1.25	#s obstacle avoidance is not available #/s
Normal	Normal (0.99)	Normal	2.40	#s aircraft activetrack available at max speed . #/s
Normal	Normal (0.98)	Normal	0.54	#s when exceeding nnn , obstacle avoidance is not available #/s
Normal	Normal (0.99)	Normal	1.22	#s aircraft activetrack max speed of nnn and

HardwareFault	HardwareFault (0.97)	HardwareFault	2.04	obstacle avoidance functions normally #/s
				#s aircraft core board overheated #/s
				#s aircraft entered fixed - wing mode . #/s
				#s current flight speed is nnn . #/s
				#s press c2 to exit #/s
Normal	Normal (0.99)	Normal	1.96	#s aircraft flight control unlocked #/s
Normal	Normal (0.99)	Normal	1.65	#s aircraft in restricted zones . #/s
Normal	Normal (0.99)	Normal	1.56	#s check map to find recommended zones #/s
Normal	Normal (0.99)	Normal	1.57	#s aircraft is in attitude mode , so that it will not hover . #/s
RegulationViolation	RegulationViolation (0.42)	RegulationViolation	1.76	#s please fly with caution . #/s
Normal	Normal (0.99)	Normal	1.86	#s aircraft is in tripod mode . #/s
Normal	Normal (0.99)	Normal	0.03	#s exit this mode and try again #/s
Normal	Normal (0.99)	Normal	1.30	#s aircraft is returning to the starting point #/s
Normal	Normal (0.98)	Normal	-0.28	#s aircraft out of range #/s
ParamViolation	ParamViolation (0.90)	ParamViolation	1.74	

RegulationViolation	RegulationViolation (0.43)	RegulationViolation	2.28	#s approaching a no - fly zone . #/s
Normal	Normal (0.99)	Normal	-0.06	#s rth may be affected . #/s
Normal	Normal (0.99)	Normal	1.67	#s fly with caution #/s
Normal	Normal (0.99)	Normal	1.63	#s arrived at start point . #/s
Normal	Normal (0.99)	Normal	1.87	#s starting waypoint mission #/s
Normal	Normal (0.99)	Normal	1.73	#s auto landing initiated #/s
Normal	Normal (0.99)	Normal	-0.83	#s auxiliary bottom light turned off #/s
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	1.05	#s backward obstacle sensing is not functioning . #/s
HardwareFault	HardwareFault (0.97)	HardwareFault	1.54	#s battery cell broken , please replace the battery #/s
HardwareFault	HardwareFault (0.97)	HardwareFault	1.27	#s battery error . #/s
Normal	Normal (0.99)	Normal	2.07	#s aircraft returning to home automatically #/s
HardwareFault	HardwareFault (0.97)	HardwareFault	1.74	#s battery power low . #/s
Normal	Normal (0.99)	Normal	2.41	#s check battery status and charge or warm up battery #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	1.59	#s cache space full #/s

SurroundingEnvironment	SoftwareFault (0.88)	SurroundingEnvironment	-1.28	#s calibration subject is too close . #/s
Normal	Normal (0.99)	Normal	2.55	#s recalibrate using a subject that is farther away #/s
HardwareFault	HardwareFault (0.79)	HardwareFault	1.73	#s camera busy , cannot enter playback #/s
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	2.06	#s cannot enable intelligent flight mode #/s
HardwareFault	HardwareFault (0.97)	HardwareFault	-1.38	#s low battery #/s
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	1.44	#s cannot start return to home due to weak gps signal #/s
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	-1.95	#s cannot start self - timer . #/s
SoftwareFault	ParamViolation (0.89)	SoftwareFault	-1.71	#s exposure time is too long #/s
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	1.21	#s cannot switch flight mode . #/s
Normal	Normal (0.99)	Normal	-2.20	#s turn on " multiple flight modes " to enable atti and sport modes . #/s
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	1.37	#s cannot track subject #/s
SurroundingEnvironment	SoftwareFault (0.94)	SurroundingEnvironment	0.69	#s no image #/s
Normal	Normal (0.99)	Normal	1.42	#s please retry #/s
				#s cannot

SoftwareFault	SoftwareFault (0.94)	SoftwareFault	1.37	track subject #/s
SurroundingEnvironment	SoftwareFault (0.94)	SurroundingEnvironment	0.53	#s subject too large #/s
Normal	Normal (0.99)	Normal	1.56	#s move away and retry #/s
Normal	Normal (0.99)	Normal	1.65	#s color display in the liveview has been enhanced . #/s
Normal	Normal (0.99)	Normal	1.85	#s videos and photos will still be shot in d - log mode #/s
HardwareFault	HardwareFault (0.97)	HardwareFault	1.51	#s compass abnormal . #/s
Normal	Normal (0.99)	Normal	3.05	#s solution : 1 . ensure there are no magnets or metal objects near the aircraft . #/s
Normal	Normal (0.99)	Normal	2.17	#s the ground or walls may contain metal . #/s
Normal	Normal (0.99)	Normal	1.98	#s move away from sources of interference before attempting flight . #/s
Normal	Normal (0.99)	Normal	0.89	#s 2 calibrate compass before takeoff #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	1.20	#s compass error #/s #s compass

HardwareFault	HardwareFault (0.77)	HardwareFault	1.40	error , calibration required #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	0.97	#s compass error . #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	0.97	#s compass error . #/s
HardwareFault	HardwareFault (0.97)	HardwareFault	1.54	#s compass disconnected #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	0.97	#s compass error . #/s
SurroundingEnvironment	SurroundingEnvironment (0.93)	SurroundingEnvironment	1.63	#s magnetic filed interference . #/s
Normal	Normal (0.99)	Normal	2.20	#s exit p - gps mode #/s
SoftwareFault	HardwareFault (0.96)	SoftwareFault	-0.70	#s compass initialization failed . #/s
Normal	Normal (0.99)	Normal	1.21	#s restart aircraft #/s
HardwareFault	HardwareFault (0.97)	HardwareFault	1.50	#s critical low battery . #/s
Normal	Normal (0.99)	Normal	0.18	#s aircraft in auto power off protection . #/s
Normal	Normal (0.99)	Normal	1.95	#s forced landing in progress #/s
HardwareFault	HardwareFault (0.97)	HardwareFault	1.50	#s critical low battery . #/s
Normal	Normal (0.99)	Normal	1.40	#s aircraft landing automatically #/s
HardwareFault	HardwareFault (0.97)	HardwareFault	1.50	#s critical low battery . #/s
Normal	Normal (0.99)	Normal	2.11	#s return to home or land promptly #/s
				#s critically

HardwareFault	HardwareFault (0.97)	HardwareFault	1.71	low power . #/s
Normal	Normal (0.99)	Normal	1.45	#s aircraft is landing #/s
HardwareFault	HardwareFault (0.97)	HardwareFault	1.71	#s critically low power . #/s
Normal	Normal (0.99)	Normal	1.29	#s aircraft landing . #/s
Normal	Normal (0.99)	Normal	1.29	#s aircraft landing . #/s
Normal	Normal (0.99)	Normal	3.14	#s throttle up to reduce the speed of descent and use sticks to avoid obstacles #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	-1.20	#s critically low voltage warning . #/s
Normal	Normal (0.99)	Normal	0.89	#s aircraft will be forced to land #/s
HardwareFault	HardwareFault (0.97)	HardwareFault	1.58	#s critically low voltage . #/s
Normal	Normal (0.99)	Normal	1.25	#s aircraft will land #/s
Normal	Normal (0.99)	Normal	-1.80	#s data recorder file index is 15 . #/s
Normal	Normal (0.99)	Normal	2.38	#s data recorder file index is 17 . #/s
Normal	Normal (0.99)	Normal	2.47	#s data recorder file index is 30 . #/s
Normal	Normal (0.99)	Normal	2.55	#s data recorder file index is 45 . #/s
Normal	Normal (0.99)	Normal	2.01	#s data recorder file index is 46 .

				#/s
Normal	Normal (0.99)	Normal	2.59	#s data recorder file index is 65 . #/s
Normal	Normal (0.99)	Normal	-1.71	#s disable sd card read and write protection or change card #/s
CommunicationIssue	CommunicationIssue (0.70)	CommunicationIssue	1.48	#s downlink lost . #/s
Normal	Normal (0.99)	Normal	2.26	#s downlink restored ( after 0m 2 . 9s ) . #/s
Normal	Normal (0.99)	Normal	1.14	#s drone is vibrating #/s
Normal	Normal (0.99)	Normal	-1.18	#s entered cruise control mode . #/s
Normal	Normal (0.99)	Normal	1.38	#s press c1 or c2 to exit #/s
ParamViolation	ParamViolation (0.90)	ParamViolation	1.15	#s excessive attitude angle detected #/s
SoftwareFault	Normal (0.99)	SoftwareFault	1.36	#s forward obstacle avoidance has stopped working #/s
Normal	Normal (0.99)	Normal	-1.68	#s exit backward sensing system #/s
SurroundingEnvironment	SurroundingEnvironment (0.93)	SurroundingEnvironment	1.94	#s ambient light is too weak #/s
Normal	Normal (0.99)	Normal	-0.59	#s exited visual avoidance system . #/s
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	1.76	#s exiting gps mode : unknown

				error #/s
				#s extra
ParamViolation	ParamViolation (0.90)	ParamViolation	0.43	payload detected . #/s
				#s flight
Normal	Normal (0.99)	Normal	1.34	performance will be affected . #/s
				#s fly with caution #/s
				#s forward obstacle
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	1.29	sensing is not functioning . #/s
				#s forward obstacle
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	1.96	sensing not responding #/s
				#s gimbal motor overloaded . #/s
HardwareFault	HardwareFault (0.97)	HardwareFault	2.14	#s check whether gimbal can rotate freely #/s
				#s gimbal pitch limit reached . #/s
Normal	Normal (0.99)	Normal	1.52	#s ground plain . #/s
				#s safe to land . #/s
ParamViolation	SurroundingEnvironment (0.93)	ParamViolation	1.26	#s high altitude . #/s
				#s aircraft braking distance
Normal	Normal (0.99)	Normal	2.12	increased and flight time decreased . #/s
				#s fly with caution #/s
	SurroundingEnvironment			#s high wind

SurroundingEnvironment	(0.93)	SurroundingEnvironment	0.97	velocity . #/s
Normal	Normal (0.99)	Normal	2.38	#s ensure the aircraft remains within your line of sight and fly with caution . #/s
SurroundingEnvironment	SurroundingEnvironment (0.93)	SurroundingEnvironment	0.97	#s high wind velocity . #/s
Normal	Normal (0.99)	Normal	2.38	#s ensure the aircraft remains within your line of sight and fly with caution . #/s
SurroundingEnvironment	SurroundingEnvironment (0.93)	SurroundingEnvironment	0.97	#s high wind velocity . #/s
Normal	Normal (0.99)	Normal	2.89	#s fly with caution and land in a safe place asap . #/s
Normal	Normal (0.99)	Normal	0.30	#s high - altitude flight #/s
Normal	Normal (0.99)	Normal	1.67	#s fly with caution #/s
Normal	Normal (0.99)	Normal	1.64	#s aircraft braking distance is extended #/s
Normal	Normal (0.99)	Normal	2.07	#s flight time is shortened . #/s
Normal	Normal (0.99)	Normal	1.44	#s home point updated . #/s
ParamViolation	SoftwareFault (0.81)	ParamViolation	1.00	#s imu attitude restricted . #/s
Normal	Normal (0.99)	Normal	-0.01	#s ensure aircraft is level #/s
SoftwareFault	Normal (0.97)	SoftwareFault	0.43	#s imu not

				calibrated . #/s
Normal	Normal (0.99)	Normal	-1.72	#s calibrate imu #/s
Normal	Normal (0.99)	Normal	1.61	#s landing canceled . #/s
Normal	Normal (0.99)	Normal	-1.50	#s landing gear function restored #/s
Normal	Normal (0.99)	Normal	1.59	#s landing gear paused . #/s
Normal	Normal (0.99)	Normal	1.66	#s landing gear raising . #/s
Normal	Normal (0.99)	Normal	1.76	#s home point recorded #/s
Normal	Normal (0.38)	Normal	-2.07	#s live stream video frame rate less than 9hz . #/s
Normal	Normal (0.99)	Normal	1.67	#s fly with caution #/s
HardwareFault	HardwareFault (0.97)	HardwareFault	1.48	#s low power . #/s
Normal	Normal (0.99)	Normal	1.90	#s aircraft is returning to the home point . #/s
HardwareFault	HardwareFault (0.97)	HardwareFault	1.48	#s low power . #/s
Normal	Normal (0.99)	Normal	1.44	#s returning home . #/s
SurroundingEnvironment	SurroundingEnvironment (0.93)	SurroundingEnvironment	1.63	#s magnetic filed interference . #/s
Normal	Normal (0.99)	Normal	1.99	#s exit p - gps mode . #/s
HardwareFault	HardwareFault (0.97)	HardwareFault	1.52	#s yaw error . #/s
SurroundingEnvironment	SurroundingEnvironment (0.93)	SurroundingEnvironment	1.91	#s manned aircraft detected

				nearby . #/s
Normal	Normal (0.99)	Normal	1.67	#s fly with caution #/s
ParamViolation	ParamViolation (0.88)	ParamViolation	1.52	#s max altitude approached . #/s
Normal	Normal (0.99)	Normal	2.54	#s wait for the gps satellite signal recovery before ascend #/s
ParamViolation	ParamViolation (0.90)	ParamViolation	1.42	#s max flight altitude reached . #/s
Normal	Normal (0.99)	Normal	-1.03	#s adjust in main controller settings if necessary #/s
ParamViolation	ParamViolation (0.90)	ParamViolation	1.40	#s max flight distance reached . #/s
Normal	Normal (0.99)	Normal	2.47	#s adjust in main controller settings if necessary . #/s
ParamViolation	ParamViolation (0.90)	ParamViolation	1.71	#s maximum flight distance reached . #/s
Normal	Normal (0.99)	Normal	2.31	#s adjust the distance in mc settings if required . #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	2.08	#s mobile device cpu fully loaded . #/s
Normal	Normal (0.99)	Normal	1.24	#s related performance will be affected . #/s
				#s mobile

SoftwareFault	Normal (0.98)	SoftwareFault	-0.96	device
				version too
				old to support
				hd image
				transmission
Normal	Normal (0.98)	Normal	-0.00	and the
				image
				transmission
				mode has
				been switch
HardwareFault	HardwareFault (0.97)	HardwareFault	1.47	to normal
				mode . #/s
				#s motor is
				blocked . #/s
				#s motor
Normal	Normal (0.99)	Normal	2.86	stuck . #/s
				#s check for
				objects
				blocking
				motor or
Normal	Normal (0.99)	Normal	0.28	contact dji
				support for
				assistance
				#/s
				#s motors
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	0.14	started . #/s
				#s no gps
				signal . #/s
				#s aircraft
				unable to
Normal	Normal (0.99)	Normal	1.67	hover . #/s
				#s fly with
				caution #/s
				#s no gps
				signal . #/s
Normal	Normal (0.99)	Normal	1.67	#s unable to
				hover . #/s
				#s fly with
				caution #/s
				#s obstacle
Normal	Normal (0.99)	Normal	1.49	avoidance
				disabled . #/s
				#s landing
				gear lowered
				. #/s
Normal	Normal (0.99)	Normal	1.49	#s obstacle
				avoidance
				disabled . #/s

Normal	Normal (0.99)	Normal	1.49	#s obstacle avoidance disabled . #/s
Normal	Normal (0.99)	Normal	-1.81	#s landing gear lowered . #/s
Normal	Normal (0.99)	Normal	2.09	#s obstacle avoidance has been disabled . #/s
Normal	Normal (0.99)	Normal	1.37	#s precision landing #/s
Normal	Normal (0.99)	Normal	1.46	#s quickshot has ended #/s
Normal	Normal (0.99)	Normal	1.77	#s recenter gimbal pan #/s
Normal	Normal (0.99)	Normal	1.90	#s rectifying aircraft position #/s
SurroundingEnvironment	SurroundingEnvironment (0.93)	SurroundingEnvironment	-1.52	#s remote controller in high interference environment . #/s
Normal	Normal (0.99)	Normal	1.87	#s manually adjust flight route or return to home #/s
Normal	Normal (0.99)	Normal	-0.50	#s return - to - home altitude : 65ft #/s
Normal	Normal (0.99)	Normal	2.33	#s return - to - home altitude : 98ft . #/s
Normal	Normal (0.99)	Normal	2.04	#s rth : ascending to rth altitude . #/s
Normal	Normal (0.99)	Normal	-0.31	#s rth : heading alignment . #/s

Normal	Normal (0.99)	Normal	1.56	#s rth altitude : 65ft . #/s
Normal	Normal (0.99)	Normal	-0.70	#s rth altitude : 98ft . #/s
CommunicationIssue	CommunicationIssue (0.69)	CommunicationIssue	0.75	#s signal lost . #/s
Normal	Normal (0.99)	Normal	0.66	#s aircraft returning to home point #/s
Normal	Normal (0.99)	Normal	1.47	#s sprayer turned on #/s
SurroundingEnvironment	SurroundingEnvironment (0.93)	SurroundingEnvironment	0.83	#s strong wind warning . #/s
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	0.82	#s aircraft unable to return to home automatically . #/s
Normal	Normal (0.99)	Normal	2.10	#s lower altitude immediately and return to home manually #/s
Normal	Normal (0.99)	Normal	2.17	#s switched to s ( sport ) - mode . #/s
Normal	Normal (0.99)	Normal	2.40	#s switched to t ( tripod ) - mode . #/s
Normal	Normal (0.99)	Normal	1.92	#s take off in p - mode #/s
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	-0.61	#s vision sensor error . #/s
Normal	Normal (0.99)	Normal	1.90	#s contact dji support for assistance #/s
Normal	Normal (0.99)	Normal	1.84	#s vision systems and obstacle avoidance

Normal	Normal (0.99)	Normal	1.19	disabled #/s
				#s waypoint
				mission
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	1.40	paused #/s
				#s weak gps
				signal . #/s
Normal	Normal (0.99)	Normal	0.75	#s aircraft is
				in attitude
				mode and
Normal	Normal (0.99)	Normal	1.43	hovering may
				be unstable .
				#/s
CommunicationIssue	CommunicationIssue (0.70)	CommunicationIssue	1.07	#s fly with
				caution . #/s
				#s weak
Normal	Normal (0.99)	Normal	0.32	signal . #/s
				#s adjust
				antennas #/s
RegulationViolation	RegulationViolation (0.43)	RegulationViolation	3.29	#s your
				aircraft is
				flying in an
Normal	Normal (0.99)	Normal	1.64	altitude zone
				( nnn ) . #/s
				#s please fly
Normal	Normal (0.99)	Normal	1.64	with caution
				#/s