

Legend: ■ Negative □ Neutral ■ Positive

True Label	Predicted Label	Attribution Label	Attribution Score	Word Importance
SurroundingEnvironment	Normal (0.99)	Normal	-0.98	#s <span style="color: red;">a</span>
				passenger
				aircraft <span style="color: red;">is</span>
Normal	Normal (0.99)	Normal	1.59	nearby . #/s
				#s fly with
				caution #/s
Normal	Normal (0.99)	Normal	1.66	#s account
				not logged in
				. #/s
ParamViolation	ParamViolation (0.91)	ParamViolation	2.82	#s flight
				altitude and
				distance
Normal	Normal (0.99)	Normal	1.82	restricted to
				nnn and nnn .
				#/s
Normal	Normal (0.99)	Normal	1.45	#s check and
				log in #/s
				#s
Normal	Normal (0.99)	Normal	0.01	activetrack
				flight paused
				#/s
Normal	Normal (0.99)	Normal	1.91	#s aircraft
				activetrack
				available at
Normal	Normal (0.99)	Normal	0.01	max speed .
				#/s
				#s obstacle
Normal	Normal (0.99)	Normal	1.91	avoidance <span style="color: red;">is</span>
				not available
				#/s
Normal	Normal (0.99)	Normal	0.01	#s aircraft
				activetrack
				available at
Normal	Normal (0.99)	Normal	-1.40	max speed .
				#/s
				#s when
Normal	ParamViolation (0.89)	ParamViolation	-1.40	exceeding
				nnn , obstacle
				avoidance <span style="color: red;">is</span>
Normal	Normal (0.99)	Normal	1.20	not available
				#/s
				#s aircraft
Normal	Normal (0.99)	Normal	1.20	activetrack
				max speed of
				nnn and

HardwareFault	HardwareFault (0.96)	HardwareFault	1.85	obstacle avoidance functions normally #/s
				#s aircraft core board overheated #/s
				#s aircraft entered fixed - wing mode . #/s
				#s current flight speed is nnn . #/s
				#s press c2 to exit #/s
Normal	Normal (0.99)	Normal	1.77	#s aircraft flight control unlocked #/s
Normal	Normal (0.99)	Normal	1.97	#s aircraft in restricted zones . #/s
Normal	Normal (0.99)	Normal	1.74	#s check map to find recommended zones #/s
Normal	Normal (0.99)	Normal	1.82	#s aircraft is in attitude mode , so that it will not hover . #/s
RegulationViolation	RegulationViolation (0.50)	RegulationViolation	1.49	#s please fly with caution . #/s
Normal	Normal (0.99)	Normal	2.20	#s aircraft is in tripod mode . #/s
Normal	Normal (0.99)	Normal	-2.19	#s exit this mode and try again #/s
Normal	Normal (0.99)	Normal	1.75	#s aircraft is returning to the starting point #/s
Normal	Normal (0.99)	Normal	2.30	#s aircraft is out of range #/s
ParamViolation	ParamViolation (0.91)	ParamViolation	-1.41	

				#s approaching a no - fly zone . #/s
RegulationViolation	RegulationViolation (0.50)	RegulationViolation	2.46	
Normal	Normal (0.99)	Normal	-0.49	#s rth may be affected . #/s
Normal	Normal (0.99)	Normal	1.59	#s fly with caution #/s
Normal	Normal (0.99)	Normal	1.61	#s arrived at start point . #/s
Normal	Normal (0.99)	Normal	1.41	#s starting waypoint mission #/s
Normal	Normal (0.99)	Normal	-0.64	#s auto landing initiated #/s
Normal	Normal (0.99)	Normal	1.84	#s auxiliary bottom light turned off #/s
SoftwareFault	SoftwareFault (0.95)	SoftwareFault	0.95	#s backward obstacle sensing is not functioning . #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	1.57	#s battery cell broken , please replace the battery #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	1.33	#s battery error . #/s
Normal	Normal (0.99)	Normal	1.76	#s aircraft returning to home automatically #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	1.68	#s battery power low . #/s
Normal	Normal (0.99)	Normal	2.11	#s check battery status and charge or warm up battery #/s
HardwareFault	HardwareFault (0.95)	HardwareFault	1.35	#s cache space full #/s

SurroundingEnvironment	SoftwareFault (0.94)	SoftwareFault	-0.13	#s calibration subject is too close . #/s
Normal	Normal (0.99)	Normal	2.12	#s recalibrate using a subject that is farther away #/s
HardwareFault	HardwareFault (0.82)	HardwareFault	1.79	#s camera busy , cannot enter playback #/s
SoftwareFault	SoftwareFault (0.95)	SoftwareFault	1.03	#s cannot enable intelligent flight mode #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	1.31	#s low battery #/s
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	-0.29	#s cannot start return to home due to weak gps signal #/s
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	-0.53	#s cannot start self - timer . #/s
SoftwareFault	ParamViolation (0.91)	ParamViolation	-1.25	#s exposure time is too long #/s
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	-1.38	#s cannot switch flight mode . #/s
Normal	Normal (0.99)	Normal	2.44	#s turn on " multiple flight modes " to enable atti and sport modes . #/s
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	0.82	#s cannot track subject #/s
SurroundingEnvironment	SoftwareFault (0.94)	SoftwareFault	-0.62	#s no image #/s
Normal	Normal (0.99)	Normal	1.18	#s please retry #/s
				#s cannot

SoftwareFault	SoftwareFault (0.94)	SoftwareFault	0.82	track subject #/s
SurroundingEnvironment	SoftwareFault (0.94)	SoftwareFault	-0.29	#s subject too large #/s
Normal	Normal (0.99)	Normal	1.20	#s move away and retry #/s
Normal	Normal (0.99)	Normal	2.07	#s color display in the liveview has been enhanced . #/s
Normal	Normal (0.99)	Normal	2.87	#s videos and photos will still be shot in d - log mode #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	-1.49	#s compass abnormal . #/s
Normal	Normal (0.99)	Normal	3.36	#s solution : 1 . ensure there are no magnets or metal objects near the aircraft . #/s
Normal	Normal (0.99)	Normal	2.29	#s the ground or walls may contain metal . #/s
Normal	Normal (0.99)	Normal	2.78	#s move away from sources of interference before attempting flight . #/s
Normal	Normal (0.99)	Normal	0.06	#s 2 calibrate compass before takeoff #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	-0.16	#s compass error #/s #s compass

HardwareFault	SoftwareFault (0.88)	SoftwareFault	1.47	error , calibration required #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	1.39	#s compass error . #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	1.39	#s compass error . #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	1.10	#s compass disconnected #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	1.39	#s compass error . #/s
SurroundingEnvironment	SurroundingEnvironment (0.93)	SurroundingEnvironment	-1.62	#s magnetic filed interference . #/s
Normal	Normal (0.99)	Normal	1.97	#s exit p - gps mode #/s
SoftwareFault	HardwareFault (0.96)	HardwareFault	0.60	#s compass initialization failed . #/s
Normal	Normal (0.99)	Normal	1.32	#s restart aircraft #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	-0.93	#s critical low battery . #/s
Normal	Normal (0.99)	Normal	2.07	#s aircraft in auto power off protection . #/s
Normal	Normal (0.99)	Normal	1.91	#s forced landing in progress #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	-0.93	#s critical low battery . #/s
Normal	Normal (0.99)	Normal	1.23	#s aircraft landing automatically #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	-0.93	#s critical low battery . #/s
Normal	Normal (0.99)	Normal	1.90	#s return to home or land promptly #/s
				#s critically

HardwareFault	HardwareFault (0.96)	HardwareFault	1.66	low power . #/s
Normal	Normal (0.99)	Normal	1.67	#s aircraft is landing #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	1.66	#s critically low power . #/s
Normal	Normal (0.99)	Normal	1.48	#s aircraft landing . #/s
Normal	Normal (0.99)	Normal	1.48	#s aircraft landing . #/s
Normal	Normal (0.99)	Normal	2.68	#s throttle up to reduce the speed of descent and use sticks to avoid obstacles #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	1.91	#s critically low voltage warning . #/s
Normal	Normal (0.99)	Normal	1.21	#s aircraft will be forced to land #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	1.58	#s critically low voltage . #/s
Normal	Normal (0.99)	Normal	1.79	#s aircraft will land #/s
Normal	Normal (0.99)	Normal	2.27	#s data recorder file index is 15 . #/s
Normal	Normal (0.99)	Normal	2.14	#s data recorder file index is 17 . #/s
Normal	Normal (0.99)	Normal	1.44	#s data recorder file index is 30 . #/s
Normal	Normal (0.99)	Normal	1.86	#s data recorder file index is 45 . #/s
Normal	Normal (0.99)	Normal	1.88	#s data recorder file index is 46 .

				#/s
				#s data recorder file index is 65 .
Normal	Normal (0.99)	Normal	2.10	#/s
				#s disable sd card read and write
Normal	Normal (0.99)	Normal	2.61	protection or change card
				#/s
CommunicationIssue	CommunicationIssue (0.64)	CommunicationIssue	1.56	#s downlink lost . #/s
				#s downlink restored ( after 0m 2 9s ) . #/s
Normal	Normal (0.99)	Normal	0.19	
Normal	Normal (0.97)	Normal	-0.97	#s drone is vibrating #/s
				#s entered cruise control mode . #/s
Normal	Normal (0.99)	Normal	1.82	
Normal	Normal (0.99)	Normal	2.12	#s press c1 or c2 to exit #/s
				#s excessive attitude angle detected #/s
ParamViolation	ParamViolation (0.91)	ParamViolation	1.20	#s forward obstacle
SoftwareFault	Normal (0.99)	Normal	0.00	avoidance has stopped working #/s
				#s exit backward sensing system #/s
Normal	Normal (0.99)	Normal	1.74	
SurroundingEnvironment	SurroundingEnvironment (0.93)	SurroundingEnvironment	1.34	#s ambient light is too weak #/s
				#s exited visual avoidance system . #/s
Normal	Normal (0.99)	Normal	1.85	
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	0.84	#s exiting gps mode : unknown



				error #/s
ParamViolation	ParamViolation (0.91)	ParamViolation	1.68	#s extra payload detected . #/s
Normal	Normal (0.99)	Normal	1.57	#s flight performance will be affected . #/s
Normal	Normal (0.99)	Normal	1.59	#s fly with caution #/s
SoftwareFault	SoftwareFault (0.95)	SoftwareFault	2.03	#s forward obstacle sensing is not functioning . #/s
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	1.50	#s forward obstacle sensing not responding #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	1.96	#s gimbal motor overloaded . #/s
Normal	Normal (0.99)	Normal	2.15	#s check whether gimbal can rotate freely #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	1.88	#s gimbal pitch limit reached . #/s
Normal	Normal (0.99)	Normal	1.33	#s ground plain . #/s
Normal	Normal (0.99)	Normal	1.74	#s safe to land . #/s
ParamViolation	SurroundingEnvironment (0.92)	SurroundingEnvironment	1.14	#s high altitude . #/s
Normal	Normal (0.99)	Normal	2.59	#s aircraft braking distance increased and flight time decreased . #/s
Normal	Normal (0.99)	Normal	1.59	#s fly with caution #/s
	SurroundingEnvironment			#s high wind

SurroundingEnvironment	(0.93)	SurroundingEnvironment	1.55	velocity . #/s
Normal	Normal (0.99)	Normal	2.59	#s ensure the aircraft remains within your line of sight and fly with caution . #/s
SurroundingEnvironment	SurroundingEnvironment (0.93)	SurroundingEnvironment	1.55	#s high wind velocity . #/s
Normal	Normal (0.99)	Normal	2.59	#s ensure the aircraft remains within your line of sight and fly with caution . #/s
SurroundingEnvironment	SurroundingEnvironment (0.93)	SurroundingEnvironment	1.55	#s high wind velocity . #/s
Normal	Normal (0.99)	Normal	2.94	#s fly with caution and land in a safe place asap . #/s
Normal	ParamViolation (0.48)	ParamViolation	-1.63	#s high - altitude flight #/s
Normal	Normal (0.99)	Normal	1.59	#s fly with caution #/s
Normal	Normal (0.99)	Normal	0.14	#s aircraft braking distance is extended #/s
Normal	Normal (0.99)	Normal	1.58	#s flight time is shortened . #/s
Normal	Normal (0.99)	Normal	1.94	#s home point updated . #/s
ParamViolation	SoftwareFault (0.94)	SoftwareFault	-0.07	#s imu attitude restricted . #/s
Normal	Normal (0.99)	Normal	1.38	#s ensure aircraft is level #/s
SoftwareFault	Normal (0.99)	Normal	-1.68	#s imu not

				calibrated . #/s
Normal	Normal (0.99)	Normal	1.80	#s calibrate imu #/s
Normal	Normal (0.99)	Normal	0.28	#s landing canceled . #/s
Normal	Normal (0.99)	Normal	1.91	#s landing gear function restored #/s
Normal	Normal (0.99)	Normal	1.72	#s landing gear paused . #/s
Normal	Normal (0.99)	Normal	2.05	#s landing gear raising . #/s
Normal	Normal (0.99)	Normal	0.95	#s home point recorded #/s
Normal	Normal (0.97)	Normal	-0.09	#s live stream video frame rate less than 9hz . #/s
Normal	Normal (0.99)	Normal	1.59	#s fly with caution #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	1.28	#s low power . #/s
Normal	Normal (0.99)	Normal	2.10	#s aircraft is returning to the home point . #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	1.28	#s low power . #/s
Normal	Normal (0.99)	Normal	1.28	#s returning home . #/s
SurroundingEnvironment	SurroundingEnvironment (0.93)	SurroundingEnvironment	-1.62	#s magnetic filed interference . #/s
Normal	Normal (0.99)	Normal	1.96	#s exit p - gps mode . #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	0.13	#s yaw error . #/s
SurroundingEnvironment	SurroundingEnvironment (0.93)	SurroundingEnvironment	1.72	#s manned aircraft detected

Normal	Normal (0.99)	Normal	1.59	nearby . #/s
				#s fly with caution #/s
ParamViolation	ParamViolation (0.91)	ParamViolation	1.18	#s max altitude approached. #/s
				#s wait for the gps satellite
Normal	Normal (0.99)	Normal	1.98	signal recovery before ascend #/s
				#s max flight altitude reached. #/s
ParamViolation	ParamViolation (0.91)	ParamViolation	0.99	#s adjust in main controller settings if necessary #/s
				#s max flight distance reached. #/s
Normal	Normal (0.99)	Normal	-1.04	#s adjust in main controller settings if necessary . #/s
				#s maximum flight distance reached. #/s
ParamViolation	ParamViolation (0.91)	ParamViolation	1.46	#s adjust the distance in mc settings if required . #/s
				#s mobile device cpu fully loaded . #/s
HardwareFault	HardwareFault (0.96)	HardwareFault	1.86	#s related performance will be affected . #/s
				#s mobile
Normal	Normal (0.99)	Normal	1.77	

SoftwareFault	Normal (0.99)	Normal	-1.90	device
				version too
				old to support
				hd image
				transmission
Normal	Normal (0.99)	Normal	1.53	and the
				image
				transmission
				mode has
				been switch
HardwareFault	HardwareFault (0.96)	HardwareFault	1.36	to normal
				mode . #/s
				#s motor is
				blocked . #/s
				#s motor
Normal	Normal (0.99)	Normal	2.11	stuck . #/s
				#s check for
				objects
				blocking
				motor or
Normal	Normal (0.99)	Normal	1.45	contact dji
				support for
				assistance
				#/s
				#s motors
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	0.02	started . #/s
				#s no gps
				signal . #/s
				#s aircraft
				unable to
Normal	HardwareFault (0.96)	HardwareFault	1.98	hover . #/s
				#s fly with
				caution #/s
				#s no gps
				signal . #/s
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	0.02	#s unable to
				hover . #/s
				#s fly with
				caution #/s
				#s obstacle
Normal	Normal (0.99)	Normal	1.28	avoidance
				disabled . #/s
				#s landing
				gear lowered
				. #/s
Normal	Normal (0.99)	Normal	1.76	#s obstacle
				avoidance
				disabled . #/s
Normal	Normal (0.99)	Normal	1.28	

Normal	Normal (0.99)	Normal	1.28	#s obstacle avoidance disabled . #/s
Normal	Normal (0.99)	Normal	1.76	#s landing gear lowered . #/s
Normal	Normal (0.99)	Normal	1.95	#s obstacle avoidance has been disabled . #/s
Normal	Normal (0.99)	Normal	1.08	#s precision landing #/s
Normal	Normal (0.99)	Normal	0.53	#s quickshot has ended #/s
Normal	Normal (0.99)	Normal	2.18	#s recenter gimbal pan #/s
Normal	Normal (0.99)	Normal	1.82	#s rectifying aircraft position #/s
SurroundingEnvironment	SurroundingEnvironment (0.93)	SurroundingEnvironment	1.27	#s remote controller in high interference environment . #/s
Normal	Normal (0.99)	Normal	2.39	#s manually adjust flight route or return to home #/s
Normal	Normal (0.99)	Normal	2.36	#s return - to - home altitude : 65ft #/s
Normal	Normal (0.99)	Normal	2.59	#s return - to - home altitude : 98ft . #/s
Normal	Normal (0.99)	Normal	2.26	#s rth : ascending to rth altitude . #/s
Normal	Normal (0.99)	Normal	2.03	#s rth : heading alignment . #/s

Normal	Normal (0.99)	Normal	1.76	#s rth altitude : 65ft . #/s
Normal	Normal (0.99)	Normal	1.63	#s rth altitude : 98ft . #/s
CommunicationIssue	CommunicationIssue (0.63)	CommunicationIssue	-1.17	#s signal lost . #/s
Normal	Normal (0.99)	Normal	2.18	#s aircraft returning to home point #/s
Normal	Normal (0.99)	Normal	1.15	#s sprayer turned on #/s
SurroundingEnvironment	SurroundingEnvironment (0.93)	SurroundingEnvironment	1.82	#s strong wind warning . #/s
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	1.53	#s aircraft unable to return to home automatically . #/s
Normal	Normal (0.99)	Normal	1.19	#s lower altitude immediately and return to home manually #/s
Normal	Normal (0.99)	Normal	0.20	#s switched to s ( sport ) - mode . #/s
Normal	Normal (0.99)	Normal	-1.90	#s switched to t ( tripod ) - mode . #/s
Normal	Normal (0.99)	Normal	1.11	#s take off in p - mode #/s
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	0.64	#s vision sensor error . #/s
Normal	Normal (0.99)	Normal	2.06	#s contact dji support for assistance #/s
Normal	Normal (0.99)	Normal	2.06	#s vision systems and obstacle avoidance

Normal	Normal (0.99)	Normal	1.08	disabled #/s
				#s waypoint
				mission paused #/s
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	0.56	#s weak gps signal . #/s
Normal	Normal (0.99)	Normal	1.21	#s aircraft is in attitude mode and hovering may be unstable . #/s
Normal	Normal (0.99)	Normal	1.80	#s fly with caution . #/s
CommunicationIssue	CommunicationIssue (0.63)	CommunicationIssue	1.35	#s weak signal . #/s
Normal	Normal (0.99)	Normal	1.43	#s adjust antennas #/s
RegulationViolation	RegulationViolation (0.51)	RegulationViolation	-1.74	#s your aircraft is flying in an altitude zone ( nnn ) . #/s
Normal	Normal (0.99)	Normal	1.86	#s please fly with caution #/s