

Legend:
■ Negative
 □ Neutral
 ■ Positive

True Label	Predicted Label	Attribution Label	Attribution Score	Word Importance
SurroundingEnvironment	Normal (0.86)	Normal	1.52	[CLS] a passenger aircraft is nearby . [SEP]
				[CLS] fly with caution [SEP]
				[CLS] account not logged in . [SEP]
Normal	Normal (0.87)	Normal	0.95	[CLS] flight altitude and distance restricted to nnn and nnn . [SEP]
Normal	Normal (0.87)	Normal	0.08	[CLS] check and log in [SEP]
ParamViolation	ParamViolation (0.75)	ParamViolation	2.18	[CLS] activetrack flight paused [SEP]
				[CLS] aircraft activetrack available at max speed . [SEP]
				[CLS] obstacle avoidance is not available [SEP]
Normal	Normal (0.87)	Normal	0.92	[CLS] aircraft activetrack available at max speed . [SEP]
Normal	Normal (0.87)	Normal	0.50	[CLS] when exceeding nnn , obstacle avoidance is not available [SEP]
Normal	Normal (0.88)	Normal	0.76	[CLS] aircraft activetrack available at max speed . [SEP]
Normal	Normal (0.87)	Normal	0.04	[CLS] when exceeding nnn , obstacle avoidance is not available [SEP]
Normal	Normal (0.88)	Normal	0.76	[CLS] aircraft activetrack available at max speed . [SEP]
Normal	Normal (0.88)	Normal	0.08	[CLS] aircraft

Normal	Normal (0.88)	Normal	0.07	activetrack
				max speed of
				nnn and
				obstacle
				avoidance
HardwareFault	HardwareFault (0.74)	HardwareFault	2.39	functions
				normally
				[SEP]
				[CLS] aircraft
				core board
Normal	Normal (0.87)	Normal	0.43	overheated
				[SEP]
				[CLS] aircraft
				entered fixed
				- wing mode .
Normal	ParamViolation (0.39)	ParamViolation	-2.00	[SEP]
				[CLS] current
				flight speed is
				nnn . [SEP]
				[CLS] press
Normal	Normal (0.87)	Normal	0.81	c2 to exit
				[SEP]
				[CLS] aircraft
				flight control
				unlocked
RegulationViolation	RegulationViolation (0.55)	RegulationViolation	1.85	[SEP]
				[CLS] aircraft
				in restricted
				zones . [SEP]
				[CLS] check
Normal	Normal (0.87)	Normal	0.44	map to find
				recommended
				zones [SEP]
				[CLS] aircraft
				is in attitude
Normal	Normal (0.87)	Normal	0.24	mode , so that
				it will not
				hover . [SEP]
				[CLS] please
				fly with
Normal	Normal (0.87)	Normal	0.73	caution .
				[SEP]
				[CLS] aircraft
				is in tripod
				mode . [SEP]
Normal	Normal (0.87)	Normal	0.28	[CLS] exit
				this mode and
				try again
				0.99
				Normal

Normal	Normal (0.88)	Normal	0.60	[SEP]
				[CLS] aircraft is returning
				to the starting point [SEP]
ParamViolation	ParamViolation (0.75)	ParamViolation	1.97	[CLS] aircraft out of range [SEP]
RegulationViolation	RegulationViolation (0.50)	RegulationViolation	2.25	[CLS] approaching a no - fly zone . [SEP]
Normal	Normal (0.87)	Normal	0.23	[CLS] rth may be affected . [SEP]
Normal	Normal (0.87)	Normal	0.95	[CLS] fly with caution [SEP]
Normal	Normal (0.87)	Normal	0.32	[CLS] arrived at start point . [SEP]
Normal	Normal (0.87)	Normal	0.55	[CLS] starting waypoint mission [SEP]
Normal	Normal (0.87)	Normal	1.04	[CLS] auto landing initiated [SEP]
Normal	Normal (0.87)	Normal	0.18	[CLS] auxiliary bottom light turned off [SEP]
SoftwareFault	SoftwareFault (0.78)	SoftwareFault	2.13	[CLS] backward obstacle sensing is not functioning . [SEP]
HardwareFault	HardwareFault (0.74)	HardwareFault	1.90	[CLS] battery cell broken , please replace the battery [SEP]
HardwareFault	HardwareFault (0.74)	HardwareFault	1.33	[CLS] battery error . [SEP]
				[CLS] aircraft returning to

Normal	Normal (0.87)	Normal	1.04	home automatically [SEP]
HardwareFault	HardwareFault (0.74)	HardwareFault	1.66	[CLS] battery power low . [SEP]
Normal	Normal (0.88)	Normal	0.96	[CLS] check battery status and charge or warm up battery [SEP]
HardwareFault	HardwareFault (0.40)	HardwareFault	1.97	[CLS] cache space full [SEP]
SurroundingEnvironment	SoftwareFault (0.78)	SoftwareFault	1.43	[CLS] calibration subject is too close . [SEP]
Normal	Normal (0.88)	Normal	0.09	[CLS] recalibrate using a subject that is farther away [SEP]
HardwareFault	HardwareFault (0.72)	HardwareFault	1.93	[CLS] camera busy , cannot enter playback [SEP]
SoftwareFault	SoftwareFault (0.78)	SoftwareFault	0.97	[CLS] cannot enable intelligent flight mode [SEP]
HardwareFault	HardwareFault (0.74)	HardwareFault	1.57	[CLS] low battery [SEP]
SoftwareFault	SoftwareFault (0.78)	SoftwareFault	1.29	[CLS] cannot start return to home due to weak gps signal [SEP]
SoftwareFault	SoftwareFault (0.78)	SoftwareFault	1.21	[CLS] cannot start self - timer . [SEP]
SoftwareFault	ParamViolation (0.46)	ParamViolation	0.34	[CLS] exposure time is too long [SEP]

SoftwareFault	SoftwareFault (0.78)	SoftwareFault	1.02	[CLS] cannot switch flight mode . [SEP]
Normal	Normal (0.88)	Normal	1.13	[CLS] turn on " multiple flight modes " to enable atti and sport modes . [SEP]
SoftwareFault	SoftwareFault (0.78)	SoftwareFault	1.18	[CLS] cannot track subject [SEP]
SurroundingEnvironment	SoftwareFault (0.74)	SoftwareFault	0.55	[CLS] no image [SEP]
Normal	Normal (0.87)	Normal	0.83	[CLS] please retry [SEP]
SoftwareFault	SoftwareFault (0.78)	SoftwareFault	1.18	[CLS] cannot track subject [SEP]
SurroundingEnvironment	SoftwareFault (0.77)	SoftwareFault	1.27	[CLS] subject too large [SEP]
Normal	Normal (0.87)	Normal	0.63	[CLS] move away and retry [SEP]
Normal	Normal (0.88)	Normal	0.99	[CLS] color display in the liveview has been enhanced . [SEP]
Normal	Normal (0.88)	Normal	0.75	[CLS] videos and photos will still be shot in d - log mode [SEP]
HardwareFault	HardwareFault (0.74)	HardwareFault	1.55	[CLS] compass abnormal . [SEP]
Normal	Normal (0.87)	Normal	0.06	[CLS] solution : 1 . ensure there are no magnets or metal objects near the aircraft .

				[SEP]
Normal	Normal (0.87)	Normal	0.07	[CLS] the ground or walls may contain metal . [SEP]
Normal	Normal (0.87)	Normal	0.30	[CLS] move away from sources of interference before attempting flight . [SEP]
Normal	Normal (0.88)	Normal	0.49	[CLS] 2 . calibrate compass before takeoff [SEP]
HardwareFault	HardwareFault (0.74)	HardwareFault	1.37	[CLS] compass error [SEP]
HardwareFault	HardwareFault (0.47)	HardwareFault	1.18	[CLS] compass error , calibration required [SEP]
HardwareFault	HardwareFault (0.74)	HardwareFault	1.50	[CLS] compass error . [SEP]
HardwareFault	HardwareFault (0.74)	HardwareFault	1.50	[CLS] compass error . [SEP]
HardwareFault	HardwareFault (0.74)	HardwareFault	1.55	[CLS] compass disconnected [SEP]
HardwareFault	HardwareFault (0.74)	HardwareFault	1.50	[CLS] compass error . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.74)	SurroundingEnvironment	1.23	[CLS] magnetic filed interference . [SEP]
Normal	Normal (0.87)	Normal	0.62	[CLS] exit p - gps mode [SEP]

SoftwareFault	HardwareFault (0.71)	HardwareFault	-0.15	[CLS]
				compass
				initialization
Normal	Normal (0.86)	Normal	0.39	failed . [SEP]
				[CLS] restart
				aircraft [SEP]
HardwareFault	HardwareFault (0.74)	HardwareFault	1.72	[CLS] critical
				low battery .
				[SEP]
Normal	Normal (0.88)	Normal	0.69	[CLS] aircraft
				in auto power
				off protection
Normal	Normal (0.87)	Normal	0.56	. [SEP]
				[CLS] forced
				landing in
HardwareFault	HardwareFault (0.74)	HardwareFault	1.72	progress
				[SEP]
				[CLS] critical
Normal	Normal (0.87)	Normal	0.69	low battery .
				[SEP]
				[CLS] aircraft
HardwareFault	HardwareFault (0.74)	HardwareFault	1.72	landing
				[CLS] aircraft
				automatically
Normal	Normal (0.87)	Normal	0.67	[SEP]
				[CLS] critical
				low battery .
HardwareFault	HardwareFault (0.74)	HardwareFault	1.96	[SEP]
				[CLS] critically low
				power . [SEP]
Normal	Normal (0.87)	Normal	0.37	[CLS] aircraft
				is landing
				[SEP]
HardwareFault	HardwareFault (0.74)	HardwareFault	1.96	[CLS]
				critically low
				power . [SEP]
Normal	Normal (0.87)	Normal	0.38	[CLS] aircraft
				landing .
				[SEP]
Normal	Normal (0.87)	Normal	0.38	[CLS] aircraft
				landing .
				[SEP]
				[CLS] throttle
				up to reduce

Normal	Normal (0.88)	Normal	0.39	the speed of descent and use sticks to avoid obstacles [SEP] [CLS]
HardwareFault	HardwareFault (0.74)	HardwareFault	1.91	critically low voltage warning . [SEP] [CLS] aircraft
Normal	Normal (0.87)	Normal	0.14	will be forced to land [SEP] [CLS]
HardwareFault	HardwareFault (0.74)	HardwareFault	2.03	critically low voltage . [SEP] [CLS] aircraft
Normal	Normal (0.87)	Normal	0.33	will land [SEP] [CLS] data
Normal	Normal (0.88)	Normal	0.44	recorder file index is 15 . [SEP] [CLS] data
Normal	Normal (0.88)	Normal	0.48	recorder file index is 17 . [SEP] [CLS] data
Normal	Normal (0.88)	Normal	0.46	recorder file index is 30 . [SEP] [CLS] data
Normal	Normal (0.88)	Normal	0.39	recorder file index is 45 . [SEP] [CLS] data
Normal	Normal (0.88)	Normal	0.43	recorder file index is 46 . [SEP] [CLS] data
Normal	Normal (0.88)	Normal	0.52	recorder file index is 65 . [SEP] [CLS] disable
Normal	Normal (0.88)	Normal	0.75	sd card read and write

CommunicationIssue	CommunicationIssue (0.65)	CommunicationIssue	1.71	protection or change card [SEP]
				[CLS]
				downlink lost . [SEP]
Normal	Normal (0.88)	Normal	0.50	[CLS]
				downlink restored (after 0m 2 . 9s) . [SEP]
				[CLS] drone is vibrating [SEP]
Normal	HardwareFault (0.70)	HardwareFault	-1.56	[CLS] entered
				cruise control mode . [SEP]
				[CLS] press
Normal	Normal (0.87)	Normal	0.46	c1 or c2 to exit [SEP]
				[CLS]
				excessive
ParamViolation	ParamViolation (0.68)	ParamViolation	2.10	attitude angle detected [SEP]
				[CLS] forward
				obstacle
SoftwareFault	SoftwareFault (0.78)	SoftwareFault	1.66	avoidance has stopped working [SEP]
				[CLS] exit
				backward
Normal	Normal (0.87)	Normal	0.36	sensing system [SEP]
				[CLS]
				ambient light
SurroundingEnvironment	SurroundingEnvironment (0.75)	SurroundingEnvironment	2.01	is too weak [SEP]
				[CLS] exited
				visual
Normal	Normal (0.87)	Normal	0.50	avoidance system . [SEP]
				[CLS] exiting
				gps mode : unknown error [SEP]
SoftwareFault	SoftwareFault (0.78)	SoftwareFault	1.13	

ParamViolation	ParamViolation (0.75)	ParamViolation	1.84	[CLS] extra payload detected . [SEP]
Normal	Normal (0.87)	Normal	0.34	[CLS] flight performance will be affected . [SEP]
Normal	Normal (0.87)	Normal	0.95	[CLS] fly with caution [SEP]
SoftwareFault	SoftwareFault (0.78)	SoftwareFault	1.87	[CLS] forward obstacle sensing is not functioning . [SEP]
SoftwareFault	SoftwareFault (0.78)	SoftwareFault	1.83	[CLS] forward obstacle sensing not responding [SEP]
HardwareFault	HardwareFault (0.74)	HardwareFault	2.12	[CLS] gimbal motor overloaded . [SEP]
Normal	Normal (0.88)	Normal	0.60	[CLS] check whether gimbal can rotate freely [SEP]
HardwareFault	HardwareFault (0.74)	HardwareFault	2.08	[CLS] gimbal pitch limit reached . [SEP]
Normal	Normal (0.84)	Normal	-0.37	[CLS] ground plain . [SEP]
Normal	Normal (0.87)	Normal	0.47	[CLS] safe to land . [SEP]
ParamViolation	ParamViolation (0.68)	ParamViolation	1.70	[CLS] high altitude . [SEP]
Normal	HardwareFault (0.53)	HardwareFault	-2.16	[CLS] aircraft braking distance increased and flight time decreased . [SEP]

Normal	Normal (0.87)	Normal	0.95	[CLS] fly with caution [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.75)	SurroundingEnvironment	1.76	[CLS] high wind velocity . [SEP]
Normal	Normal (0.88)	Normal	0.40	[CLS] ensure the aircraft remains within your line of sight and fly with caution . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.75)	SurroundingEnvironment	1.76	[CLS] high wind velocity . [SEP]
Normal	Normal (0.88)	Normal	0.40	[CLS] ensure the aircraft remains within your line of sight and fly with caution . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.75)	SurroundingEnvironment	1.76	[CLS] high wind velocity . [SEP]
Normal	Normal (0.88)	Normal	0.73	[CLS] fly with caution and land in a safe place asap . [SEP]
Normal	ParamViolation (0.67)	ParamViolation	-2.04	[CLS] high - altitude flight [SEP]
Normal	Normal (0.87)	Normal	0.95	[CLS] fly with caution [SEP]
Normal	ParamViolation (0.43)	ParamViolation	-1.67	[CLS] aircraft braking distance is extended [SEP]
Normal	ParamViolation (0.40)	ParamViolation	-1.82	[CLS] flight time is shortened . [SEP]
Normal	Normal (0.87)	Normal	0.52	[CLS] home

ParamViolation	ParamViolation (0.53)	ParamViolation	1.54	point updated
				. [SEP]
				[CLS] imu attitude restricted . [SEP]
Normal	Normal (0.87)	Normal	0.49	[CLS] ensure aircraft is level [SEP]
SoftwareFault	Normal (0.87)	Normal	-0.36	[CLS] imu not calibrated . [SEP]
Normal	Normal (0.87)	Normal	0.52	[CLS] calibrate imu [SEP]
Normal	Normal (0.82)	Normal	-0.97	[CLS] landing canceled . [SEP]
Normal	Normal (0.87)	Normal	0.79	[CLS] landing gear function restored [SEP]
Normal	Normal (0.87)	Normal	0.41	[CLS] landing gear paused . [SEP]
Normal	Normal (0.87)	Normal	0.68	[CLS] landing gear raising . [SEP]
Normal	Normal (0.87)	Normal	0.71	[CLS] home point recorded [SEP]
Normal	Normal (0.49)	Normal	-1.76	[CLS] live stream video frame rate less than 9hz . [SEP]
Normal	Normal (0.87)	Normal	0.95	[CLS] fly with caution [SEP]
HardwareFault	HardwareFault (0.74)	HardwareFault	1.71	[CLS] low power . [SEP]
Normal	Normal (0.88)	Normal	0.65	[CLS] aircraft is returning to the home point . [SEP]
HardwareFault	HardwareFault (0.74)	HardwareFault	1.71	[CLS] low power . [SEP]

Normal	Normal (0.87)	Normal	0.61	[CLS] returning home . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.74)	SurroundingEnvironment	1.23	[CLS] magnetic filed interference . [SEP]
Normal	Normal (0.87)	Normal	0.55	[CLS] exit p - gps mode . [SEP]
HardwareFault	HardwareFault (0.74)	HardwareFault	2.12	[CLS] yaw error . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.49)	SurroundingEnvironment	1.44	[CLS] manned aircraft detected nearby . [SEP]
Normal	Normal (0.87)	Normal	0.95	[CLS] fly with caution [SEP]
ParamViolation	ParamViolation (0.70)	ParamViolation	1.28	[CLS] max altitude approached . [SEP]
Normal	Normal (0.88)	Normal	0.12	[CLS] wait for the gps satellite signal recovery before ascend [SEP]
ParamViolation	ParamViolation (0.75)	ParamViolation	1.96	[CLS] max flight altitude reached . [SEP]
Normal	Normal (0.88)	Normal	0.91	[CLS] adjust in main controller settings if necessary [SEP]
ParamViolation	ParamViolation (0.75)	ParamViolation	1.96	[CLS] max flight distance reached . [SEP]
				[CLS] adjust

Normal	Normal (0.88)	Normal	0.80	in main controller settings if necessary . [SEP] [CLS] maximum
ParamViolation	ParamViolation (0.75)	ParamViolation	2.14	flight distance reached . [SEP] [CLS] adjust the distance in mc settings if required . [SEP] [CLS] mobile device cpu fully loaded . [SEP] [CLS] related performance
Normal	Normal (0.88)	Normal	0.66	will be affected . [SEP] [CLS] mobile device version too old to support hd image transmission and the image transmission mode has been switch to normal mode . [SEP] [CLS] motor is blocked . [SEP]
HardwareFault	HardwareFault (0.63)	HardwareFault	1.99	[CLS] motor stuck . [SEP] [CLS] check for objects blocking motor or contact dji support for
Normal	Normal (0.87)	Normal	0.32	
SoftwareFault	Normal (0.75)	Normal	0.10	
Normal	Normal (0.87)	Normal	0.19	
HardwareFault	HardwareFault (0.74)	HardwareFault	1.73	
Normal	Normal (0.88)	Normal	0.75	

Normal	HardwareFault (0.72)	HardwareFault	-1.86	assistance [SEP]
				[CLS] motors started . [SEP]
				[CLS] no gps signal . [SEP]
Normal	HardwareFault (0.74)	HardwareFault	-1.14	[CLS] aircraft unable to hover . [SEP]
Normal	Normal (0.87)	Normal	0.95	[CLS] fly with caution [SEP]
SoftwareFault	SoftwareFault (0.78)	SoftwareFault	1.79	[CLS] no gps signal . [SEP]
Normal	HardwareFault (0.74)	HardwareFault	-1.33	[CLS] unable to hover . [SEP]
Normal	Normal (0.87)	Normal	0.95	[CLS] fly with caution [SEP]
Normal	Normal (0.87)	Normal	0.23	[CLS] obstacle avoidance disabled . [SEP]
Normal	Normal (0.87)	Normal	0.48	[CLS] landing gear lowered . [SEP]
Normal	Normal (0.87)	Normal	0.23	[CLS] obstacle avoidance disabled . [SEP]
Normal	Normal (0.87)	Normal	0.23	[CLS] obstacle avoidance disabled . [SEP]
Normal	Normal (0.87)	Normal	0.48	[CLS] landing gear lowered . [SEP]
Normal	Normal (0.87)	Normal	0.21	[CLS] obstacle avoidance has been disabled . [SEP]
Normal	Normal (0.86)	Normal	1.46	[CLS] precision

				landing [SEP]
				[CLS]
Normal	Normal (0.87)	Normal	0.60	quickshot has ended [SEP]
				[CLS]
Normal	Normal (0.87)	Normal	0.55	recenter gimbal pan [SEP]
				[CLS]
Normal	Normal (0.87)	Normal	0.35	rectifying aircraft position [SEP]
				[CLS] remote controller in
SurroundingEnvironment	SurroundingEnvironment (0.75)	SurroundingEnvironment	1.67	high interference environment . [SEP]
				[CLS]
Normal	Normal (0.88)	Normal	0.98	manually adjust flight route or return to home [SEP]
				[CLS] return -
Normal	Normal (0.88)	Normal	0.60	to - home altitude : 65ft [SEP]
				[CLS] return -
Normal	Normal (0.88)	Normal	0.40	to - home altitude : 98ft . [SEP]
				[CLS] rth :
Normal	Normal (0.88)	Normal	0.73	ascending to rth altitude . [SEP]
				[CLS] rth :
Normal	Normal (0.87)	Normal	0.73	heading alignment . [SEP]
				[CLS] rth
Normal	Normal (0.87)	Normal	0.43	altitude : 65ft . [SEP]
				[CLS] rth
Normal	Normal (0.87)	Normal	0.34	altitude : 98ft . [SEP]
				[CLS] signal
CommunicationIssue	CommunicationIssue (0.64)	CommunicationIssue	1.44	

				lost . [SEP]
				[CLS] aircraft
Normal	Normal (0.87)	Normal	0.74	returning to home point [SEP]
				[CLS] sprayer
Normal	Normal (0.87)	Normal	1.06	turned on [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.75)	SurroundingEnvironment	1.67	[CLS] strong wind warning . [SEP]
				[CLS] aircraft
SoftwareFault	SoftwareFault (0.78)	SoftwareFault	1.22	unable to return to home automatically . [SEP]
				[CLS] lower altitude immediately
Normal	Normal (0.88)	Normal	0.78	and return to home manually [SEP]
				[CLS]
Normal	Normal (0.88)	Normal	0.76	switched to s (sport) - mode . [SEP]
				[CLS]
Normal	Normal (0.88)	Normal	0.44	switched to t (tripod) - mode . [SEP]
				[CLS] take off
Normal	Normal (0.87)	Normal	0.58	in p - mode [SEP]
				[CLS] vision
SoftwareFault	SoftwareFault (0.51)	SoftwareFault	0.71	sensor error . [SEP]
				[CLS] contact
Normal	Normal (0.87)	Normal	0.49	dji support for assistance [SEP]
				[CLS] vision
				systems and
Normal	Normal (0.87)	Normal	0.20	obstacle avoidance disabled [SEP]

Normal	Normal (0.87)	Normal	0.37	[CLS] waypoint mission paused [SEP]
				[CLS] weak gps signal . [SEP]
				[CLS] aircraft is in attitude mode and hovering may be unstable . [SEP]
Normal	Normal (0.88)	Normal	0.51	[CLS] fly with caution . [SEP]
CommunicationIssue	CommunicationIssue (0.67)	CommunicationIssue	1.54	[CLS] weak signal . [SEP]
				[CLS] adjust antennas [SEP]
				[CLS] your aircraft is flying in an altitude zone (nnn) . [SEP]
RegulationViolation	RegulationViolation (0.56)	RegulationViolation	2.61	[CLS] please fly with caution [SEP]
Normal	Normal (0.87)	Normal	0.87	