

Legend: ■ Negative □ Neutral ■ Positive

True Label	Predicted Label	Attribution Label	Attribution Score	Word Importance
SurroundingEnvironment	Normal (0.24)	Normal	0.35	[CLS] a passenger aircraft is nearby . [SEP]
				[CLS] fly with caution [SEP]
				[CLS] account not logged in . [SEP]
				[CLS] flight altitude and distance restricted to nnn and nnn . [SEP]
ParamViolation	ParamViolation (0.80)	ParamViolation	2.16	[CLS] check and log in [SEP]
Normal	Normal (0.23)	Normal	0.99	[CLS] activetrack flight paused [SEP]
Normal	Normal (0.23)	Normal	0.69	[CLS] aircraft activetrack available at max speed . [SEP]
Normal	Normal (0.24)	Normal	1.03	[CLS] obstacle avoidance is not available [SEP]
Normal	Normal (0.23)	Normal	0.27	[CLS] aircraft activetrack available at max speed . [SEP]
Normal	Normal (0.24)	Normal	1.03	[CLS] when exceeding nnn , obstacle avoidance is not available [SEP]
Normal	Normal (0.24)	Normal	0.11	[CLS] aircraft

Normal	Normal (0.24)	Normal	-0.00	activetrack
				max speed of
				nnn and
				obstacle
				avoidance
HardwareFault	HardwareFault (0.68)	HardwareFault	2.03	functions
				normally
				[SEP]
				[CLS] aircraft
				core board
Normal	Normal (0.24)	Normal	0.47	overheated
				[SEP]
				[CLS] aircraft
				entered fixed
				- wing mode .
Normal	ParamViolation (0.48)	ParamViolation	-2.04	[SEP]
				[CLS] current
				flight speed is
				nnn . [SEP]
				[CLS] press
Normal	Normal (0.23)	Normal	0.81	c2 to exit
				[SEP]
				[CLS] aircraft
				flight control
				unlocked
RegulationViolation	RegulationViolation (0.87)	RegulationViolation	1.71	[SEP]
				[CLS] aircraft
				in restricted
				zones . [SEP]
				[CLS] check
Normal	Normal (0.23)	Normal	0.78	map to find
				recommended
				zones [SEP]
				[CLS] aircraft
				is in attitude
Normal	Normal (0.24)	Normal	0.35	mode , so that
				it will not
				hover . [SEP]
				[CLS] please
				fly with
Normal	Normal (0.23)	Normal	1.02	caution .
				[SEP]
				[CLS] aircraft
				is in tripod
				mode . [SEP]
Normal	Normal (0.24)	Normal	0.51	[CLS] exit
				this mode and
				try again
Normal	Normal (0.23)	Normal	1.27	

				[SEP]
Normal	Normal (0.24)	Normal	0.77	[CLS] aircraft is returning to the starting point [SEP]
ParamViolation	ParamViolation (0.82)	ParamViolation	1.81	[CLS] aircraft out of range [SEP]
RegulationViolation	RegulationViolation (0.87)	RegulationViolation	2.28	[CLS] approaching a no - fly zone . [SEP]
Normal	Normal (0.23)	Normal	0.61	[CLS] rth may be affected . [SEP]
Normal	Normal (0.23)	Normal	1.13	[CLS] fly with caution [SEP]
Normal	Normal (0.23)	Normal	0.82	[CLS] arrived at start point . [SEP]
Normal	Normal (0.23)	Normal	0.77	[CLS] starting waypoint mission [SEP]
Normal	Normal (0.23)	Normal	1.14	[CLS] auto landing initiated [SEP]
Normal	Normal (0.23)	Normal	0.48	[CLS] auxiliary bottom light turned off [SEP]
SoftwareFault	SoftwareFault (0.75)	SoftwareFault	1.79	[CLS] backward obstacle sensing is not functioning . [SEP]
HardwareFault	HardwareFault (0.68)	HardwareFault	1.41	[CLS] battery cell broken , please replace the battery [SEP]
HardwareFault	HardwareFault (0.68)	HardwareFault	0.95	[CLS] battery error . [SEP]
				[CLS] aircraft returning to

Normal	Normal (0.23)	Normal	0.91	home automatically [SEP]
HardwareFault	HardwareFault (0.68)	HardwareFault	1.30	[CLS] battery power low . [SEP]
Normal	Normal (0.24)	Normal	1.25	[CLS] check battery status and charge or warm up battery [SEP]
HardwareFault	HardwareFault (0.24)	HardwareFault	0.94	[CLS] cache space full [SEP]
SurroundingEnvironment	SoftwareFault (0.73)	SoftwareFault	-1.15	[CLS] calibration subject is too close . [SEP]
Normal	Normal (0.24)	Normal	0.10	[CLS] recalibrate using a subject that is farther away [SEP]
HardwareFault	HardwareFault (0.68)	HardwareFault	1.43	[CLS] camera busy , cannot enter playback [SEP]
SoftwareFault	SoftwareFault (0.75)	SoftwareFault	1.01	[CLS] cannot enable intelligent flight mode [SEP]
HardwareFault	HardwareFault (0.68)	HardwareFault	1.66	[CLS] low battery [SEP]
SoftwareFault	SoftwareFault (0.76)	SoftwareFault	1.39	[CLS] cannot start return to home due to weak gps signal [SEP]
SoftwareFault	SoftwareFault (0.75)	SoftwareFault	1.19	[CLS] cannot start self - timer . [SEP]
SoftwareFault	ParamViolation (0.73)	ParamViolation	-0.55	[CLS] exposure time is too long [SEP]

SoftwareFault	SoftwareFault (0.75)	SoftwareFault	1.06	[CLS] cannot switch flight mode . [SEP]
Normal	Normal (0.24)	Normal	1.20	[CLS] turn on " multiple flight modes " to enable atti and sport modes . [SEP]
SoftwareFault	SoftwareFault (0.73)	SoftwareFault	1.07	[CLS] cannot track subject [SEP]
SurroundingEnvironment	SoftwareFault (0.71)	SoftwareFault	-1.05	[CLS] no image [SEP]
Normal	Normal (0.23)	Normal	1.01	[CLS] please retry [SEP]
SoftwareFault	SoftwareFault (0.73)	SoftwareFault	1.07	[CLS] cannot track subject [SEP]
SurroundingEnvironment	SoftwareFault (0.73)	SoftwareFault	-0.91	[CLS] subject too large [SEP]
Normal	Normal (0.23)	Normal	0.86	[CLS] move away and retry [SEP]
Normal	Normal (0.24)	Normal	0.86	[CLS] color display in the liveview has been enhanced . [SEP]
Normal	Normal (0.24)	Normal	0.90	[CLS] videos and photos will still be shot in d - log mode [SEP]
HardwareFault	HardwareFault (0.68)	HardwareFault	1.20	[CLS] compass abnormal . [SEP]
Normal	Normal (0.24)	Normal	0.00	[CLS] solution : 1 . ensure there are no magnets or metal objects near the aircraft .

				[SEP]
Normal	Normal (0.24)	Normal	0.14	[CLS] the ground or walls may contain metal . [SEP]
Normal	Normal (0.24)	Normal	0.46	[CLS] move away from sources of interference before attempting flight . [SEP]
Normal	Normal (0.24)	Normal	0.62	[CLS] 2 . calibrate compass before takeoff [SEP]
HardwareFault	HardwareFault (0.68)	HardwareFault	0.88	[CLS] compass error [SEP]
HardwareFault	HardwareFault (0.52)	HardwareFault	0.93	[CLS] compass error , calibration required [SEP]
HardwareFault	HardwareFault (0.68)	HardwareFault	0.93	[CLS] compass error . [SEP]
HardwareFault	HardwareFault (0.68)	HardwareFault	0.93	[CLS] compass error . [SEP]
HardwareFault	HardwareFault (0.68)	HardwareFault	1.55	[CLS] compass disconnected [SEP]
HardwareFault	HardwareFault (0.68)	HardwareFault	0.93	[CLS] compass error . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.82)	SurroundingEnvironment	1.38	[CLS] magnetic filed interference . [SEP]
Normal	Normal (0.23)	Normal	0.80	[CLS] exit p - gps mode [SEP]

SoftwareFault	HardwareFault (0.66)	HardwareFault	-0.13	[CLS]
				compass
				initialization
Normal	Normal (0.23)	Normal	0.37	failed . [SEP]
				[CLS] restart
				aircraft [SEP]
HardwareFault	HardwareFault (0.68)	HardwareFault	1.43	[CLS] critical
				low battery .
				[SEP]
Normal	Normal (0.24)	Normal	1.19	[CLS] aircraft
				in auto power
				off protection
Normal	Normal (0.23)	Normal	1.20	. [SEP]
				[CLS] forced
				landing in
HardwareFault	HardwareFault (0.68)	HardwareFault	1.43	progress
				[SEP]
				[CLS] critical
Normal	Normal (0.23)	Normal	0.81	low battery .
				[SEP]
				[CLS] aircraft
HardwareFault	HardwareFault (0.68)	HardwareFault	1.43	landing
				automatically
				[SEP]
Normal	Normal (0.23)	Normal	1.04	[CLS] critical
				low battery .
				[SEP]
HardwareFault	HardwareFault (0.68)	HardwareFault	1.72	[CLS] return
				to home or
				land promptly
Normal	Normal (0.23)	Normal	0.94	[SEP]
				[CLS]
				critically low
HardwareFault	HardwareFault (0.68)	HardwareFault	1.72	power . [SEP]
				[CLS] aircraft
				is landing
Normal	Normal (0.23)	Normal	0.60	[SEP]
				[CLS]
				critically low
HardwareFault	HardwareFault (0.68)	HardwareFault	1.72	power . [SEP]
				[CLS] aircraft
				landing .
Normal	Normal (0.23)	Normal	0.60	[SEP]
				[CLS] aircraft
				landing .
Normal	Normal (0.23)	Normal	0.60	[SEP]
				[CLS] throttle
				up to reduce

Normal	Normal (0.24)	Normal	0.40	the speed of descent and use sticks to avoid obstacles [SEP] [CLS]
HardwareFault	HardwareFault (0.68)	HardwareFault	1.51	critically low voltage warning . [SEP] [CLS] aircraft
Normal	Normal (0.23)	Normal	0.45	will be forced to land [SEP] [CLS]
HardwareFault	HardwareFault (0.68)	HardwareFault	1.75	critically low voltage . [SEP] [CLS] aircraft
Normal	Normal (0.23)	Normal	0.88	will land [SEP] [CLS] data
Normal	Normal (0.24)	Normal	0.71	recorder file index is 15 . [SEP] [CLS] data
Normal	Normal (0.24)	Normal	0.75	recorder file index is 17 . [SEP] [CLS] data
Normal	Normal (0.24)	Normal	0.74	recorder file index is 30 . [SEP] [CLS] data
Normal	Normal (0.24)	Normal	0.66	recorder file index is 45 . [SEP] [CLS] data
Normal	Normal (0.24)	Normal	0.67	recorder file index is 46 . [SEP] [CLS] data
Normal	Normal (0.24)	Normal	0.76	recorder file index is 65 . [SEP] [CLS] disable
Normal	Normal (0.24)	Normal	0.70	sd card read and write



				protection or change card [SEP]
				[CLS]
CommunicationIssue	CommunicationIssue (0.90)	CommunicationIssue	1.71	downlink lost [SEP]
				[CLS]
Normal	Normal (0.24)	Normal	0.37	downlink restored ( after 0m 2 . 9s ) . [SEP]
				[CLS] drone
Normal	HardwareFault (0.65)	HardwareFault	-1.47	is vibrating [SEP]
				[CLS] entered
Normal	Normal (0.23)	Normal	0.92	cruise control mode . [SEP]
				[CLS] press
Normal	Normal (0.23)	Normal	0.67	c1 or c2 to exit [SEP]
				[CLS]
ParamViolation	ParamViolation (0.79)	ParamViolation	2.00	excessive attitude angle detected [SEP]
				[CLS] forward
SoftwareFault	SoftwareFault (0.72)	SoftwareFault	1.56	obstacle avoidance has stopped working [SEP]
				[CLS] exit
Normal	Normal (0.23)	Normal	0.65	backward sensing system [SEP]
				[CLS]
SurroundingEnvironment	SurroundingEnvironment (0.82)	SurroundingEnvironment	1.61	ambient light is too weak [SEP]
				[CLS] exited
Normal	Normal (0.23)	Normal	0.82	visual avoidance system . [SEP]
				[CLS] exiting
SoftwareFault	SoftwareFault (0.74)	SoftwareFault	1.07	gps mode : unknown error [SEP]

ParamViolation	ParamViolation (0.82)	ParamViolation	1.68	[CLS] extra payload detected . [SEP]
Normal	Normal (0.23)	Normal	0.71	[CLS] flight performance will be affected . [SEP]
Normal	Normal (0.23)	Normal	1.13	[CLS] fly with caution [SEP]
SoftwareFault	SoftwareFault (0.75)	SoftwareFault	1.55	[CLS] forward obstacle sensing is not functioning . [SEP]
SoftwareFault	SoftwareFault (0.75)	SoftwareFault	1.59	[CLS] forward obstacle sensing not responding [SEP]
HardwareFault	HardwareFault (0.68)	HardwareFault	1.68	[CLS] gimbal motor overloaded . [SEP]
Normal	Normal (0.24)	Normal	0.76	[CLS] check whether gimbal can rotate freely [SEP]
HardwareFault	HardwareFault (0.68)	HardwareFault	2.00	[CLS] gimbal pitch limit reached . [SEP]
Normal	Normal (0.23)	Normal	0.02	[CLS] ground plain . [SEP]
Normal	Normal (0.23)	Normal	0.81	[CLS] safe to land . [SEP]
ParamViolation	ParamViolation (0.80)	ParamViolation	1.68	[CLS] high altitude . [SEP]
Normal	ParamViolation (0.79)	ParamViolation	-2.06	[CLS] aircraft braking distance increased and flight time decreased . [SEP]

Normal	Normal (0.23)	Normal	1.13	[CLS] fly with caution [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.82)	SurroundingEnvironment	1.48	[CLS] high wind velocity . [SEP]
Normal	Normal (0.24)	Normal	0.34	[CLS] ensure the aircraft remains within your line of sight and fly with caution . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.82)	SurroundingEnvironment	1.48	[CLS] high wind velocity . [SEP]
Normal	Normal (0.24)	Normal	0.34	[CLS] ensure the aircraft remains within your line of sight and fly with caution . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.82)	SurroundingEnvironment	1.48	[CLS] high wind velocity . [SEP]
Normal	Normal (0.24)	Normal	1.03	[CLS] fly with caution and land in a safe place asap . [SEP]
Normal	ParamViolation (0.81)	ParamViolation	-2.21	[CLS] high - altitude flight [SEP]
Normal	Normal (0.23)	Normal	1.13	[CLS] fly with caution [SEP]
Normal	ParamViolation (0.77)	ParamViolation	-1.68	[CLS] aircraft braking distance is extended [SEP]
Normal	ParamViolation (0.75)	ParamViolation	-1.96	[CLS] flight time is shortened . [SEP]
Normal	Normal (0.23)	Normal	0.74	[CLS] home

ParamViolation	ParamViolation (0.64)	ParamViolation	1.58	point updated
				. [SEP]
				[CLS] imu
Normal	Normal (0.23)	Normal	0.69	attitude
				restricted .
				[SEP]
SoftwareFault	Normal (0.23)	Normal	-0.38	[CLS] ensure
				aircraft is
				level [SEP]
Normal	Normal (0.23)	Normal	0.66	[CLS] imu not
				calibrated .
				[SEP]
Normal	Normal (0.23)	Normal	-0.70	[CLS]
				calibrate imu
				[SEP]
Normal	Normal (0.23)	Normal	0.93	[CLS] landing
				canceled .
				[SEP]
Normal	Normal (0.23)	Normal	0.59	[CLS] landing
				gear function
				restored
Normal	Normal (0.23)	Normal	1.04	[SEP]
				[CLS] landing
				gear raising .
Normal	Normal (0.23)	Normal	1.01	[SEP]
				[CLS] home
				point
Normal	Normal (0.22)	Normal	-1.67	recorded
				[SEP]
				[CLS] live
Normal	Normal (0.23)	Normal	1.13	stream video
				frame rate
				less than 9hz
HardwareFault	HardwareFault (0.68)	HardwareFault	1.51	. [SEP]
				[CLS] fly with
				caution [SEP]
Normal	Normal (0.24)	Normal	0.70	[CLS] low
				power . [SEP]
				[CLS] aircraft
HardwareFault	HardwareFault (0.68)	HardwareFault	1.51	is returning
				to the home
				point . [SEP]
HardwareFault	HardwareFault (0.68)	HardwareFault	1.51	[CLS] low
				power . [SEP]

Normal	Normal (0.23)	Normal	0.92	[CLS] returning home . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.82)	SurroundingEnvironment	1.38	[CLS] magnetic filed interference . [SEP]
Normal	Normal (0.23)	Normal	0.62	[CLS] exit p - gps mode . [SEP]
HardwareFault	HardwareFault (0.68)	HardwareFault	1.49	[CLS] yaw error . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.80)	SurroundingEnvironment	1.79	[CLS] manned aircraft detected nearby . [SEP]
Normal	Normal (0.23)	Normal	1.13	[CLS] fly with caution [SEP]
ParamViolation	ParamViolation (0.80)	ParamViolation	1.49	[CLS] max altitude approached . [SEP]
Normal	Normal (0.24)	Normal	0.09	[CLS] wait for the gps satellite signal recovery before ascend [SEP]
ParamViolation	ParamViolation (0.82)	ParamViolation	1.96	[CLS] max flight altitude reached . [SEP]
Normal	Normal (0.24)	Normal	1.21	[CLS] adjust in main controller settings if necessary [SEP]
ParamViolation	ParamViolation (0.82)	ParamViolation	1.97	[CLS] max flight distance reached . [SEP]
				[CLS] adjust

Normal	Normal (0.24)	Normal	1.04	in main controller settings if necessary . [SEP] [CLS] maximum
ParamViolation	ParamViolation (0.82)	ParamViolation	2.05	flight distance reached . [SEP] [CLS] adjust the distance in mc settings if required . [SEP] [CLS] mobile device cpu fully loaded . [SEP] [CLS] related performance
Normal	Normal (0.24)	Normal	0.80	will be affected . [SEP] [CLS] mobile device version too old to support hd image transmission and the image transmission mode has been switch to normal mode . [SEP] [CLS] motor
HardwareFault	HardwareFault (0.65)	HardwareFault	1.77	is blocked . [SEP] [CLS] motor stuck . [SEP] [CLS] check for objects blocking motor or contact dji support for
Normal	Normal (0.23)	Normal	0.82	
SoftwareFault	Normal (0.24)	Normal	-0.08	
Normal	Normal (0.23)	Normal	0.13	
HardwareFault	HardwareFault (0.67)	HardwareFault	1.66	
Normal	Normal (0.24)	Normal	1.13	

				assistance [SEP]
Normal	HardwareFault (0.66)	HardwareFault	-1.95	[CLS] motors started . [SEP]
SoftwareFault	SoftwareFault (0.74)	SoftwareFault	1.78	[CLS] no gps signal . [SEP]
Normal	HardwareFault (0.68)	HardwareFault	-0.57	[CLS] aircraft unable to hover . [SEP]
Normal	Normal (0.23)	Normal	1.13	[CLS] fly with caution [SEP]
SoftwareFault	SoftwareFault (0.74)	SoftwareFault	1.78	[CLS] no gps signal . [SEP]
Normal	HardwareFault (0.68)	HardwareFault	-0.74	[CLS] unable to hover . [SEP]
Normal	Normal (0.23)	Normal	1.13	[CLS] fly with caution [SEP]
Normal	Normal (0.23)	Normal	0.55	[CLS] obstacle avoidance disabled . [SEP]
Normal	Normal (0.23)	Normal	0.80	[CLS] landing gear lowered . [SEP]
Normal	Normal (0.23)	Normal	0.55	[CLS] obstacle avoidance disabled . [SEP]
Normal	Normal (0.23)	Normal	0.55	[CLS] obstacle avoidance disabled . [SEP]
Normal	Normal (0.23)	Normal	0.80	[CLS] landing gear lowered . [SEP]
Normal	Normal (0.23)	Normal	0.63	[CLS] obstacle avoidance has been disabled . [SEP]
Normal	Normal (0.23)	Normal	1.86	[CLS] precision

				landing [SEP]
Normal	Normal (0.23)	Normal	0.83	[CLS] quickshot has ended [SEP]
Normal	Normal (0.23)	Normal	0.95	[CLS] recenter gimbal pan [SEP]
Normal	Normal (0.23)	Normal	0.17	[CLS] rectifying aircraft position [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.82)	SurroundingEnvironment	1.54	[CLS] remote controller in high interference environment . [SEP]
Normal	Normal (0.24)	Normal	1.22	[CLS] manually adjust flight route or return to home [SEP]
Normal	Normal (0.24)	Normal	0.76	[CLS] return - to - home altitude : 65ft [SEP]
Normal	Normal (0.24)	Normal	0.51	[CLS] return - to - home altitude : 98ft . [SEP]
Normal	Normal (0.24)	Normal	0.77	[CLS] rth : ascending to rth altitude . [SEP]
Normal	Normal (0.23)	Normal	0.83	[CLS] rth : heading alignment . [SEP]
Normal	Normal (0.24)	Normal	0.77	[CLS] rth altitude : 65ft . [SEP]
Normal	Normal (0.24)	Normal	0.65	[CLS] rth altitude : 98ft . [SEP]
CommunicationIssue	CommunicationIssue (0.90)	CommunicationIssue	1.28	[CLS] signal



				lost . [SEP]
				[CLS] aircraft
Normal	Normal (0.23)	Normal	1.13	returning to home point [SEP]
				[CLS] sprayer
Normal	Normal (0.23)	Normal	1.25	turned on [SEP]
				[CLS] strong
SurroundingEnvironment	SurroundingEnvironment (0.82)	SurroundingEnvironment	1.35	wind warning . [SEP]
				[CLS] aircraft
				unable to
SoftwareFault	SoftwareFault (0.76)	SoftwareFault	1.20	return to home automatically . [SEP]
				[CLS] lower
				altitude
				immediately
Normal	Normal (0.24)	Normal	1.20	and return to home manually [SEP]
				[CLS]
Normal	Normal (0.24)	Normal	0.67	switched to s ( sport ) - mode . [SEP]
				[CLS]
Normal	Normal (0.24)	Normal	0.39	switched to t ( tripod ) - mode . [SEP]
				[CLS] take off
Normal	Normal (0.23)	Normal	0.96	in p - mode [SEP]
				[CLS] vision
SoftwareFault	HardwareFault (0.61)	HardwareFault	-0.01	sensor error . [SEP]
				[CLS] contact
Normal	Normal (0.23)	Normal	0.96	dji support for assistance [SEP]
				[CLS] vision
				systems and
				obstacle
Normal	Normal (0.23)	Normal	0.63	avoidance disabled [SEP]

Normal	Normal (0.23)	Normal	0.65	[CLS] waypoint mission paused [SEP]
				[CLS] weak gps signal . [SEP]
				[CLS] aircraft is in attitude mode and hovering may be unstable . [SEP]
Normal	Normal (0.24)	Normal	0.73	[CLS] fly with caution . [SEP]
CommunicationIssue	CommunicationIssue (0.90)	CommunicationIssue	1.33	[CLS] weak signal . [SEP]
				[CLS] adjust antennas [SEP]
				[CLS] your aircraft is flying in an altitude zone ( nnn ) . [SEP]
Normal	Normal (0.23)	Normal	0.95	[CLS] please fly with caution [SEP]
RegulationViolation	RegulationViolation (0.87)	RegulationViolation	2.48	
Normal	Normal (0.23)	Normal	1.24	