

Legend: ■ Negative □ Neutral ■ Positive

True Label	Predicted Label	Attribution Label	Attribution Score	Word Importance
SurroundingEnvironment	Normal (0.77)	Normal	-0.92	#s a
				passenger aircraft is
				nearby . #/s
Normal	Normal (0.79)	Normal	1.39	#s fly with caution #/s
Normal	SoftwareFault (0.46)	SoftwareFault	-1.18	#s account not logged in . #/s
ParamViolation	ParamViolation (0.60)	ParamViolation	2.17	#s flight altitude and distance restricted to nnn and nnn . #/s
Normal	Normal (0.79)	Normal	1.59	#s check and log in #/s
Normal	Normal (0.79)	Normal	1.69	#s activetrack flight paused #/s
Normal	Normal (0.79)	Normal	2.36	#s aircraft activetrack available at max speed . #/s
Normal	Normal (0.53)	Normal	-0.55	#s obstacle avoidance is not available #/s
Normal	Normal (0.79)	Normal	2.36	#s aircraft activetrack available at max speed . #/s
Normal	Normal (0.79)	Normal	2.47	#s when exceeding nnn , obstacle avoidance is not available #/s
Normal	Normal (0.60)	Normal	0.36	#s aircraft activetrack max speed of nnn and

HardwareFault	HardwareFault (0.74)	HardwareFault	1.69	obstacle avoidance functions normally #/s #s aircraft core board overheated #/s
				#s aircraft entered fixed - wing mode . #/s
				#s current flight speed is nnn . #/s
				#s press c2 to exit #/s
				#s aircraft flight control unlocked #/s
RegulationViolation	RegulationViolation (0.56)	RegulationViolation	1.62	#s aircraft in restricted zones . #/s
Normal	Normal (0.79)	Normal	2.09	#s check map to find recommended zones #/s
Normal	Normal (0.79)	Normal	1.78	#s aircraft is in attitude mode , so that it will not hover . #/s
Normal	Normal (0.79)	Normal	2.02	#s please fly with caution . #/s
Normal	Normal (0.77)	Normal	1.29	#s aircraft is in tripod mode . #/s
Normal	Normal (0.79)	Normal	1.98	#s exit this mode and try again #/s
Normal	Normal (0.79)	Normal	2.00	#s aircraft is returning to the starting point #/s
ParamViolation	ParamViolation (0.59)	ParamViolation	1.31	#s aircraft out of range #/s

RegulationViolation	RegulationViolation (0.56)	RegulationViolation	2.28	#s approaching a no - fly zone . #/s
Normal	Normal (0.79)	Normal	1.43	#s rth may be affected . #/s
Normal	Normal (0.79)	Normal	1.39	#s fly with caution #/s
Normal	Normal (0.79)	Normal	1.43	#s arrived at start point . #/s
Normal	Normal (0.79)	Normal	1.95	#s starting waypoint mission #/s
Normal	Normal (0.79)	Normal	1.73	#s auto landing initiated #/s
Normal	Normal (0.78)	Normal	1.62	#s auxiliary bottom light turned off #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	1.95	#s backward obstacle sensing is not functioning . #/s
HardwareFault	HardwareFault (0.75)	HardwareFault	1.78	#s battery cell broken , please replace the battery #/s
HardwareFault	HardwareFault (0.75)	HardwareFault	1.39	#s battery error . #/s
Normal	Normal (0.78)	Normal	1.62	#s aircraft returning to home automatically #/s
HardwareFault	HardwareFault (0.75)	HardwareFault	1.70	#s battery power low . #/s
Normal	Normal (0.79)	Normal	2.65	#s check battery status and charge or warm up battery #/s
HardwareFault	HardwareFault (0.69)	HardwareFault	1.43	#s cache space full #/s

SurroundingEnvironment	SoftwareFault (0.61)	SoftwareFault	-1.02	#s calibration subject is too close . #/s
Normal	Normal (0.79)	Normal	1.34	#s recalibrate using a subject that is farther away #/s
				#s camera busy , cannot enter playback #/s
HardwareFault	HardwareFault (0.35)	HardwareFault	1.34	#s cannot enable intelligent flight mode #/s
HardwareFault	HardwareFault (0.75)	HardwareFault	1.48	#s low battery #/s
				#s cannot start return to home due to weak gps signal #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	1.30	#s cannot start self - timer . #/s
SoftwareFault	SurroundingEnvironment (0.34)	SurroundingEnvironment	0.60	#s exposure time is too long #/s
				#s cannot switch flight mode . #/s
SoftwareFault	SoftwareFault (0.68)	SoftwareFault	1.04	#s turn on "multiple flight modes " to enable atti and sport modes . #/s
Normal	Normal (0.79)	Normal	-0.41	#s cannot track subject #/s
				#s no image #/s
SurroundingEnvironment	SoftwareFault (0.67)	SoftwareFault	1.61	#s please retry #/s
Normal	Normal (0.79)	Normal	1.41	#s cannot

SoftwareFault	SoftwareFault (0.67)	SoftwareFault	-1.91	track subject #/s
SurroundingEnvironment	SoftwareFault (0.67)	SoftwareFault	1.36	#s subject too large #/s
Normal	Normal (0.79)	Normal	1.55	#s move away and retry #/s
Normal	Normal (0.77)	Normal	1.11	#s color display in the liveview has been enhanced . #/s
Normal	Normal (0.79)	Normal	2.49	#s videos and photos will still be shot in d - log mode #/s
HardwareFault	HardwareFault (0.75)	HardwareFault	1.52	#s compass abnormal . #/s
Normal	Normal (0.79)	Normal	3.51	#s solution : 1 . ensure there are no magnets or metal objects near the aircraft . #/s
Normal	Normal (0.77)	Normal	0.94	#s the ground or walls may contain metal . #/s
Normal	Normal (0.79)	Normal	-0.84	#s move away from sources of interference before attempting flight . #/s
Normal	Normal (0.79)	Normal	1.75	#s 2 . calibrate compass before takeoff #/s
HardwareFault	HardwareFault (0.75)	HardwareFault	1.21	#s compass error #/s #s compass

HardwareFault	SoftwareFault (0.35)	SoftwareFault	2.08	error , calibration required #/s
HardwareFault	HardwareFault (0.75)	HardwareFault	1.09	#s compass error . #/s
HardwareFault	HardwareFault (0.75)	HardwareFault	1.09	#s compass error . #/s
HardwareFault	HardwareFault (0.75)	HardwareFault	1.39	#s compass disconnected #/s
HardwareFault	HardwareFault (0.75)	HardwareFault	1.09	#s compass error . #/s
SurroundingEnvironment	SurroundingEnvironment (0.64)	SurroundingEnvironment	1.61	#s magnetic filed interference . #/s
Normal	Normal (0.79)	Normal	1.62	#s exit p - gps mode #/s
SoftwareFault	SoftwareFault (0.54)	SoftwareFault	1.30	#s compass initialization failed . #/s
Normal	Normal (0.79)	Normal	1.13	#s restart aircraft #/s
HardwareFault	HardwareFault (0.75)	HardwareFault	1.52	#s critical low battery . #/s
Normal	Normal (0.79)	Normal	1.62	#s aircraft in auto power off protection . #/s
Normal	Normal (0.78)	Normal	1.50	#s forced landing in progress #/s
HardwareFault	HardwareFault (0.75)	HardwareFault	1.52	#s critical low battery . #/s
Normal	Normal (0.79)	Normal	0.75	#s aircraft landing automatically #/s
HardwareFault	HardwareFault (0.75)	HardwareFault	1.52	#s critical low battery . #/s
Normal	Normal (0.79)	Normal	1.71	#s return to home or land promptly #/s
				#s critically

HardwareFault	HardwareFault (0.75)	HardwareFault	1.67	low power. #/s
Normal	Normal (0.79)	Normal	1.21	#s aircraft is landing #/s
HardwareFault	HardwareFault (0.75)	HardwareFault	1.67	#s critically low power. #/s
Normal	Normal (0.78)	Normal	1.49	#s aircraft landing. #/s
Normal	Normal (0.78)	Normal	1.49	#s aircraft landing. #/s
Normal	Normal (0.79)	Normal	2.78	#s throttle up to reduce the speed of descent and use sticks to avoid obstacles #/s
HardwareFault	HardwareFault (0.75)	HardwareFault	1.21	#s critically low voltage warning. #/s
Normal	Normal (0.78)	Normal	2.18	#s aircraft will be forced to land #/s
HardwareFault	HardwareFault (0.75)	HardwareFault	1.66	#s critically low voltage. #/s
Normal	Normal (0.79)	Normal	1.66	#s aircraft will land #/s
Normal	Normal (0.79)	Normal	2.27	#s data recorder file index is 15. #/s
Normal	Normal (0.79)	Normal	1.92	#s data recorder file index is 17. #/s
Normal	Normal (0.79)	Normal	2.32	#s data recorder file index is 30. #/s
Normal	Normal (0.79)	Normal	2.18	#s data recorder file index is 45. #/s
Normal	Normal (0.79)	Normal	2.20	#s data recorder file index is 46. #/s

				#/s
Normal	Normal (0.79)	Normal	2.12	#s data recorder file index is 65 . #/s
Normal	Normal (0.79)	Normal	2.23	#s disable sd card read and write protection or change card #/s
CommunicationIssue	CommunicationIssue (0.53)	CommunicationIssue	1.52	#s downlink lost . #/s
Normal	Normal (0.79)	Normal	2.08	#s downlink restored (after 0m 2.9s) . #/s
Normal	Normal (0.53)	Normal	-1.55	#s drone is vibrating #/s
Normal	Normal (0.79)	Normal	1.12	#s entered cruise control mode . #/s
Normal	Normal (0.79)	Normal	2.28	#s press c1 or c2 to exit #/s
ParamViolation	ParamViolation (0.40)	ParamViolation	1.96	#s excessive attitude angle detected #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	1.18	#s forward obstacle avoidance has stopped working #/s
Normal	Normal (0.78)	Normal	1.53	#s exit backward sensing system #/s
SurroundingEnvironment	SurroundingEnvironment (0.64)	SurroundingEnvironment	1.58	#s ambient light is too weak #/s
Normal	Normal (0.79)	Normal	1.59	#s exited visual avoidance system . #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	1.58	#s exiting gps mode : unknown

				error #/s
ParamViolation	ParamViolation (0.60)	ParamViolation	1.82	#s extra payload detected . #/s
Normal	Normal (0.79)	Normal	1.88	#s flight performance will be affected . #/s
Normal	Normal (0.79)	Normal	1.39	#s fly with caution #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	1.62	#s forward obstacle sensing is not functioning . #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	1.40	#s forward obstacle sensing not responding #/s
HardwareFault	HardwareFault (0.75)	HardwareFault	1.76	#s gimbal motor overloaded . #/s
Normal	Normal (0.79)	Normal	1.74	#s check whether gimbal can rotate freely #/s
HardwareFault	HardwareFault (0.75)	HardwareFault	2.01	#s gimbal pitch limit reached . #/s
Normal	Normal (0.64)	Normal	1.42	#s ground plain . #/s
Normal	Normal (0.79)	Normal	1.79	#s safe to land . #/s
ParamViolation	SurroundingEnvironment (0.56)	SurroundingEnvironment	1.28	#s high altitude . #/s
Normal	ParamViolation (0.59)	ParamViolation	-2.12	#s aircraft braking distance increased and flight time decreased . #/s
Normal	Normal (0.79)	Normal	1.39	#s fly with caution #/s
	SurroundingEnvironment			#s high wind

SurroundingEnvironment	(0.64)	SurroundingEnvironment	1.68	velocity . #/s
Normal	Normal (0.79)	Normal	2.29	#s ensure the aircraft remains within your line of sight and fly with caution . #/s
SurroundingEnvironment	SurroundingEnvironment (0.64)	SurroundingEnvironment	1.68	#s high wind velocity . #/s
Normal	Normal (0.79)	Normal	2.29	#s ensure the aircraft remains within your line of sight and fly with caution . #/s
SurroundingEnvironment	SurroundingEnvironment (0.64)	SurroundingEnvironment	1.68	#s high wind velocity . #/s
Normal	Normal (0.79)	Normal	3.13	#s fly with caution and land in a safe place asap . #/s
Normal	Normal (0.31)	Normal	-1.51	#s high - altitude flight #/s
Normal	Normal (0.79)	Normal	1.39	#s fly with caution #/s
Normal	ParamViolation (0.58)	ParamViolation	-1.69	#s aircraft braking distance is extended #/s
Normal	Normal (0.77)	Normal	2.02	#s flight time is shortened . #/s
Normal	Normal (0.79)	Normal	1.85	#s home point updated . #/s
ParamViolation	Normal (0.76)	Normal	0.75	#s imu attitude restricted . #/s
Normal	Normal (0.79)	Normal	1.96	#s ensure aircraft is level #/s
SoftwareFault	SoftwareFault (0.43)	SoftwareFault	0.65	#s imu not

				calibrated . #/s
Normal	Normal (0.79)	Normal	1.42	#s calibrate imu #/s
Normal	SoftwareFault (0.54)	SoftwareFault	-0.70	#s landing canceled . #/s
Normal	Normal (0.79)	Normal	1.77	#s landing gear function restored #/s
Normal	Normal (0.79)	Normal	1.61	#s landing gear paused . #/s
Normal	Normal (0.79)	Normal	0.06	#s landing gear raising . #/s
Normal	Normal (0.79)	Normal	1.67	#s home point recorded #/s
Normal	Normal (0.37)	Normal	-2.61	#s live stream video frame rate less than 9hz . #/s
Normal	Normal (0.79)	Normal	1.39	#s fly with caution #/s
HardwareFault	HardwareFault (0.75)	HardwareFault	1.50	#s low power . #/s
Normal	Normal (0.79)	Normal	2.01	#s aircraft is returning to the home point . #/s
HardwareFault	HardwareFault (0.75)	HardwareFault	1.50	#s low power . #/s
Normal	Normal (0.79)	Normal	1.47	#s returning home . #/s
SurroundingEnvironment	SurroundingEnvironment (0.64)	SurroundingEnvironment	1.61	#s magnetic field interference . #/s
Normal	Normal (0.79)	Normal	1.74	#s exit p - gps mode . #/s
HardwareFault	HardwareFault (0.75)	HardwareFault	-1.83	#s yaw error . #/s
SurroundingEnvironment	SurroundingEnvironment (0.64)	SurroundingEnvironment	1.96	#s manned aircraft detected

Normal	Normal (0.79)	Normal	1.39	nearby . #/s
				#s fly with caution #/s
ParamViolation	ParamViolation (0.61)	ParamViolation	1.78	#s max altitude approached . #/s
				#s wait for the gps satellite signal recovery before ascend #/s
Normal	Normal (0.79)	Normal	1.99	
				#s max flight altitude reached . #/s
ParamViolation	ParamViolation (0.60)	ParamViolation	1.70	#s adjust in main controller settings if necessary #/s
				#s max flight distance reached . #/s
Normal	Normal (0.79)	Normal	2.12	#s adjust in main controller settings if necessary . #/s
				#s max flight distance reached . #/s
ParamViolation	ParamViolation (0.60)	ParamViolation	1.98	#s adjust in main controller settings if necessary . #/s
				#s maximum flight distance reached . #/s
Normal	Normal (0.79)	Normal	2.41	#s adjust the distance in mc settings if required . #/s
				#s mobile device cpu fully loaded . #/s
ParamViolation	ParamViolation (0.60)	ParamViolation	1.39	#s related performance will be affected . #/s
				#s mobile

SoftwareFault	Normal (0.74)	Normal	-1.02	device
				version too
				old to support
				hd image
				transmission
Normal	HardwareFault (0.75)	HardwareFault	-1.82	and the
				image
				transmission
				mode has
				been switch
HardwareFault	HardwareFault (0.75)	HardwareFault	1.50	to normal
				mode . #/s
				#s motor is
				blocked . #/s
				#s motor
Normal	Normal (0.79)	Normal	2.00	stuck . #/s
				#s check for
				objects
				blocking
				motor or
Normal	Normal (0.74)	Normal	-1.52	contact dji
				support for
				assistance
				#/s
				#s motors
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	started . #/s
				#s no gps
				signal . #/s
				#s aircraft
				unable to
Normal	HardwareFault (0.71)	HardwareFault	-1.74	hover . #/s
				#s fly with
				caution #/s
				#s no gps
				signal . #/s
Normal	Normal (0.79)	Normal	1.39	#s unable to
				hover . #/s
				#s fly with
				caution #/s
				#s obstacle
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	avoidance
				disabled . #/s
				#s landing
				gear lowered
				. #/s
Normal	Normal (0.79)	Normal	1.70	#s obstacle
				avoidance
				disabled . #/s
				#s landing
				gear lowered
Normal	Normal (0.79)	Normal	0.97	. #/s
				#s obstacle
				avoidance
				disabled . #/s
				#s landing
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	gear lowered
				. #/s
				#s obstacle
				avoidance
				disabled . #/s
Normal	Normal (0.79)	Normal	1.70	#s landing
				gear lowered
				. #/s
				#s obstacle
				avoidance
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	disabled . #/s
				#s landing
				gear lowered
				. #/s
				#s obstacle
Normal	Normal (0.79)	Normal	1.39	avoidance
				disabled . #/s
				#s landing
				gear lowered
				. #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	#s obstacle
				avoidance
				disabled . #/s
				#s landing
				gear lowered
Normal	Normal (0.79)	Normal	0.97	. #/s
				#s obstacle
				avoidance
				disabled . #/s
				#s landing
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	gear lowered
				. #/s
				#s obstacle
				avoidance
				disabled . #/s
Normal	Normal (0.79)	Normal	1.70	#s landing
				gear lowered
				. #/s
				#s obstacle
				avoidance
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	disabled . #/s
				#s landing
				gear lowered
				. #/s
				#s obstacle
Normal	Normal (0.79)	Normal	1.39	avoidance
				disabled . #/s
				#s landing
				gear lowered
				. #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	#s obstacle
				avoidance
				disabled . #/s
				#s landing
				gear lowered
Normal	Normal (0.79)	Normal	0.97	. #/s
				#s obstacle
				avoidance
				disabled . #/s
				#s landing
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	gear lowered
				. #/s
				#s obstacle
				avoidance
				disabled . #/s
Normal	Normal (0.79)	Normal	1.70	#s landing
				gear lowered
				. #/s
				#s obstacle
				avoidance
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	disabled . #/s
				#s landing
				gear lowered
				. #/s
				#s obstacle
Normal	Normal (0.79)	Normal	1.39	avoidance
				disabled . #/s
				#s landing
				gear lowered
				. #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	#s obstacle
				avoidance
				disabled . #/s
				#s landing
				gear lowered
Normal	Normal (0.79)	Normal	0.97	. #/s
				#s obstacle
				avoidance
				disabled . #/s
				#s landing
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	gear lowered
				. #/s
				#s obstacle
				avoidance
				disabled . #/s
Normal	Normal (0.79)	Normal	1.70	#s landing
				gear lowered
				. #/s
				#s obstacle
				avoidance
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	disabled . #/s
				#s landing
				gear lowered
				. #/s
				#s obstacle
Normal	Normal (0.79)	Normal	1.39	avoidance
				disabled . #/s
				#s landing
				gear lowered
				. #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	#s obstacle
				avoidance
				disabled . #/s
				#s landing
				gear lowered
Normal	Normal (0.79)	Normal	0.97	. #/s
				#s obstacle
				avoidance
				disabled . #/s
				#s landing
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	gear lowered
				. #/s
				#s obstacle
				avoidance
				disabled . #/s
Normal	Normal (0.79)	Normal	1.70	#s landing
				gear lowered
				. #/s
				#s obstacle
				avoidance
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	disabled . #/s
				#s landing
				gear lowered
				. #/s
				#s obstacle
Normal	Normal (0.79)	Normal	1.39	avoidance
				disabled . #/s
				#s landing
				gear lowered
				. #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	#s obstacle
				avoidance
				disabled . #/s
				#s landing
				gear lowered
Normal	Normal (0.79)	Normal	0.97	. #/s
				#s obstacle
				avoidance
				disabled . #/s
				#s landing
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	gear lowered
				. #/s
				#s obstacle
				avoidance
				disabled . #/s
Normal	Normal (0.79)	Normal	1.70	#s landing
				gear lowered
				. #/s
				#s obstacle
				avoidance
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	disabled . #/s
				#s landing
				gear lowered
				. #/s
				#s obstacle
Normal	Normal (0.79)	Normal	1.39	avoidance
				disabled . #/s
				#s landing
				gear lowered
				. #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	#s obstacle
				avoidance
				disabled . #/s
				#s landing
				gear lowered
Normal	Normal (0.79)	Normal	0.97	. #/s
				#s obstacle
				avoidance
				disabled . #/s
				#s landing
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	gear lowered
				. #/s
				#s obstacle
				avoidance
				disabled . #/s
Normal	Normal (0.79)	Normal	1.70	#s landing
				gear lowered
				. #/s
				#s obstacle
				avoidance
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	disabled . #/s
				#s landing
				gear lowered
				. #/s
				#s obstacle
Normal	Normal (0.79)	Normal	1.39	avoidance
				disabled . #/s
				#s landing
				gear lowered
				. #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	#s obstacle
				avoidance
				disabled . #/s
				#s landing
				gear lowered
Normal	Normal (0.79)	Normal	0.97	. #/s
				#s obstacle
				avoidance
				disabled . #/s
				#s landing
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	gear lowered
				. #/s
				#s obstacle
				avoidance
				disabled . #/s
Normal	Normal (0.79)	Normal	1.70	#s landing
				gear lowered
				. #/s
				#s obstacle
				avoidance
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	disabled . #/s
				#s landing
				gear lowered
				. #/s
				#s obstacle
Normal	Normal (0.79)	Normal	1.39	avoidance
				disabled . #/s
				#s landing
				gear lowered
				. #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	#s obstacle
				avoidance
				disabled . #/s
				#s landing
				gear lowered
Normal	Normal (0.79)	Normal	0.97	. #/s
				#s obstacle
				avoidance
				disabled . #/s
				#s landing
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	gear lowered
				. #/s
				#s obstacle
				avoidance
				disabled . #/s
Normal	Normal (0.79)	Normal	1.70	#s landing
				gear lowered
				. #/s
				#s obstacle
				avoidance
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	disabled . #/s
				#s landing
				gear lowered
				. #/s
				#s obstacle
Normal	Normal (0.79)	Normal	1.39	avoidance
				disabled . #/s
				#s landing
				gear lowered
				. #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	#s obstacle
				avoidance
				disabled . #/s
				#s landing
				gear lowered
Normal	Normal (0.79)	Normal	0.97	. #/s
				#s obstacle
				avoidance
				disabled . #/s
				#s landing
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	gear lowered
				. #/s
				#s obstacle
				avoidance
				disabled . #/s
Normal	Normal (0.79)	Normal	1.70	#s landing
				gear lowered
				. #/s
				#s obstacle
				avoidance
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	disabled . #/s
				#s landing
				gear lowered
				. #/s
				#s obstacle
Normal	Normal (0.79)	Normal	1.39	avoidance
				disabled . #/s
				#s landing
				gear lowered
				. #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	#s obstacle
				avoidance
				disabled . #/s
				#s landing
				gear lowered
Normal	Normal (0.79)	Normal	0.97	. #/s
				#s obstacle
				avoidance
				disabled . #/s
				#s landing
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	gear lowered
				. #/s
				#s obstacle
				avoidance
				disabled . #/s
Normal	Normal (0.79)	Normal	1.70	#s landing
				gear lowered
				. #/s
				#s obstacle
				avoidance
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	disabled . #/s
				#s landing
				gear lowered
				. #/s
				#s obstacle
Normal	Normal (0.79)	Normal	1.39	avoidance
				disabled . #/s
				#s landing
				gear lowered
				. #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	#s obstacle
				avoidance
				disabled . #/s
				#s landing
				gear lowered
Normal	Normal (0.79)	Normal	0.97	. #/s
				#s obstacle
				avoidance
				disabled . #/s
				#s landing
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	gear lowered
				. #/s
				#s obstacle
				avoidance
				disabled . #/s
Normal	Normal (0.79)	Normal	1.70	#s landing
				gear lowered
				. #/s
				#s obstacle
				avoidance
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	disabled . #/s
				#s landing
				gear lowered
				. #/s
				#s obstacle
Normal	Normal (0.79)	Normal	1.39	avoidance
				disabled . #/s
				#s landing
				gear lowered
				. #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	#s obstacle
				avoidance
				disabled . #/s
				#s landing
				gear lowered
Normal	Normal (0.79)	Normal	0.97	. #/s
				#s obstacle
				avoidance
				disabled . #/s
				#s landing
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	gear lowered
				. #/s
				#s obstacle
				avoidance
				disabled . #/s
Normal	Normal (0.79)	Normal	1.70	#s landing
				gear lowered
				. #/s
				#s obstacle
				avoidance
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	disabled . #/s
				#s landing
				gear lowered
				. #/s
				#s obstacle
Normal	Normal (0.79)	Normal	1.39	avoidance
				disabled . #/s
				#s landing
				gear lowered
				. #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	#s obstacle
				avoidance
				disabled . #/s
				#s landing
				gear lowered
Normal	Normal (0.79)	Normal	0.97	. #/s
				#s obstacle
				avoidance
				disabled . #/s
				#s landing
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	gear lowered
				. #/s
				#s obstacle
				avoidance
				disabled . #/s
Normal	Normal (0.79)	Normal	1.70	#s landing
				gear lowered
				. #/s
				#s obstacle
				avoidance
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	disabled . #/s
				#s landing
				gear lowered
				. #/s
				#s obstacle
Normal	Normal (0.79)	Normal	1.39	avoidance
				disabled . #/s
				#s landing
				gear lowered
				. #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	#s obstacle
				avoidance
				disabled . #/s
				#s landing
				gear lowered
Normal	Normal (0.79)	Normal	0.97	. #/s
				#s obstacle
				avoidance
				disabled . #/s
				#s landing
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	gear lowered
				. #/s
				#s obstacle
				avoidance
				disabled . #/s
Normal	Normal (0.79)	Normal	1.70	#s landing
				gear lowered
				. #/s
				#s obstacle
				avoidance
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	disabled . #/s
				#s landing
				gear lowered
				. #/s
				#s obstacle
Normal	Normal (0.79)	Normal	1.39	avoidance
				disabled . #/s
				#s landing
				gear lowered
				. #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	#s obstacle
				avoidance
				disabled . #/s
				#s landing
				gear lowered
Normal	Normal (0.79)	Normal	0.97	. #/s
				#s obstacle
				avoidance
				disabled . #/s
				#s landing
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	gear lowered
				. #/s
				#s obstacle
				avoidance
				disabled . #/s
Normal	Normal (0.79)	Normal	1.70	#s landing
				gear lowered
				. #/s
				#s obstacle
				avoidance
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	disabled . #/s
				#s landing
				gear lowered
				. #/s
				#s obstacle
Normal	Normal (0.79)	Normal	1.39	avoidance
				disabled . #/s
				#s landing
				gear lowered
				. #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	#s obstacle
				avoidance
				disabled . #/s
				#s landing
				gear lowered
Normal	Normal (0.79)	Normal	0.97	. #/s
				#s obstacle
				avoidance
				disabled . #/s
				#s landing
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	gear lowered
				. #/s
				#s obstacle
				avoidance
				disabled . #/s
Normal	Normal (0.79)	Normal	1.70	#s landing
				gear lowered
				. #/s
				#s obstacle
				avoidance
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	disabled . #/s
				#s landing
				gear lowered
				. #/s
				#s obstacle
Normal	Normal (0.79)	Normal	1.39	avoidance
				disabled . #/s
				#s landing
				gear lowered
				. #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	#s obstacle
				avoidance
				disabled . #/s
				#s landing
				gear lowered
Normal	Normal (0.79)	Normal	0.97	. #/s
				#s obstacle
				avoidance
				disabled . #/s
				#s landing
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	gear lowered
				. #/s
				#s obstacle
				avoidance
				disabled . #/s
Normal	Normal (0.79)	Normal	1.70	#s landing
				gear lowered
				. #/s
				#s obstacle
				avoidance
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	disabled . #/s
				#s landing
				gear lowered
				. #/s
				#s obstacle
Normal	Normal (0.79)	Normal	1.39	avoidance
				disabled . #/s
				#s landing
				gear lowered
				. #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	0.83	#s obstacle
				avoidance
				disabled . #/s
				#s landing
				gear lowered
Normal	Normal (0.79)	Normal	0.97	. #/s
				#s obstacle
				avoidance
				disabled . #/s
				#s landing
SoftwareFault				

Normal	Normal (0.79)	Normal	1.70	#s obstacle avoidance disabled . #/s
Normal	Normal (0.79)	Normal	0.97	#s landing gear lowered . #/s
Normal	Normal (0.79)	Normal	1.85	#s obstacle avoidance has been disabled . #/s
Normal	Normal (0.78)	Normal	1.30	#s precision landing #/s
Normal	Normal (0.79)	Normal	1.97	#s quickshot has ended #/s
Normal	Normal (0.69)	Normal	-0.93	#s recenter gimbal pan #/s
Normal	Normal (0.79)	Normal	1.45	#s rectifying aircraft position #/s
SurroundingEnvironment	SurroundingEnvironment (0.64)	SurroundingEnvironment	1.64	#s remote controller in high interference environment . #/s
Normal	Normal (0.79)	Normal	2.11	#s manually adjust flight route or return to home #/s
Normal	Normal (0.79)	Normal	2.57	#s return - to - home altitude : 65ft #/s
Normal	Normal (0.79)	Normal	2.46	#s return - to - home altitude : 98ft . #/s
Normal	Normal (0.79)	Normal	2.55	#s rth : ascending to rth altitude . #/s
Normal	Normal (0.79)	Normal	1.41	#s rth : heading alignment . #/s

Normal	Normal (0.79)	Normal	1.87	#s rth altitude : 65ft . #/s
Normal	Normal (0.79)	Normal	1.97	#s rth altitude : 98ft . #/s
CommunicationIssue	CommunicationIssue (0.51)	CommunicationIssue	1.13	#s signal lost . #/s
Normal	Normal (0.79)	Normal	0.51	#s aircraft returning to home point #/s
Normal	Normal (0.79)	Normal	1.34	#s sprayer turned on #/s
SurroundingEnvironment	SurroundingEnvironment (0.64)	SurroundingEnvironment	1.41	#s strong wind warning . #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	1.54	#s aircraft unable to return to home automatically . #/s
Normal	Normal (0.79)	Normal	2.07	#s lower altitude immediately and return to home manually #/s
Normal	Normal (0.79)	Normal	2.04	#s switched to s (sport) - mode . #/s
Normal	Normal (0.79)	Normal	-0.87	#s switched to t (tripod) - mode . #/s
Normal	Normal (0.79)	Normal	2.31	#s take off in p - mode #/s
SoftwareFault	SoftwareFault (0.65)	SoftwareFault	1.28	#s vision sensor error . #/s
Normal	Normal (0.79)	Normal	1.84	#s contact dji support for assistance #/s
Normal	Normal (0.79)	Normal	1.78	#s vision systems and obstacle avoidance

Normal	Normal (0.78)	Normal	1.69	disabled #/s
				#s waypoint mission paused #/s
SoftwareFault	SoftwareFault (0.67)	SoftwareFault	1.23	#s weak gps signal . #/s
Normal	Normal (0.77)	Normal	2.05	#s aircraft is in attitude mode and hovering may be unstable . #/s
Normal	Normal (0.79)	Normal	1.32	#s fly with caution . #/s
CommunicationIssue	CommunicationIssue (0.52)	CommunicationIssue	1.43	#s weak signal . #/s
Normal	Normal (0.78)	Normal	0.28	#s adjust antennas #/s
RegulationViolation	RegulationViolation (0.56)	RegulationViolation	2.26	#s your aircraft is flying in an altitude zone (nnn) . #/s
Normal	Normal (0.79)	Normal	1.93	#s please fly with caution #/s