

Legend: ■ Negative □ Neutral ■ Positive

True Label	Predicted Label	Attribution Label	Attribution Score	Word Importance
SurroundingEnvironment	Normal (0.98)	SurroundingEnvironment	2.03	[CLS] a
				passenger
				aircraft is nearby . [SEP]
Normal	Normal (1.00)	Normal	1.58	[CLS] fly with caution [SEP]
Normal	Normal (0.84)	Normal	-1.06	[CLS] account not logged in in . [SEP]
ParamViolation	ParamViolation (0.96)	ParamViolation	2.05	[CLS] flight altitude and distance restricted to nnn and nnn . [SEP]
				[CLS] check and log in [SEP]
				[CLS]
Normal	Normal (1.00)	Normal	1.80	activetrack flight paused [SEP]
Normal	Normal (1.00)	Normal	1.73	[CLS] aircraft activetrack available at max speed . [SEP]
				[CLS] obstacle avoidance is not available [SEP]
				[CLS] aircraft activetrack available at max speed . [SEP]
Normal	Normal (1.00)	Normal	1.46	[CLS] when exceeding nnn , obstacle avoidance is not available [SEP]
				[CLS] aircraft

Normal	Normal (1.00)	Normal	1.15	activetrack
				max speed of
				nnn and
				obstacle
HardwareFault	HardwareFault (0.99)	HardwareFault	2.49	avoidance
				functions
				normally
				[SEP]
Normal	Normal (1.00)	Normal	1.09	[CLS] aircraft
				core board
				overheated
				[SEP]
Normal	Normal (0.99)	Normal	-0.75	[CLS] aircraft
				entered fixed
				- wing mode .
				[SEP]
Normal	Normal (1.00)	Normal	1.34	[CLS] current
				flight speed is
				nnn . [SEP]
				[CLS] press
Normal	Normal (1.00)	Normal	1.75	c2 to exit
				[SEP]
				[CLS] aircraft
				flight control
RegulationViolation	RegulationViolation (0.92)	RegulationViolation	1.80	unlocked
				[SEP]
				[CLS] aircraft
				in restricted
Normal	Normal (1.00)	Normal	0.99	zones . [SEP]
				[CLS] check
				map to find
				recommended
Normal	Normal (1.00)	Normal	0.74	zones [SEP]
				[CLS] aircraft
				is in attitude
				mode , so that
Normal	Normal (1.00)	Normal	1.37	it will not
				hover . [SEP]
				[CLS] please
				fly with
Normal	Normal (1.00)	Normal	1.12	caution .
				[SEP]
				[CLS] aircraft
				is in tripod
Normal	Normal (1.00)	Normal	1.47	mode . [SEP]
				[CLS] exit
				this mode and
				try again

				[SEP]
				[CLS] aircraft
				is returning
Normal	Normal (1.00)	Normal	1.44	to the
				starting point
				[SEP]
				[CLS] aircraft
ParamViolation	ParamViolation (0.95)	ParamViolation	2.11	out of range
				[SEP]
				[CLS]
RegulationViolation	RegulationViolation (0.62)	RegulationViolation	1.83	approaching
				a no - fly zone
				. [SEP]
				[CLS] rth may
Normal	Normal (1.00)	Normal	1.14	be affected .
				[SEP]
				[CLS] fly with
Normal	Normal (1.00)	Normal	1.58	caution [SEP]
				[CLS] arrived
Normal	Normal (1.00)	Normal	0.92	at start point
				. [SEP]
				[CLS] starting
Normal	Normal (1.00)	Normal	1.48	waypoint
				mission [SEP]
				[CLS] auto
Normal	Normal (1.00)	Normal	1.83	landing
				initiated
				[SEP]
				[CLS]
				auxiliary
Normal	Normal (1.00)	Normal	1.33	bottom light
				turned off
				[SEP]
				[CLS]
				backward
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.31	obstacle
				sensing is not
				functioning .
				[SEP]
				[CLS] battery
				cell broken ,
HardwareFault	HardwareFault (0.99)	HardwareFault	1.99	please
				replace the
				battery [SEP]
				[CLS] battery
HardwareFault	HardwareFault (0.99)	HardwareFault	1.70	error . [SEP]
				[CLS] aircraft
				returning to

Normal	Normal (1.00)	Normal	1.11	home automatically [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.90	[CLS] battery power low . [SEP]
Normal	Normal (1.00)	Normal	1.55	[CLS] check battery status and charge or warm up battery [SEP]
HardwareFault	HardwareFault (0.82)	HardwareFault	2.20	[CLS] cache space full [SEP]
SurroundingEnvironment	SoftwareFault (0.98)	SurroundingEnvironment	0.63	[CLS] calibration subject is too close . [SEP]
Normal	Normal (1.00)	Normal	1.18	[CLS] recalibrate using a subject that is farther away [SEP]
HardwareFault	HardwareFault (0.79)	HardwareFault	1.70	[CLS] camera busy , cannot enter playback [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	0.76	[CLS] cannot enable intelligent flight mode [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.71	[CLS] low battery [SEP]
SoftwareFault	SoftwareFault (0.93)	SoftwareFault	0.90	[CLS] cannot start return to home due to weak gps signal [SEP]
SoftwareFault	SoftwareFault (0.89)	SoftwareFault	0.73	[CLS] cannot start self - timer . [SEP]
SoftwareFault	ParamViolation (0.90)	SoftwareFault	-0.16	[CLS] exposure time is too long [SEP]

SoftwareFault	SoftwareFault (0.96)	SoftwareFault	0.77	[CLS] cannot switch flight mode . [SEP]
Normal	Normal (1.00)	Normal	1.68	[CLS] turn on " multiple flight modes " to enable atti and sport modes . [SEP]
SoftwareFault	SoftwareFault (0.97)	SoftwareFault	1.11	[CLS] cannot track subject [SEP]
SurroundingEnvironment	SoftwareFault (0.87)	SurroundingEnvironment	1.06	[CLS] no image [SEP]
Normal	Normal (1.00)	Normal	1.46	[CLS] please retry [SEP]
SoftwareFault	SoftwareFault (0.97)	SoftwareFault	1.11	[CLS] cannot track subject [SEP]
SurroundingEnvironment	SoftwareFault (0.98)	SurroundingEnvironment	1.12	[CLS] subject too large [SEP]
Normal	Normal (1.00)	Normal	1.25	[CLS] move away and retry [SEP]
Normal	Normal (1.00)	Normal	1.43	[CLS] color display in the liveview has been enhanced . [SEP]
Normal	Normal (1.00)	Normal	1.93	[CLS] videos and photos will still be shot in d - log mode [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.54	[CLS] compass abnormal . [SEP]
Normal	Normal (1.00)	Normal	0.68	[CLS] solution : 1 . ensure there are no magnets or metal objects near the aircraft .

				[SEP]
Normal	Normal (1.00)	Normal	1.06	[CLS] the ground or walls may contain metal . [SEP]
Normal	Normal (1.00)	Normal	0.96	[CLS] move away from sources of interference before attempting flight . [SEP]
Normal	Normal (1.00)	Normal	1.49	[CLS] 2 . calibrate compass before takeoff [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.58	[CLS] compass error [SEP]
HardwareFault	SoftwareFault (0.79)	HardwareFault	0.86	[CLS] compass error , calibration required [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.67	[CLS] compass error . [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.67	[CLS] compass error . [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.48	[CLS] compass disconnected [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.67	[CLS] compass error . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.53	[CLS] magnetic filed interference . [SEP]
Normal	Normal (1.00)	Normal	1.61	[CLS] exit p - gps mode [SEP]

SoftwareFault	HardwareFault (0.98)	SoftwareFault	-0.06	[CLS]
				compass
				initialization
Normal	Normal (1.00)	Normal	1.62	failed . [SEP]
				[CLS] restart
				aircraft [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.97	[CLS] critical
				low battery .
				[SEP]
Normal	Normal (1.00)	Normal	1.45	[CLS] aircraft
				in auto power
				off protection
Normal	Normal (1.00)	Normal	1.47	. [SEP]
				[CLS] forced
				landing in
HardwareFault	HardwareFault (0.99)	HardwareFault	1.97	progress
				[SEP]
				[CLS] critical
Normal	Normal (1.00)	Normal	1.39	low battery .
				[SEP]
				[CLS] aircraft
HardwareFault	HardwareFault (0.99)	HardwareFault	1.97	landing
				automatically
				[SEP]
Normal	Normal (1.00)	Normal	1.98	[CLS] critical
				low battery .
				[SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.83	[CLS] return
				to home or
				land promptly
Normal	Normal (1.00)	Normal	1.59	[SEP]
				[CLS]
				critically low
HardwareFault	HardwareFault (0.99)	HardwareFault	1.83	power . [SEP]
				[CLS] aircraft
				is landing
Normal	Normal (1.00)	Normal	1.37	[SEP]
				[CLS]
				critically low
Normal	Normal (1.00)	Normal	1.37	power . [SEP]
				[CLS] aircraft
				landing .
Normal	Normal (1.00)	Normal	1.37	[SEP]
				[CLS] aircraft
				landing .
Normal	Normal (1.00)	Normal	1.37	[SEP]
				[CLS] throttle
				up to reduce

Normal	Normal (1.00)	Normal	1.62	the speed of descent and use sticks to avoid obstacles [SEP] [CLS]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.95	critically low voltage warning . [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.21	aircraft will be forced to land [SEP] [CLS]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.91	critically low voltage . [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.60	aircraft will land [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.15	data recorder file index is 15 . [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.18	data recorder file index is 17 . [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.19	data recorder file index is 30 . [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.28	data recorder file index is 45 . [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.25	data recorder file index is 46 . [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.26	data recorder file index is 65 . [SEP] [CLS]
Normal	Normal (1.00)	Normal	1.46	disable sd card read and write

CommunicationIssue	CommunicationIssue (0.91)	CommunicationIssue	1.76	protection or change card [SEP]
				[CLS]
				downlink lost . [SEP]
Normal	Normal (1.00)	Normal	1.10	[CLS]
				downlink restored (after 0m 2 . 9s) . [SEP]
				[CLS]
Normal	HardwareFault (0.79)	Normal	-0.85	drone is vibrating [SEP]
				[CLS]
				entered cruise control mode . [SEP]
Normal	Normal (1.00)	Normal	1.29	[CLS]
				press c1 or c2 to exit [SEP]
				[CLS]
ParamViolation	ParamViolation (0.70)	ParamViolation	2.16	excessive attitude angle detected [SEP]
				[CLS]
				forward obstacle
SoftwareFault	SoftwareFault (0.95)	SoftwareFault	0.99	avoidance has stopped working [SEP]
				[CLS]
				exit backward sensing system [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.96	[CLS]
				ambient light is too weak [SEP]
				[CLS]
Normal	Normal (1.00)	Normal	1.09	exited visual avoidance system . [SEP]
				[CLS]
				exiting gps mode : unknown error [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.07	

ParamViolation	ParamViolation (0.96)	ParamViolation	1.97	[CLS] extra payload detected . [SEP]
Normal	Normal (1.00)	Normal	1.31	[CLS] flight performance will be affected . [SEP]
Normal	Normal (1.00)	Normal	1.58	[CLS] fly with caution [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.29	[CLS] forward obstacle sensing is not functioning . [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.40	[CLS] forward obstacle sensing not responding [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	2.24	[CLS] gimbal motor overloaded . [SEP]
Normal	Normal (1.00)	Normal	1.35	[CLS] check whether gimbal can rotate freely [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.98	[CLS] gimbal pitch limit reached . [SEP]
Normal	Normal (1.00)	Normal	1.43	[CLS] ground plain . [SEP]
Normal	Normal (1.00)	Normal	1.48	[CLS] safe to land . [SEP]
ParamViolation	SurroundingEnvironment (0.69)	ParamViolation	1.75	[CLS] high altitude . [SEP]
Normal	HardwareFault (0.53)	Normal	-1.94	[CLS] aircraft braking distance increased and flight time decreased . [SEP]

Normal	Normal (1.00)	Normal	1.58	[CLS] fly with caution [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.93	[CLS] high wind velocity . [SEP]
Normal	Normal (1.00)	Normal	1.15	[CLS] ensure the aircraft remains within your line of sight and fly with caution . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.93	[CLS] high wind velocity . [SEP]
Normal	Normal (1.00)	Normal	1.15	[CLS] ensure the aircraft remains within your line of sight and fly with caution . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.93	[CLS] high wind velocity . [SEP]
Normal	Normal (1.00)	Normal	1.32	[CLS] fly with caution and land in a safe place asap . [SEP]
Normal	SurroundingEnvironment (0.75)	Normal	-2.00	[CLS] high - altitude flight [SEP]
Normal	Normal (1.00)	Normal	1.58	[CLS] fly with caution [SEP]
Normal	Normal (0.97)	Normal	-0.44	[CLS] aircraft braking distance is extended [SEP]
Normal	ParamViolation (0.81)	Normal	-1.61	[CLS] flight time is shortened . [SEP]
Normal	Normal (1.00)	Normal	1.47	[CLS] home

				point updated . [SEP]
				[CLS] imu attitude restricted . [SEP]
ParamViolation	ParamViolation (0.55)	ParamViolation	1.64	[CLS] ensure aircraft is level [SEP]
Normal	Normal (1.00)	Normal	0.96	[CLS] imu not calibrated . [SEP]
SoftwareFault	Normal (1.00)	SoftwareFault	-1.29	[CLS] calibrate imu [SEP]
Normal	Normal (1.00)	Normal	1.36	[CLS] landing canceled . [SEP]
Normal	SoftwareFault (0.70)	Normal	-1.39	[CLS] landing gear function restored [SEP]
Normal	Normal (1.00)	Normal	1.55	[CLS] landing gear paused . [SEP]
Normal	Normal (1.00)	Normal	1.06	[CLS] landing gear raising . [SEP]
Normal	Normal (1.00)	Normal	1.50	[CLS] home point recorded [SEP]
Normal	Normal (1.00)	Normal	1.63	[CLS] live stream video frame rate less than 9hz . [SEP]
Normal	ParamViolation (0.37)	Normal	-1.92	[CLS] fly with caution [SEP]
Normal	Normal (1.00)	Normal	1.58	[CLS] low power . [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.63	[CLS] aircraft is returning to the home point . [SEP]
Normal	Normal (1.00)	Normal	1.55	[CLS] low power . [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.63	

Normal	Normal (1.00)	Normal	1.87	[CLS] returning home . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.53	[CLS] magnetic filed interference . [SEP]
Normal	Normal (1.00)	Normal	1.53	[CLS] exit p - gps mode . [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.63	[CLS] yaw error . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.86)	SurroundingEnvironment	1.68	[CLS] manned aircraft detected nearby . [SEP]
Normal	Normal (1.00)	Normal	1.58	[CLS] fly with caution [SEP]
ParamViolation	Normal (0.99)	ParamViolation	1.51	[CLS] max altitude approached . [SEP]
Normal	Normal (1.00)	Normal	1.58	[CLS] wait for the gps satellite signal recovery before ascend [SEP]
ParamViolation	ParamViolation (0.96)	ParamViolation	1.83	[CLS] max flight altitude reached . [SEP]
Normal	Normal (1.00)	Normal	1.48	[CLS] adjust in main controller settings if necessary [SEP]
ParamViolation	ParamViolation (0.96)	ParamViolation	1.83	[CLS] max flight distance reached . [SEP]
				[CLS] adjust

Normal	Normal (1.00)	Normal	1.36	in main controller settings if necessary . [SEP] [CLS] maximum
ParamViolation	ParamViolation (0.96)	ParamViolation	1.94	flight distance reached . [SEP] [CLS] adjust the distance in mc settings if required . [SEP] [CLS] mobile device cpu fully loaded . [SEP] [CLS] related performance
Normal	Normal (1.00)	Normal	1.34	will be affected . [SEP] [CLS] mobile device version too old to support hd image transmission and the image transmission mode has been switch to normal mode . [SEP]
HardwareFault	HardwareFault (0.97)	HardwareFault	2.42	[CLS] motor is blocked . [SEP] [CLS] motor stuck . [SEP] [CLS] check for objects blocking motor or contact dji support for
Normal	Normal (1.00)	Normal	1.46	
SoftwareFault	SoftwareFault (0.65)	SoftwareFault	0.61	
Normal	Normal (1.00)	Normal	0.21	
HardwareFault	HardwareFault (0.99)	HardwareFault	1.49	
Normal	Normal (1.00)	Normal	1.45	

Normal	Normal (0.97)	Normal	-0.05	assistance [SEP]
				[CLS] motors started . [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	0.86	[CLS] no gps signal . [SEP]
Normal	HardwareFault (0.98)	Normal	-0.77	[CLS] aircraft unable to hover . [SEP]
Normal	Normal (1.00)	Normal	1.58	[CLS] fly with caution [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	0.86	[CLS] no gps signal . [SEP]
Normal	HardwareFault (0.98)	Normal	-1.03	[CLS] unable to hover . [SEP]
Normal	Normal (1.00)	Normal	1.58	[CLS] fly with caution [SEP]
Normal	Normal (1.00)	Normal	1.36	[CLS] obstacle avoidance disabled . [SEP]
Normal	Normal (1.00)	Normal	1.24	[CLS] landing gear lowered . [SEP]
Normal	Normal (1.00)	Normal	1.36	[CLS] obstacle avoidance disabled . [SEP]
Normal	Normal (1.00)	Normal	1.36	[CLS] obstacle avoidance disabled . [SEP]
Normal	Normal (1.00)	Normal	1.24	[CLS] landing gear lowered . [SEP]
Normal	Normal (1.00)	Normal	1.37	[CLS] obstacle avoidance has been disabled . [SEP]
Normal	Normal (1.00)	Normal	1.82	[CLS] precision

				landing [SEP]
				[CLS]
Normal	Normal (1.00)	Normal	1.47	quickshot has ended [SEP]
				[CLS]
Normal	Normal (1.00)	Normal	1.60	recenter gimbal pan [SEP]
				[CLS]
Normal	Normal (1.00)	Normal	1.65	rectifying aircraft position [SEP]
				[CLS]
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.71	[CLS] remote controller in high interference environment . [SEP]
				[CLS]
Normal	Normal (1.00)	Normal	1.92	manually adjust flight route or return to home [SEP]
				[CLS]
Normal	Normal (1.00)	Normal	1.75	return - to - home altitude : 65ft [SEP]
				[CLS]
Normal	Normal (1.00)	Normal	1.73	return - to - home altitude : 98ft . [SEP]
				[CLS]
Normal	Normal (1.00)	Normal	1.26	rth : ascending to rth altitude . [SEP]
				[CLS]
Normal	Normal (1.00)	Normal	1.18	rth : heading alignment . [SEP]
				[CLS]
Normal	Normal (1.00)	Normal	1.11	rth altitude : 65ft . [SEP]
				[CLS]
Normal	Normal (1.00)	Normal	1.18	rth altitude : 98ft . [SEP]
				[CLS]
CommunicationIssue	CommunicationIssue (0.90)	CommunicationIssue	1.59	[CLS] signal

				lost . [SEP]
				[CLS] aircraft
Normal	Normal (1.00)	Normal	1.39	returning to home point [SEP]
				[CLS] sprayer
Normal	Normal (1.00)	Normal	1.48	turned on [SEP]
				[CLS] strong
SurroundingEnvironment	SurroundingEnvironment (0.99)	SurroundingEnvironment	1.81	wind warning . [SEP]
				[CLS] aircraft
				unable to
SoftwareFault	SoftwareFault (0.96)	SoftwareFault	0.76	return to home automatically . [SEP]
				[CLS] lower
				altitude
				immediately
Normal	Normal (1.00)	Normal	1.61	and return to home manually [SEP]
				[CLS]
Normal	Normal (1.00)	Normal	1.16	switched to s (sport) - mode . [SEP]
				[CLS]
Normal	Normal (1.00)	Normal	1.11	switched to t (tripod) - mode . [SEP]
				[CLS] take off
Normal	Normal (1.00)	Normal	1.93	in p - mode [SEP]
				[CLS] vision
SoftwareFault	HardwareFault (0.98)	SoftwareFault	-0.14	sensor error . [SEP]
				[CLS] contact
Normal	Normal (1.00)	Normal	1.43	dji support for assistance [SEP]
				[CLS] vision
				systems and
Normal	Normal (1.00)	Normal	1.34	obstacle avoidance disabled [SEP]

Normal	Normal (1.00)	Normal	1.20	[CLS]
				waypoint
				mission
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.20	paused [SEP]
				[CLS] weak
				gps signal .
Normal	Normal (1.00)	Normal	0.86	[SEP]
				[CLS] aircraft
				is in attitude
Normal	Normal (1.00)	Normal	1.37	mode and
				hovering may
				be unstable .
CommunicationIssue	CommunicationIssue (0.92)	CommunicationIssue	1.62	[SEP]
				[CLS] fly with
				caution .
Normal	Normal (1.00)	Normal	1.60	[SEP]
				[CLS] weak
				signal . [SEP]
RegulationViolation	RegulationViolation (0.84)	RegulationViolation	2.24	[CLS] adjust
				antennas
				[SEP]
Normal	Normal (1.00)	Normal	1.55	[CLS] your
				aircraft is
				flying in an
Normal	Normal (1.00)	Normal	1.20	altitude zone
				(nnn) . [SEP]
				[CLS] please
Normal	Normal (1.00)	Normal	1.20	fly with
				caution [SEP]