

Legend: ■ Negative □ Neutral ■ Positive

True Label	Predicted Label	Attribution Label	Attribution Score	Word Importance
SurroundingEnvironment	Normal (0.23)	Normal	-0.56	#s a passenger aircraft is nearby. #/s
Normal	Normal (0.23)	Normal	1.68	#s fly with caution #/s
Normal	Normal (0.22)	Normal	1.21	#s account not logged in. #/s
ParamViolation	ParamViolation (0.71)	ParamViolation	1.33	#s flight altitude and distance restricted to nnn and nnn. #/s
Normal	Normal (0.23)	Normal	1.97	#s check and log in #/s
Normal	Normal (0.23)	Normal	2.25	#s activetrack flight paused #/s
Normal	Normal (0.23)	Normal	2.56	#s aircraft activetrack available at max speed. #/s
Normal	Normal (0.23)	Normal	-1.16	#s obstacle avoidance is not available #/s
Normal	Normal (0.23)	Normal	2.56	#s aircraft activetrack available at max speed. #/s
Normal	ParamViolation (0.68)	ParamViolation	-1.14	#s when exceeding nnn, obstacle avoidance is not available #/s
Normal	Normal (0.23)	Normal	1.90	#s aircraft activetrack max speed of nnn and

HardwareFault	HardwareFault (0.53)	HardwareFault	1.79	obstacle avoidance functions normally #/s #s aircraft core board overheated #/s
				#s aircraft entered fixed wing mode . #/s
				#s current flight speed is nnn . #/s
				#s press c2 to exit #/s
				#s aircraft flight control unlocked #/s
RegulationViolation	RegulationViolation (0.82)	RegulationViolation	1.64	#s aircraft in restricted zones . #/s
Normal	Normal (0.23)	Normal	1.73	#s check map to find recommended zones #/s
Normal	Normal (0.23)	Normal	2.60	#s aircraft is in attitude mode , so that it will not hover . #/s
Normal	Normal (0.23)	Normal	0.87	#s please fly with caution . #/s
Normal	Normal (0.23)	Normal	2.32	#s aircraft is in tripod mode . #/s
Normal	Normal (0.23)	Normal	1.13	#s exit this mode and try again #/s
Normal	Normal (0.23)	Normal	1.01	#s aircraft is returning to the starting point #/s
ParamViolation	ParamViolation (0.71)	ParamViolation	1.54	#s aircraft out of range #/s

RegulationViolation	RegulationViolation (0.82)	RegulationViolation	2.39	#s approaching a no - fly zone . #/s
Normal	Normal (0.23)	Normal	1.47	#s rth may be affected . #/s
Normal	Normal (0.23)	Normal	1.68	#s fly with caution #/s
Normal	Normal (0.23)	Normal	1.81	#s arrived at start point . #/s
Normal	Normal (0.23)	Normal	1.55	#s starting waypoint mission #/s
Normal	Normal (0.23)	Normal	1.59	#s auto landing initiated #/s
Normal	Normal (0.23)	Normal	1.72	#s auxiliary bottom light turned off #/s
SoftwareFault	SoftwareFault (0.61)	SoftwareFault	-0.04	#s backward obstacle sensing is not functioning . #/s
HardwareFault	HardwareFault (0.53)	HardwareFault	1.96	#s battery cell broken , please replace the battery #/s
HardwareFault	HardwareFault (0.53)	HardwareFault	1.52	#s battery error . #/s
Normal	Normal (0.23)	Normal	1.96	#s aircraft returning to home automatically #/s
HardwareFault	HardwareFault (0.53)	HardwareFault	1.57	#s battery power low . #/s
Normal	Normal (0.23)	Normal	2.55	#s check battery status and charge or warm up battery #/s
HardwareFault	HardwareFault (0.53)	HardwareFault	1.54	#s cache space full #/s

SurroundingEnvironment	SoftwareFault (0.61)	SoftwareFault	-1.49	#s calibration subject is too close . #/s #s recalibrate
Normal	Normal (0.23)	Normal	1.02	using a subject that is farther away #/s #s camera busy , cannot enter playback #/s
HardwareFault	HardwareFault (0.51)	HardwareFault	1.50	#s cannot enable intelligent flight mode #/s
HardwareFault	HardwareFault (0.53)	HardwareFault	1.19	#s low battery #/s #s cannot start return to home due to weak gps signal #/s
SoftwareFault	SoftwareFault (0.61)	SoftwareFault	0.70	#s cannot start self timer . #/s
SoftwareFault	ParamViolation (0.71)	ParamViolation	-1.25	#s exposure time is too long #/s
SoftwareFault	SoftwareFault (0.61)	SoftwareFault	1.51	#s cannot switch flight mode . #/s #s turn on " multiple flight modes " to enable atti and sport modes . #/s
SoftwareFault	SoftwareFault (0.61)	SoftwareFault	1.42	#s cannot track subject #/s
SurroundingEnvironment	SoftwareFault (0.61)	SoftwareFault	-1.10	#s no image #/s
Normal	Normal (0.23)	Normal	0.98	#s please retry #/s #s cannot

SoftwareFault	SoftwareFault (0.61)	SoftwareFault	1.42	track subject #/s
SurroundingEnvironment	SoftwareFault (0.61)	SoftwareFault	-0.93	#s subject too large #/s
Normal	Normal (0.23)	Normal	1.46	#s move away and retry #/s
Normal	Normal (0.23)	Normal	1.72	#s color display in the liveview has been enhanced . #/s
Normal	Normal (0.23)	Normal	1.57	#s videos and photos will still be shot in d - log mode #/s
HardwareFault	HardwareFault (0.53)	HardwareFault	1.49	#s compass abnormal . #/s
Normal	Normal (0.23)	Normal	2.93	#s solution : 1 . ensure there are no magnets or metal objects near the aircraft . #/s
Normal	Normal (0.23)	Normal	1.10	#s the ground or walls may contain metal . #/s
Normal	Normal (0.23)	Normal	0.20	#s move away from sources of interference before attempting flight . #/s
Normal	Normal (0.23)	Normal	1.17	#s 2 calibrate compass before takeoff #/s
HardwareFault	HardwareFault (0.53)	HardwareFault	1.44	#s compass error #/s #s compass

HardwareFault	HardwareFault (0.53)	HardwareFault	1.28	error , calibration required #/s
HardwareFault	HardwareFault (0.53)	HardwareFault	1.52	#s compass error . #/s
HardwareFault	HardwareFault (0.53)	HardwareFault	1.52	#s compass error . #/s
HardwareFault	HardwareFault (0.53)	HardwareFault	1.42	#s compass disconnected #/s
HardwareFault	HardwareFault (0.53)	HardwareFault	1.52	#s compass error . #/s
SurroundingEnvironment	SurroundingEnvironment (0.68)	SurroundingEnvironment	1.24	#s magnetic filed interference . #/s
Normal	Normal (0.23)	Normal	1.48	#s exit p - gps mode #/s
SoftwareFault	HardwareFault (0.53)	HardwareFault	-0.48	#s compass initialization failed . #/s
Normal	Normal (0.23)	Normal	0.97	#s restart aircraft #/s
HardwareFault	HardwareFault (0.53)	HardwareFault	1.38	#s critical low battery . #/s
Normal	Normal (0.23)	Normal	1.04	#s aircraft in auto power off protection . #/s
Normal	Normal (0.23)	Normal	1.51	#s forced landing in progress #/s
HardwareFault	HardwareFault (0.53)	HardwareFault	1.38	#s critical low battery . #/s
Normal	Normal (0.23)	Normal	0.31	#s aircraft landing automatically #/s
HardwareFault	HardwareFault (0.53)	HardwareFault	1.38	#s critical low battery . #/s
Normal	Normal (0.23)	Normal	1.42	#s return to home or land promptly #/s
				#s critically

HardwareFault	HardwareFault (0.53)	HardwareFault	1.64	low power . #/s
Normal	Normal (0.23)	Normal	1.12	#s aircraft is landing #/s
HardwareFault	HardwareFault (0.53)	HardwareFault	1.64	#s critically low power . #/s
Normal	Normal (0.23)	Normal	1.44	#s aircraft landing . #/s
Normal	Normal (0.23)	Normal	1.44	#s aircraft landing . #/s
Normal	Normal (0.23)	Normal	2.16	#s throttle up to reduce the speed of descent and use sticks to avoid obstacles #/s
HardwareFault	HardwareFault (0.53)	HardwareFault	0.00	#s critically low voltage warning . #/s
Normal	Normal (0.23)	Normal	1.58	#s aircraft will be forced to land #/s
HardwareFault	HardwareFault (0.53)	HardwareFault	1.49	#s critically low voltage . #/s
Normal	Normal (0.23)	Normal	1.28	#s aircraft will land #/s
Normal	Normal (0.23)	Normal	1.59	#s data recorder file index is 15 . #/s
Normal	Normal (0.23)	Normal	1.51	#s data recorder file index is 17 . #/s
Normal	Normal (0.23)	Normal	2.16	#s data recorder file index is 30 . #/s
Normal	Normal (0.23)	Normal	0.76	#s data recorder file index is 45 . #/s
Normal	Normal (0.23)	Normal	2.21	#s data recorder file index is 46 .

				#/s
Normal	Normal (0.23)	Normal	1.98	#s data recorder file index is 65 . #/s
Normal	Normal (0.23)	Normal	2.74	#s disable sd card read and write protection or change card #/s
CommunicationIssue	CommunicationIssue (0.79)	CommunicationIssue	1.46	#s downlink lost . #/s
Normal	Normal (0.23)	Normal	1.74	#s downlink restored (after 0m 2 . 9s) . #/s
Normal	Normal (0.23)	Normal	1.40	#s drone is vibrating #/s
Normal	Normal (0.23)	Normal	0.62	#s entered cruise control mode . #/s
Normal	Normal (0.23)	Normal	1.78	#s press c1 or c2 to exit #/s
ParamViolation	ParamViolation (0.71)	ParamViolation	1.44	#s excessive attitude angle detected #/s
SoftwareFault	SoftwareFault (0.38)	SoftwareFault	0.52	#s forward obstacle avoidance has stopped working #/s
Normal	Normal (0.23)	Normal	1.53	#s exit backward sensing system #/s
SurroundingEnvironment	SurroundingEnvironment (0.68)	SurroundingEnvironment	1.27	#s ambient light is too weak #/s
Normal	Normal (0.23)	Normal	1.85	#s exited visual avoidance system . #/s
SoftwareFault	SoftwareFault (0.61)	SoftwareFault	1.16	#s exiting gps mode : unknown

				error #/s
ParamViolation	ParamViolation (0.71)	ParamViolation	1.82	#s extra payload detected . #/s
Normal	Normal (0.23)	Normal	1.68	#s flight performance will be affected . #/s
Normal	Normal (0.23)	Normal	1.68	#s fly with caution #/s
SoftwareFault	SoftwareFault (0.61)	SoftwareFault	2.05	#s forward obstacle sensing is not functioning . #/s
SoftwareFault	SoftwareFault (0.61)	SoftwareFault	1.76	#s forward obstacle sensing not responding #/s
HardwareFault	HardwareFault (0.53)	HardwareFault	1.83	#s gimbal motor overloaded . #/s
Normal	Normal (0.23)	Normal	1.79	#s check whether gimbal can rotate freely #/s
HardwareFault	HardwareFault (0.53)	HardwareFault	2.36	#s gimbal pitch limit reached . #/s
Normal	Normal (0.23)	Normal	1.49	#s ground plain . #/s
Normal	Normal (0.23)	Normal	1.27	#s safe to land . #/s
ParamViolation	SurroundingEnvironment (0.56)	SurroundingEnvironment	0.31	#s high altitude . #/s
Normal	Normal (0.23)	Normal	1.49	#s aircraft braking distance increased and flight time decreased . #/s
Normal	Normal (0.23)	Normal	1.68	#s fly with caution #/s
	SurroundingEnvironment			#s high wind

SurroundingEnvironment	(0.68)	SurroundingEnvironment	1.74	velocity . #/s
Normal	Normal (0.23)	Normal	2.71	#s ensure the aircraft remains within your line of sight and fly with caution . #/s
SurroundingEnvironment	SurroundingEnvironment (0.68)	SurroundingEnvironment	1.74	#s high wind velocity . #/s
Normal	Normal (0.23)	Normal	2.71	#s ensure the aircraft remains within your line of sight and fly with caution . #/s
SurroundingEnvironment	SurroundingEnvironment (0.68)	SurroundingEnvironment	1.74	#s high wind velocity . #/s
Normal	Normal (0.23)	Normal	1.52	#s fly with caution and land in a safe place asap . #/s
Normal	ParamViolation (0.70)	ParamViolation	-1.59	#s high - altitude flight #/s
Normal	Normal (0.23)	Normal	1.68	#s fly with caution #/s
Normal	ParamViolation (0.71)	ParamViolation	-1.30	#s aircraft braking distance is extended #/s
Normal	Normal (0.23)	Normal	1.41	#s flight time is shortened . #/s
Normal	Normal (0.23)	Normal	1.38	#s home point updated . #/s
ParamViolation	SoftwareFault (0.59)	SoftwareFault	-0.99	#s imu attitude restricted . #/s
Normal	Normal (0.23)	Normal	0.31	#s ensure aircraft is level #/s
SoftwareFault	Normal (0.23)	Normal	-1.88	#s imu not

				calibrated . #/s
Normal	Normal (0.23)	Normal	1.49	#s calibrate imu #/s
Normal	SoftwareFault (0.41)	SoftwareFault	-0.66	#s landing canceled . #/s
Normal	Normal (0.23)	Normal	1.57	#s landing gear function restored #/s
Normal	Normal (0.23)	Normal	1.57	#s landing gear paused . #/s
Normal	Normal (0.23)	Normal	1.10	#s landing gear raising . #/s
Normal	Normal (0.23)	Normal	1.53	#s home point recorded #/s
Normal	ParamViolation (0.68)	ParamViolation	-0.76	#s live stream video frame rate less than 9hz . #/s
Normal	Normal (0.23)	Normal	1.68	#s fly with caution #/s
HardwareFault	HardwareFault (0.53)	HardwareFault	0.77	#s low power . #/s
Normal	Normal (0.23)	Normal	1.18	#s aircraft is returning to the home point . #/s
HardwareFault	HardwareFault (0.53)	HardwareFault	0.77	#s low power . #/s
Normal	Normal (0.23)	Normal	1.29	#s returning home . #/s
SurroundingEnvironment	SurroundingEnvironment (0.68)	SurroundingEnvironment	1.24	#s magnetic field interference . #/s
Normal	Normal (0.23)	Normal	1.28	#s exit p - gps mode . #/s
HardwareFault	HardwareFault (0.53)	HardwareFault	1.72	#s yaw error . #/s
SurroundingEnvironment	SurroundingEnvironment (0.68)	SurroundingEnvironment	1.44	#s manned aircraft detected

Normal	Normal (0.23)	Normal	1.68	nearby . #/s
				#s fly with caution #/s
ParamViolation	ParamViolation (0.71)	ParamViolation	-0.34	#s max altitude approached . #/s
				#s wait for the gps satellite signal recovery before ascend #/s
Normal	Normal (0.23)	Normal	0.51	
				#s max flight altitude reached . #/s
ParamViolation	ParamViolation (0.71)	ParamViolation	1.80	#s adjust in main controller settings if necessary #/s
				#s max flight distance reached . #/s
Normal	Normal (0.23)	Normal	1.76	#s adjust in main controller settings if necessary . #/s
				#s max flight distance reached . #/s
ParamViolation	ParamViolation (0.71)	ParamViolation	1.33	#s adjust in main controller settings if necessary . #/s
				#s max flight distance reached . #/s
Normal	Normal (0.23)	Normal	2.16	#s adjust the distance in mc settings if required . #/s
				#s mobile device cpu fully loaded . #/s
HardwareFault	HardwareFault (0.53)	HardwareFault	1.25	#s related performance will be affected . #/s
				#s mobile

				device version too old to support hd image transmission and the image transmission mode has been switch to normal mode . #/s
SoftwareFault	SoftwareFault (0.26)	SoftwareFault	1.36	
Normal	Normal (0.23)	Normal	1.48	#s motor is blocked . #/s
HardwareFault	HardwareFault (0.53)	HardwareFault	1.40	#s motor stuck . #/s
				#s check for objects blocking motor or contact dji support for assistance #/s
Normal	Normal (0.23)	Normal	1.96	
				#s motors started . #/s
SoftwareFault	SoftwareFault (0.61)	SoftwareFault	1.47	#s no gps signal . #/s
Normal	HardwareFault (0.52)	HardwareFault	-1.78	#s aircraft unable to hover . #/s
Normal	Normal (0.23)	Normal	1.68	#s fly with caution #/s
SoftwareFault	SoftwareFault (0.61)	SoftwareFault	1.47	#s no gps signal . #/s
Normal	HardwareFault (0.53)	HardwareFault	-1.45	#s unable to hover . #/s
Normal	Normal (0.23)	Normal	1.68	#s fly with caution #/s
Normal	Normal (0.23)	Normal	1.77	#s obstacle avoidance disabled . #/s
Normal	Normal (0.23)	Normal	1.41	#s landing gear lowered . #/s
Normal	Normal (0.23)	Normal	1.77	#s obstacle avoidance disabled . #/s

Normal	Normal (0.23)	Normal	1.77	#s obstacle avoidance disabled . #/s
Normal	Normal (0.23)	Normal	1.41	#s landing gear lowered . #/s
Normal	Normal (0.23)	Normal	1.67	#s obstacle avoidance has been disabled . #/s
Normal	Normal (0.23)	Normal	0.99	#s precision landing #/s
Normal	Normal (0.23)	Normal	1.76	#s quickshot has ended #/s
Normal	Normal (0.23)	Normal	-1.68	#s recenter gimbal pan #/s
Normal	Normal (0.23)	Normal	1.73	#s rectifying aircraft position #/s
SurroundingEnvironment	SurroundingEnvironment (0.68)	SurroundingEnvironment	1.69	#s remote controller in high interference environment . #/s
Normal	Normal (0.23)	Normal	1.08	#s manually adjust flight route or return to home #/s
Normal	Normal (0.23)	Normal	1.92	#s return - to - home altitude : 65ft #/s
Normal	Normal (0.23)	Normal	1.77	#s return - to - home altitude : 98ft . #/s
Normal	Normal (0.23)	Normal	1.48	#s rth : ascending to rth altitude . #/s
Normal	Normal (0.23)	Normal	1.85	#s rth : heading alignment . #/s

Normal	Normal (0.23)	Normal	1.10	#s rth altitude : 65ft . #/s
Normal	Normal (0.23)	Normal	-0.47	#s rth altitude : 98ft . #/s
CommunicationIssue	CommunicationIssue (0.79)	CommunicationIssue	1.47	#s signal lost . #/s
Normal	Normal (0.23)	Normal	1.64	#s aircraft returning to home point #/s
Normal	Normal (0.23)	Normal	1.60	#s sprayer turned on #/s
SurroundingEnvironment	SurroundingEnvironment (0.68)	SurroundingEnvironment	1.34	#s strong wind warning . #/s
SoftwareFault	SoftwareFault (0.61)	SoftwareFault	-0.30	#s aircraft unable to return to home automatically . #/s
Normal	Normal (0.23)	Normal	2.40	#s lower altitude immediately and return to home manually #/s
Normal	Normal (0.23)	Normal	1.34	#s switched to s (sport) - mode . #/s
Normal	Normal (0.23)	Normal	1.89	#s switched to t (tripod) - mode . #/s
Normal	Normal (0.23)	Normal	2.08	#s take off in p - mode #/s
SoftwareFault	HardwareFault (0.53)	HardwareFault	0.29	#s vision sensor error . #/s
Normal	Normal (0.23)	Normal	1.61	#s contact dji support for assistance #/s
Normal	Normal (0.23)	Normal	1.38	#s vision systems and obstacle avoidance

Normal	Normal (0.23)	Normal	1.79	disabled #/s
				#s waypoint mission paused #/s
SoftwareFault	SoftwareFault (0.61)	SoftwareFault	0.33	#s weak gps signal . #/s
Normal	Normal (0.23)	Normal	-1.42	#s aircraft is in attitude mode and hovering may be unstable . #/s
Normal	Normal (0.23)	Normal	1.22	#s fly with caution . #/s
CommunicationIssue	CommunicationIssue (0.79)	CommunicationIssue	1.14	#s weak signal . #/s
Normal	Normal (0.23)	Normal	1.20	#s adjust antennas #/s
RegulationViolation	RegulationViolation (0.82)	RegulationViolation	3.12	#s your aircraft is flying in an altitude zone (nnn) . #/s
Normal	Normal (0.23)	Normal	1.86	#s please fly with caution #/s