

Legend: ■ Negative □ Neutral ■ Positive

True Label	Predicted Label	Attribution Label	Attribution Score	Word Importance
SurroundingEnvironment	Normal (0.33)	Normal	0.58	[CLS] a passenger aircraft is nearby . [SEP]
				[CLS] fly with caution [SEP]
				[CLS] account not logged in . [SEP]
Normal	Normal (0.33)	Normal	1.10	[CLS] flight altitude and distance restricted to nnn and nnn . [SEP]
Normal	Normal (0.32)	Normal	-0.86	[CLS] check and log in [SEP]
ParamViolation	ParamViolation (0.42)	ParamViolation	2.13	[CLS] activetrack flight paused [SEP]
				[CLS] aircraft activetrack available at max speed . [SEP]
				[CLS] obstacle avoidance is not available [SEP]
Normal	Normal (0.33)	Normal	1.07	[CLS] aircraft activetrack available at max speed . [SEP]
Normal	Normal (0.33)	Normal	0.72	[CLS] when exceeding nnn , obstacle avoidance is not available [SEP]
Normal	Normal (0.34)	Normal	0.36	[CLS] aircraft activetrack available at max speed . [SEP]
Normal	Normal (0.33)	Normal	0.12	[CLS] when exceeding nnn , obstacle avoidance is not available [SEP]
Normal	Normal (0.34)	Normal	0.36	[CLS] aircraft activetrack available at max speed . [SEP]
Normal	Normal (0.34)	Normal	0.04	[CLS] aircraft

Normal	Normal (0.34)	Normal	0.03	activetrack
				max speed of
				nnn and
HardwareFault	HardwareFault (0.50)	HardwareFault	2.35	obstacle
				avoidance
				functions
Normal	Normal (0.34)	Normal	0.46	normally
				[SEP]
				[CLS] aircraft
Normal	Normal (0.31)	Normal	-1.97	core board
				overheated
				[SEP]
Normal	Normal (0.33)	Normal	0.91	[CLS] aircraft
				entered fixed
				- wing mode .
Normal	Normal (0.33)	Normal	0.28	[SEP]
				[CLS] current
				flight speed is
RegulationViolation	RegulationViolation (0.26)	RegulationViolation	1.92	nnn . [SEP]
				[CLS] press
				c2 to exit
Normal	Normal (0.33)	Normal	0.70	[SEP]
				[CLS] aircraft
				flight control
Normal	Normal (0.34)	Normal	0.33	unlocked
				[SEP]
				[CLS] aircraft
Normal	Normal (0.33)	Normal	0.80	in restricted
				zones . [SEP]
				[CLS] check
Normal	Normal (0.34)	Normal	0.68	map to find
				recommended
				zones [SEP]
Normal	Normal (0.33)	Normal	1.49	[CLS] aircraft
				is in attitude
				mode , so that
Normal	Normal (0.34)	Normal	0.03	it will not
				hover . [SEP]
				[CLS] please
Normal	Normal (0.33)	Normal	2.35	fly with
				caution .
				[SEP]
Normal	Normal (0.34)	Normal	0.46	[CLS] aircraft
				is in tripod
				mode . [SEP]
Normal	Normal (0.34)	Normal	0.91	[CLS] exit
				this mode and
				try again

Normal	Normal (0.34)	Normal	1.09	[SEP]
				[CLS] aircraft
				is returning
ParamViolation	ParamViolation (0.43)	ParamViolation	1.83	to the
				starting point
				[SEP]
RegulationViolation	RegulationViolation (0.23)	RegulationViolation	2.20	[CLS] aircraft
				out of range
				[SEP]
Normal	Normal (0.33)	Normal	0.69	[CLS]
				approaching
				a no - fly zone
Normal	Normal (0.33)	Normal	1.10	. [SEP]
				[CLS] rth may
				be affected .
Normal	Normal (0.33)	Normal	0.74	[SEP]
				[CLS] fly with
				caution [SEP]
Normal	Normal (0.33)	Normal	0.46	[CLS] arrived
				at start point
				. [SEP]
Normal	Normal (0.33)	Normal	1.26	[CLS] starting
				waypoint
				mission [SEP]
Normal	Normal (0.33)	Normal	0.51	[CLS] auto
				landing
				initiated
SoftwareFault	SoftwareFault (0.50)	SoftwareFault	1.82	[SEP]
				[CLS]
				auxiliary
HardwareFault	HardwareFault (0.49)	HardwareFault	1.65	bottom light
				turned off
				[SEP]
HardwareFault	HardwareFault (0.50)	HardwareFault	1.08	[CLS]
				backward
				obstacle
Normal	Normal (0.33)	Normal	0.69	sensing is not
				functioning .
				[SEP]
ParamViolation	ParamViolation (0.43)	ParamViolation	1.83	[CLS] battery
				cell broken ,
				please
RegulationViolation	RegulationViolation (0.23)	RegulationViolation	2.20	replace the
				battery [SEP]
				[CLS] battery
Normal	Normal (0.33)	Normal	0.74	error . [SEP]
				[CLS] aircraft
				returning to

Normal	Normal (0.33)	Normal	1.13	home automatically [SEP]
HardwareFault	HardwareFault (0.50)	HardwareFault	1.48	[CLS] battery power low . [SEP]
Normal	Normal (0.34)	Normal	1.48	[CLS] check battery status and charge or warm up battery [SEP]
HardwareFault	HardwareFault (0.26)	HardwareFault	1.11	[CLS] cache space full [SEP]
SurroundingEnvironment	SoftwareFault (0.50)	SoftwareFault	1.07	[CLS] calibration subject is too close . [SEP]
Normal	Normal (0.34)	Normal	0.11	[CLS] recalibrate using a subject that is farther away [SEP]
HardwareFault	HardwareFault (0.50)	HardwareFault	1.66	[CLS] camera busy , cannot enter playback [SEP]
SoftwareFault	SoftwareFault (0.49)	SoftwareFault	1.01	[CLS] cannot enable intelligent flight mode [SEP]
HardwareFault	HardwareFault (0.50)	HardwareFault	1.63	[CLS] low battery [SEP]
SoftwareFault	SoftwareFault (0.51)	SoftwareFault	1.40	[CLS] cannot start return to home due to weak gps signal [SEP]
SoftwareFault	SoftwareFault (0.49)	SoftwareFault	1.18	[CLS] cannot start self - timer . [SEP]
SoftwareFault	ParamViolation (0.37)	ParamViolation	-0.20	[CLS] exposure time is too long [SEP]

SoftwareFault	SoftwareFault (0.50)	SoftwareFault	1.05	[CLS] cannot switch flight mode . [SEP]
Normal	Normal (0.34)	Normal	1.26	[CLS] turn on " multiple flight modes " to enable atti and sport modes . [SEP]
SoftwareFault	SoftwareFault (0.48)	SoftwareFault	1.11	[CLS] cannot track subject [SEP]
SurroundingEnvironment	SoftwareFault (0.45)	SoftwareFault	1.74	[CLS] no image [SEP]
Normal	Normal (0.33)	Normal	0.94	[CLS] please retry [SEP]
SoftwareFault	SoftwareFault (0.48)	SoftwareFault	1.11	[CLS] cannot track subject [SEP]
SurroundingEnvironment	SoftwareFault (0.48)	SoftwareFault	1.24	[CLS] subject too large [SEP]
Normal	Normal (0.33)	Normal	1.02	[CLS] move away and retry [SEP]
Normal	Normal (0.34)	Normal	1.22	[CLS] color display in the liveview has been enhanced . [SEP]
Normal	Normal (0.34)	Normal	1.05	[CLS] videos and photos will still be shot in d - log mode [SEP]
HardwareFault	HardwareFault (0.51)	HardwareFault	1.44	[CLS] compass abnormal . [SEP]
Normal	Normal (0.34)	Normal	0.02	[CLS] solution : 1 . ensure there are no magnets or metal objects near the aircraft .

				[SEP]
Normal	Normal (0.34)	Normal	0.11	[CLS] the ground or walls may contain metal . [SEP]
Normal	Normal (0.34)	Normal	0.38	[CLS] move away from sources of interference before attempting flight . [SEP]
Normal	Normal (0.34)	Normal	0.89	[CLS] 2 . calibrate compass before takeoff [SEP]
HardwareFault	HardwareFault (0.51)	HardwareFault	1.12	[CLS] compass error [SEP]
HardwareFault	HardwareFault (0.40)	HardwareFault	1.19	[CLS] compass error , calibration required [SEP]
HardwareFault	HardwareFault (0.51)	HardwareFault	1.20	[CLS] compass error . [SEP]
HardwareFault	HardwareFault (0.51)	HardwareFault	1.20	[CLS] compass error . [SEP]
HardwareFault	HardwareFault (0.50)	HardwareFault	1.49	[CLS] compass disconnected [SEP]
HardwareFault	HardwareFault (0.51)	HardwareFault	1.20	[CLS] compass error . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.53)	SurroundingEnvironment	1.37	[CLS] magnetic filed interference . [SEP]
Normal	Normal (0.33)	Normal	1.17	[CLS] exit p - gps mode [SEP]

				[CLS]
SoftwareFault	HardwareFault (0.49)	HardwareFault	-0.01	compass initialization failed. [SEP]
Normal	Normal (0.32)	Normal	0.25	[CLS] restart aircraft [SEP]
HardwareFault	HardwareFault (0.50)	HardwareFault	1.68	[CLS] critical low battery. [SEP]
Normal	Normal (0.34)	Normal	1.38	[CLS] aircraft in auto power off protection . [SEP]
Normal	Normal (0.33)	Normal	1.24	[CLS] forced landing in progress [SEP]
HardwareFault	HardwareFault (0.50)	HardwareFault	1.68	[CLS] critical low battery. [SEP]
Normal	Normal (0.33)	Normal	0.58	[CLS] aircraft landing automatically [SEP]
HardwareFault	HardwareFault (0.50)	HardwareFault	1.68	[CLS] critical low battery. [SEP]
Normal	Normal (0.33)	Normal	1.01	[CLS] return to home or land promptly [SEP]
HardwareFault	HardwareFault (0.50)	HardwareFault	1.84	[CLS] critically low power. [SEP]
Normal	Normal (0.33)	Normal	0.40	[CLS] aircraft is landing [SEP]
HardwareFault	HardwareFault (0.50)	HardwareFault	1.84	[CLS] critically low power. [SEP]
Normal	Normal (0.33)	Normal	0.64	[CLS] aircraft landing. [SEP]
Normal	Normal (0.33)	Normal	0.64	[CLS] aircraft landing. [SEP]
				[CLS] throttle up to reduce

Normal	Normal (0.34)	Normal	0.34	the speed of descent and use sticks to avoid obstacles [SEP] [CLS]
HardwareFault	HardwareFault (0.50)	HardwareFault	1.69	critically low voltage warning . [SEP] [CLS]
Normal	Normal (0.33)	Normal	0.29	aircraft will be forced to land [SEP] [CLS]
HardwareFault	HardwareFault (0.50)	HardwareFault	1.84	critically low voltage . [SEP] [CLS]
Normal	Normal (0.33)	Normal	0.75	aircraft will land [SEP] [CLS]
Normal	Normal (0.34)	Normal	0.78	data recorder file index is 15 . [SEP] [CLS]
Normal	Normal (0.34)	Normal	0.94	data recorder file index is 17 . [SEP] [CLS]
Normal	Normal (0.34)	Normal	0.95	data recorder file index is 30 . [SEP] [CLS]
Normal	Normal (0.34)	Normal	0.75	data recorder file index is 45 . [SEP] [CLS]
Normal	Normal (0.34)	Normal	0.83	data recorder file index is 46 . [SEP] [CLS]
Normal	Normal (0.34)	Normal	0.92	data recorder file index is 65 . [SEP] [CLS]
Normal	Normal (0.34)	Normal	1.16	disable sd card read and write

				protection or change card [SEP]
CommunicationIssue	CommunicationIssue (0.31)	CommunicationIssue	1.73	[CLS] downlink lost [SEP]
Normal	Normal (0.34)	Normal	0.28	[CLS] downlink restored (after 0m 2 9s) [SEP]
Normal	HardwareFault (0.47)	HardwareFault	-1.48	[CLS] drone is vibrating [SEP]
Normal	Normal (0.33)	Normal	1.13	[CLS] entered cruise control mode [SEP]
Normal	Normal (0.34)	Normal	0.78	[CLS] press c1 or c2 to exit [SEP]
ParamViolation	ParamViolation (0.40)	ParamViolation	1.84	[CLS] excessive attitude angle detected [SEP]
SoftwareFault	SoftwareFault (0.48)	SoftwareFault	1.72	[CLS] forward obstacle avoidance has stopped working [SEP]
Normal	Normal (0.33)	Normal	0.88	[CLS] exit backward sensing system [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.54)	SurroundingEnvironment	1.90	[CLS] ambient light is too weak [SEP]
Normal	Normal (0.33)	Normal	1.04	[CLS] exited visual avoidance system [SEP]
SoftwareFault	SoftwareFault (0.49)	SoftwareFault	1.11	[CLS] exiting gps mode : unknown error [SEP]

ParamViolation	ParamViolation (0.43)	ParamViolation	1.61	[CLS] extra payload detected . [SEP]
Normal	Normal (0.33)	Normal	0.63	[CLS] flight performance will be affected . [SEP]
Normal	Normal (0.33)	Normal	1.10	[CLS] fly with caution [SEP]
SoftwareFault	SoftwareFault (0.50)	SoftwareFault	1.61	[CLS] forward obstacle sensing is not functioning . [SEP]
SoftwareFault	SoftwareFault (0.49)	SoftwareFault	1.71	[CLS] forward obstacle sensing not responding [SEP]
HardwareFault	HardwareFault (0.49)	HardwareFault	1.91	[CLS] gimbal motor overloaded . [SEP]
Normal	Normal (0.34)	Normal	0.86	[CLS] check whether gimbal can rotate freely [SEP]
HardwareFault	HardwareFault (0.52)	HardwareFault	1.89	[CLS] gimbal pitch limit reached . [SEP]
Normal	Normal (0.33)	Normal	0.25	[CLS] ground plain . [SEP]
Normal	Normal (0.33)	Normal	0.63	[CLS] safe to land . [SEP]
ParamViolation	ParamViolation (0.40)	ParamViolation	1.64	[CLS] high altitude . [SEP]
Normal	ParamViolation (0.40)	ParamViolation	-2.39	[CLS] aircraft braking distance increased and flight time decreased . [SEP]

Normal	Normal (0.33)	Normal	1.10	[CLS] fly with caution [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.54)	SurroundingEnvironment	1.67	[CLS] high wind velocity . [SEP]
Normal	Normal (0.34)	Normal	0.20	[CLS] ensure the aircraft remains within your line of sight and fly with caution . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.54)	SurroundingEnvironment	1.67	[CLS] high wind velocity . [SEP]
Normal	Normal (0.34)	Normal	0.20	[CLS] ensure the aircraft remains within your line of sight and fly with caution . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.54)	SurroundingEnvironment	1.67	[CLS] high wind velocity . [SEP]
Normal	Normal (0.34)	Normal	0.94	[CLS] fly with caution and land in a safe place asap . [SEP]
Normal	ParamViolation (0.41)	ParamViolation	-2.05	[CLS] high - altitude flight [SEP]
Normal	Normal (0.33)	Normal	1.10	[CLS] fly with caution [SEP]
Normal	ParamViolation (0.37)	ParamViolation	-1.99	[CLS] aircraft braking distance is extended [SEP]
Normal	ParamViolation (0.37)	ParamViolation	-1.92	[CLS] flight time is shortened . [SEP]
Normal	Normal (0.33)	Normal	0.88	[CLS] home

ParamViolation	ParamViolation (0.25)	ParamViolation	1.46	point updated
				. [SEP]
				[CLS] imu
Normal	Normal (0.33)	Normal	0.48	attitude
				restricted .
				[SEP]
SoftwareFault	Normal (0.34)	Normal	-0.05	[CLS] ensure
				aircraft is
				level [SEP]
Normal	Normal (0.33)	Normal	0.71	[CLS] imu not
				calibrated .
				[SEP]
Normal	Normal (0.31)	Normal	-0.57	[CLS]
				calibrate imu
				[SEP]
Normal	Normal (0.33)	Normal	1.15	[CLS] landing
				gear function
				restored
Normal	Normal (0.33)	Normal	0.60	[SEP]
				[CLS] landing
				gear paused .
Normal	Normal (0.33)	Normal	0.93	[SEP]
				[CLS] landing
				gear raising .
Normal	Normal (0.33)	Normal	1.09	[SEP]
				[CLS] home
				point
Normal	Normal (0.34)	Normal	0.83	recorded
				[SEP]
				[CLS] live
HardwareFault	HardwareFault (0.50)	HardwareFault	1.64	stream video
				frame rate
				less than 9hz
Normal	Normal (0.33)	Normal	1.10	. [SEP]
				[CLS] fly with
				caution [SEP]
Normal	Normal (0.34)	Normal	0.99	[CLS] low
				power . [SEP]
				[CLS] aircraft
HardwareFault	HardwareFault (0.50)	HardwareFault	1.64	is returning
				to the home
				point . [SEP]
HardwareFault	HardwareFault (0.50)	HardwareFault	1.64	[CLS] low
				power . [SEP]

Normal	Normal (0.33)	Normal	0.84	[CLS] returning home . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.53)	SurroundingEnvironment	1.37	[CLS] magnetic filed interference . [SEP]
Normal	Normal (0.34)	Normal	1.04	[CLS] exit p - gps mode . [SEP]
HardwareFault	HardwareFault (0.50)	HardwareFault	1.82	[CLS] yaw error . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.50)	SurroundingEnvironment	1.89	[CLS] manned aircraft detected nearby . [SEP]
Normal	Normal (0.33)	Normal	1.10	[CLS] fly with caution [SEP]
ParamViolation	ParamViolation (0.40)	ParamViolation	1.31	[CLS] max altitude approached . [SEP]
Normal	Normal (0.34)	Normal	0.15	[CLS] wait for the gps satellite signal recovery before ascend [SEP]
ParamViolation	ParamViolation (0.44)	ParamViolation	2.03	[CLS] max flight altitude reached . [SEP]
Normal	Normal (0.34)	Normal	1.36	[CLS] adjust in main controller settings if necessary [SEP]
ParamViolation	ParamViolation (0.44)	ParamViolation	1.99	[CLS] max flight distance reached . [SEP]
				[CLS] adjust

Normal	Normal (0.34)	Normal	1.29	in main controller settings if necessary .
				[SEP]
ParamViolation	ParamViolation (0.44)	ParamViolation	2.04	[CLS]
				maximum flight distance reached .
Normal	Normal (0.34)	Normal	0.92	[SEP]
				[CLS] adjust the distance in mc settings if required .
HardwareFault	HardwareFault (0.47)	HardwareFault	2.05	[SEP]
				[CLS] mobile device cpu fully loaded .
Normal	Normal (0.34)	Normal	0.93	[SEP]
				[CLS] related performance will be affected .
SoftwareFault	Normal (0.32)	Normal	0.26	[SEP]
				[CLS] mobile device version too old to support hd image transmission and the image transmission mode has been switch to normal mode .
Normal	Normal (0.33)	Normal	0.12	[SEP]
				[CLS] motor is blocked .
HardwareFault	HardwareFault (0.49)	HardwareFault	1.66	[SEP]
				[CLS] motor stuck .
Normal	Normal (0.34)	Normal	1.16	[CLS] check for objects blocking motor or contact dji support for

				assistance [SEP]
Normal	HardwareFault (0.47)	HardwareFault	-1.95	[CLS] motors started . [SEP]
SoftwareFault	SoftwareFault (0.48)	SoftwareFault	1.79	[CLS] no gps signal . [SEP]
Normal	HardwareFault (0.49)	HardwareFault	-0.86	[CLS] aircraft unable to hover . [SEP]
Normal	Normal (0.33)	Normal	1.10	[CLS] fly with caution [SEP]
SoftwareFault	SoftwareFault (0.48)	SoftwareFault	1.79	[CLS] no gps signal . [SEP]
Normal	HardwareFault (0.49)	HardwareFault	-1.03	[CLS] unable to hover . [SEP]
Normal	Normal (0.33)	Normal	1.10	[CLS] fly with caution [SEP]
Normal	Normal (0.33)	Normal	0.45	[CLS] obstacle avoidance disabled . [SEP]
Normal	Normal (0.33)	Normal	0.71	[CLS] landing gear lowered . [SEP]
Normal	Normal (0.33)	Normal	0.45	[CLS] obstacle avoidance disabled . [SEP]
Normal	Normal (0.33)	Normal	0.45	[CLS] obstacle avoidance disabled . [SEP]
Normal	Normal (0.33)	Normal	0.71	[CLS] landing gear lowered . [SEP]
Normal	Normal (0.34)	Normal	0.67	[CLS] obstacle avoidance has been disabled . [SEP]
Normal	Normal (0.32)	Normal	0.51	[CLS] precision

				landing [SEP]
				[CLS]
Normal	Normal (0.33)	Normal	0.84	quickshot has ended [SEP]
				[CLS]
Normal	Normal (0.33)	Normal	1.11	recenter gimbal pan [SEP]
				[CLS]
Normal	Normal (0.33)	Normal	0.24	rectifying aircraft position [SEP]
				[CLS] remote controller in high interference environment . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.53)	SurroundingEnvironment	1.71	
				[CLS]
Normal	Normal (0.34)	Normal	1.33	manually adjust flight route or return to home [SEP]
				[CLS] return -
Normal	Normal (0.34)	Normal	0.73	to - home altitude : 65ft [SEP]
				[CLS] return -
Normal	Normal (0.34)	Normal	0.46	to - home altitude : 98ft . [SEP]
				[CLS] rth :
Normal	Normal (0.34)	Normal	0.75	ascending to rth altitude . [SEP]
				[CLS] rth :
Normal	Normal (0.33)	Normal	1.01	heading alignment . [SEP]
				[CLS] rth
Normal	Normal (0.34)	Normal	0.55	altitude : 65ft . [SEP]
				[CLS] rth
Normal	Normal (0.34)	Normal	0.46	altitude : 98ft . [SEP]
				[CLS] signal
CommunicationIssue	CommunicationIssue (0.32)	CommunicationIssue	1.23	

				lost . [SEP]
				[CLS] aircraft
Normal	Normal (0.33)	Normal	1.32	returning to home point [SEP]
				[CLS] sprayer
Normal	Normal (0.33)	Normal	1.28	turned on [SEP]
				[CLS] strong
SurroundingEnvironment	SurroundingEnvironment (0.54)	SurroundingEnvironment	1.55	wind warning . [SEP]
				[CLS] aircraft
				unable to
SoftwareFault	SoftwareFault (0.51)	SoftwareFault	1.25	return to home automatically . [SEP]
				[CLS] lower
				altitude
				immediately
Normal	Normal (0.34)	Normal	1.32	and return to home manually [SEP]
				[CLS]
Normal	Normal (0.34)	Normal	0.87	switched to s (sport) - mode . [SEP]
				[CLS]
Normal	Normal (0.34)	Normal	0.44	switched to t (tripod) - mode . [SEP]
				[CLS] take off
Normal	Normal (0.33)	Normal	1.17	in p - mode [SEP]
				[CLS] vision
SoftwareFault	HardwareFault (0.28)	HardwareFault	0.65	sensor error . [SEP]
				[CLS] contact
Normal	Normal (0.34)	Normal	1.09	dji support for assistance [SEP]
				[CLS] vision
				systems and
				obstacle
Normal	Normal (0.34)	Normal	0.92	avoidance disabled [SEP]

Normal	Normal (0.33)	Normal	0.67	[CLS] waypoint mission paused [SEP]
				[CLS] weak gps signal . [SEP]
				[CLS] aircraft is in attitude mode and hovering may be unstable . [SEP]
SoftwareFault	SoftwareFault (0.48)	SoftwareFault	1.75	[CLS] fly with caution . [SEP]
				[CLS] weak signal . [SEP]
				[CLS] adjust antennas [SEP]
Normal	Normal (0.33)	Normal	0.65	[CLS] your aircraft is flying in an altitude zone (nnn) . [SEP]
				[CLS] please fly with caution [SEP]
				[CLS] weak signal . [SEP]
CommunicationIssue	CommunicationIssue (0.32)	CommunicationIssue	1.41	[CLS] adjust antennas [SEP]
				[CLS] your aircraft is flying in an altitude zone (nnn) . [SEP]
				[CLS] please fly with caution [SEP]
Normal	Normal (0.32)	Normal	0.92	[CLS] weak signal . [SEP]
				[CLS] adjust antennas [SEP]
				[CLS] your aircraft is flying in an altitude zone (nnn) . [SEP]
RegulationViolation	RegulationViolation (0.25)	RegulationViolation	2.67	[CLS] please fly with caution [SEP]
				[CLS] weak signal . [SEP]
				[CLS] adjust antennas [SEP]
Normal	Normal (0.33)	Normal	0.90	[CLS] weak signal . [SEP]
				[CLS] adjust antennas [SEP]
				[CLS] your aircraft is flying in an altitude zone (nnn) . [SEP]