

Legend: ■ Negative □ Neutral ■ Positive

True Label	Predicted Label	Attribution Label	Attribution Score	Word Importance
SurroundingEnvironment	Normal (0.99)	SurroundingEnvironment	1.83	[CLS] a passenger aircraft is nearby . [SEP]
				[CLS] fly with caution [SEP]
				[CLS] account not logged in . [SEP]
Normal	Normal (1.00)	Normal	1.98	
Normal	Normal (1.00)	Normal	2.27	
ParamViolation	ParamViolation (0.96)	ParamViolation	2.07	[CLS] flight altitude and distance restricted to nnn and nnn . [SEP]
				[CLS] check and log in [SEP]
				[CLS] activetrack flight paused [SEP]
Normal	Normal (1.00)	Normal	1.70	
Normal	Normal (1.00)	Normal	2.19	
Normal	Normal (1.00)	Normal	2.17	[CLS] aircraft activetrack available at max speed . [SEP]
				[CLS] obstacle avoidance is not available [SEP]
				[CLS] aircraft activetrack available at max speed . [SEP]
Normal	Normal (1.00)	Normal	0.48	
Normal	Normal (1.00)	Normal	2.17	
Normal	Normal (1.00)	Normal	0.19	[CLS] when exceeding nnn , obstacle avoidance is not available [SEP]
				[CLS] aircraft

Normal	Normal (1.00)	Normal	0.91	activetrack
				max speed of
				nnn and
				obstacle
				avoidance
HardwareFault	HardwareFault (0.99)	HardwareFault	2.56	functions
				normally
				[SEP]
				[CLS] aircraft
				core board
Normal	Normal (1.00)	Normal	2.02	overheated
				[SEP]
				[CLS] aircraft
				entered fixed
				- wing mode .
Normal	Normal (1.00)	Normal	1.50	[SEP]
				[CLS] current
				flight speed is
				nnn . [SEP]
				[CLS] press
Normal	Normal (1.00)	Normal	1.71	c2 to exit
				[SEP]
				[CLS] aircraft
				flight control
				unlocked
RegulationViolation	RegulationViolation (0.87)	RegulationViolation	1.97	[SEP]
				[CLS] aircraft
				in restricted
				zones . [SEP]
				[CLS] check
Normal	Normal (1.00)	Normal	1.70	map to find
				recommended
				zones [SEP]
				[CLS] aircraft
				is in attitude
Normal	Normal (1.00)	Normal	1.73	mode , so that
				it will not
				hover . [SEP]
				[CLS] please
				fly with
Normal	Normal (1.00)	Normal	2.08	caution .
				[SEP]
				[CLS] aircraft
				is in tripod
				mode . [SEP]
Normal	Normal (1.00)	Normal	2.23	[CLS] exit
				this mode and
				try again
Normal	Normal (1.00)	Normal	1.74	

Normal	Normal (1.00)	Normal	2.30	[SEP]
				[CLS] aircraft
				is returning
				to the
ParamViolation	ParamViolation (0.93)	ParamViolation	2.17	starting point
				[SEP]
				[CLS] aircraft
				out of range
RegulationViolation	RegulationViolation (0.76)	RegulationViolation	1.95	[SEP]
				[CLS]
				approaching
				a no - fly zone
Normal	Normal (1.00)	Normal	2.28	. [SEP]
				[CLS] rth may
				be affected .
				[SEP]
Normal	Normal (1.00)	Normal	1.98	[CLS] fly with
				caution [SEP]
				[CLS] arrived
				at start point
Normal	Normal (1.00)	Normal	1.79	. [SEP]
				[CLS] starting
				waypoint
				mission [SEP]
Normal	Normal (1.00)	Normal	1.93	[CLS] auto
				landing
				initiated
				[SEP]
Normal	Normal (1.00)	Normal	1.38	[CLS]
				auxiliary
				bottom light
				turned off
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.88	[SEP]
				[CLS]
				backward
				obstacle
HardwareFault	HardwareFault (0.99)	HardwareFault	2.03	sensing is not
				functioning .
				[SEP]
				[CLS] battery
HardwareFault	HardwareFault (0.99)	HardwareFault	1.71	cell broken ,
				please
				replace the
				battery [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.71	[CLS] battery
				error . [SEP]
				[CLS] aircraft
				returning to

Normal	Normal (1.00)	Normal	1.97	home automatically [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.90	[CLS] battery power low . [SEP]
Normal	Normal (1.00)	Normal	2.48	[CLS] check battery status and charge or warm up battery [SEP]
HardwareFault	HardwareFault (0.97)	HardwareFault	2.07	[CLS] cache space full [SEP]
SurroundingEnvironment	SoftwareFault (0.97)	SurroundingEnvironment	1.07	[CLS] calibration subject is too close . [SEP]
Normal	Normal (1.00)	Normal	0.78	[CLS] recalibrate using a subject that is farther away [SEP]
HardwareFault	SoftwareFault (0.92)	HardwareFault	1.82	[CLS] camera busy , cannot enter playback [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	0.96	[CLS] cannot enable intelligent flight mode [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.73	[CLS] low battery [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.39	[CLS] cannot start return to home due to weak gps signal [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.02	[CLS] cannot start self - timer . [SEP]
SoftwareFault	ParamViolation (0.93)	SoftwareFault	0.25	[CLS] exposure time is too long [SEP]

SoftwareFault	SoftwareFault (0.98)	SoftwareFault	0.96	[CLS] cannot switch flight mode . [SEP]
Normal	Normal (1.00)	Normal	2.76	[CLS] turn on " multiple flight modes " to enable atti and sport modes . [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	0.98	[CLS] cannot track subject [SEP]
SurroundingEnvironment	SoftwareFault (0.98)	SurroundingEnvironment	0.73	[CLS] no image [SEP]
Normal	Normal (1.00)	Normal	1.71	[CLS] please retry [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	0.98	[CLS] cannot track subject [SEP]
SurroundingEnvironment	SoftwareFault (0.98)	SurroundingEnvironment	1.11	[CLS] subject too large [SEP]
Normal	Normal (1.00)	Normal	1.72	[CLS] move away and retry [SEP]
Normal	Normal (1.00)	Normal	2.41	[CLS] color display in the liveview has been enhanced . [SEP]
Normal	Normal (1.00)	Normal	2.55	[CLS] videos and photos will still be shot in d - log mode [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.53	[CLS] compass abnormal . [SEP]
Normal	Normal (1.00)	Normal	1.05	[CLS] solution : 1 . ensure there are no magnets or metal objects near the aircraft .

				[SEP]
Normal	Normal (1.00)	Normal	1.84	[CLS] the ground or walls may contain metal . [SEP]
Normal	Normal (1.00)	Normal	1.05	[CLS] move away from sources of interference before attempting flight . [SEP]
Normal	Normal (1.00)	Normal	2.00	[CLS] 2 . calibrate compass before takeoff [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.57	[CLS] compass error [SEP]
HardwareFault	SoftwareFault (0.97)	HardwareFault	1.35	[CLS] compass error , calibration required [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.63	[CLS] compass error . [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.63	[CLS] compass error . [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.52	[CLS] compass disconnected [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.63	[CLS] compass error . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.98)	SurroundingEnvironment	1.40	[CLS] magnetic filed interference . [SEP]
Normal	Normal (1.00)	Normal	1.94	[CLS] exit p - gps mode [SEP]

				[CLS]
SoftwareFault	SoftwareFault (0.56)	SoftwareFault	0.76	compass initialization failed. [SEP]
Normal	Normal (1.00)	Normal	1.92	[CLS] restart aircraft [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.96	[CLS] critical low battery. [SEP]
Normal	Normal (1.00)	Normal	2.46	[CLS] aircraft in auto power off protection . [SEP]
Normal	Normal (1.00)	Normal	2.26	[CLS] forced landing in progress [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.96	[CLS] critical low battery. [SEP]
Normal	Normal (1.00)	Normal	1.79	[CLS] aircraft landing automatically [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.96	[CLS] critical low battery. [SEP]
Normal	Normal (1.00)	Normal	2.48	[CLS] return to home or land promptly [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.95	[CLS] critically low power. [SEP]
Normal	Normal (1.00)	Normal	1.70	[CLS] aircraft is landing [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.95	[CLS] critically low power. [SEP]
Normal	Normal (1.00)	Normal	1.71	[CLS] aircraft landing. [SEP]
Normal	Normal (1.00)	Normal	1.71	[CLS] aircraft landing. [SEP]
				[CLS] throttle up to reduce

Normal	Normal (1.00)	Normal	1.41	the speed of descent and use sticks to avoid obstacles [SEP] [CLS] critically low
HardwareFault	HardwareFault (0.99)	HardwareFault	2.05	voltage warning . [SEP] [CLS] aircraft
Normal	Normal (1.00)	Normal	2.22	will be forced to land [SEP] [CLS]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.98	critically low voltage . [SEP] [CLS] aircraft
Normal	Normal (1.00)	Normal	1.58	will land [SEP] [CLS] data
Normal	Normal (1.00)	Normal	1.39	recorder file index is 15 . [SEP] [CLS] data
Normal	Normal (1.00)	Normal	1.32	recorder file index is 17 . [SEP] [CLS] data
Normal	Normal (1.00)	Normal	1.52	recorder file index is 30 . [SEP] [CLS] data
Normal	Normal (1.00)	Normal	1.51	recorder file index is 45 . [SEP] [CLS] data
Normal	Normal (1.00)	Normal	1.58	recorder file index is 46 . [SEP] [CLS] data
Normal	Normal (1.00)	Normal	1.56	recorder file index is 65 . [SEP] [CLS] disable
Normal	Normal (1.00)	Normal	2.07	sd card read and write



CommunicationIssue	CommunicationIssue (0.94)	CommunicationIssue	1.60	protection or change card [SEP]
				[CLS]
				downlink lost . [SEP]
Normal	Normal (1.00)	Normal	1.81	[CLS]
				downlink restored ( after 0m 2 . 9s ) . [SEP]
				[CLS] drone is vibrating [SEP]
Normal	Normal (1.00)	Normal	2.22	[CLS] entered cruise control mode . [SEP]
				[CLS] press c1 or c2 to exit [SEP]
				[CLS]
ParamViolation	ParamViolation (0.65)	ParamViolation	1.83	excessive attitude angle detected [SEP]
				[CLS] forward obstacle
				avoidance has stopped working [SEP]
SoftwareFault	SoftwareFault (0.94)	SoftwareFault	1.58	[CLS] exit backward sensing system [SEP]
				[CLS]
				ambient light is too weak [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.98)	SurroundingEnvironment	1.98	[CLS] exited visual
				avoidance system . [SEP]
				[CLS] exiting gps mode : unknown error [SEP]
Normal	Normal (1.00)	Normal	1.47	
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.20	

ParamViolation	ParamViolation (0.98)	ParamViolation	1.83	[CLS] extra payload detected . [SEP]
Normal	Normal (1.00)	Normal	2.00	[CLS] flight performance will be affected . [SEP]
Normal	Normal (1.00)	Normal	1.98	[CLS] fly with caution [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.69	[CLS] forward obstacle sensing is not functioning . [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.79	[CLS] forward obstacle sensing not responding [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	2.37	[CLS] gimbal motor overloaded . [SEP]
Normal	Normal (1.00)	Normal	1.51	[CLS] check whether gimbal can rotate freely [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	2.39	[CLS] gimbal pitch limit reached . [SEP]
Normal	Normal (1.00)	Normal	1.54	[CLS] ground plain . [SEP]
Normal	Normal (1.00)	Normal	1.77	[CLS] safe to land . [SEP]
ParamViolation	ParamViolation (0.89)	ParamViolation	1.41	[CLS] high altitude . [SEP]
Normal	ParamViolation (0.96)	Normal	-2.34	[CLS] aircraft braking distance increased and flight time decreased . [SEP]

Normal	Normal (1.00)	Normal	1.98	[CLS] fly with caution [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.98)	SurroundingEnvironment	1.79	[CLS] high wind velocity . [SEP]
Normal	Normal (1.00)	Normal	1.91	[CLS] ensure the aircraft remains within your line of sight and fly with caution . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.98)	SurroundingEnvironment	1.79	[CLS] high wind velocity . [SEP]
Normal	Normal (1.00)	Normal	1.91	[CLS] ensure the aircraft remains within your line of sight and fly with caution . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.98)	SurroundingEnvironment	1.79	[CLS] high wind velocity . [SEP]
Normal	Normal (1.00)	Normal	2.47	[CLS] fly with caution and land in a safe place asap . [SEP]
Normal	ParamViolation (0.83)	Normal	-1.99	[CLS] high - altitude flight [SEP]
Normal	Normal (1.00)	Normal	1.98	[CLS] fly with caution [SEP]
Normal	Normal (1.00)	Normal	0.18	[CLS] aircraft braking distance is extended [SEP]
Normal	Normal (0.91)	Normal	-0.94	[CLS] flight time is shortened . [SEP]
Normal	Normal (1.00)	Normal	2.18	[CLS] home

ParamViolation	SoftwareFault (0.95)	ParamViolation	1.50	point updated . [SEP]
				[CLS] imu attitude restricted . [SEP]
				[CLS] ensure aircraft is level [SEP]
Normal	Normal (1.00)	Normal	1.95	[CLS] imu not calibrated . [SEP]
SoftwareFault	Normal (1.00)	SoftwareFault	-1.60	[CLS] calibrate imu [SEP]
Normal	Normal (1.00)	Normal	1.51	[CLS] landing canceled . [SEP]
Normal	Normal (1.00)	Normal	1.74	[CLS] landing gear function restored [SEP]
Normal	Normal (1.00)	Normal	2.11	[CLS] landing gear paused . [SEP]
Normal	Normal (1.00)	Normal	1.74	[CLS] landing gear raising . [SEP]
Normal	Normal (1.00)	Normal	1.79	[CLS] home point recorded [SEP]
Normal	Normal (1.00)	Normal	1.91	[CLS] live stream video frame rate less than 9hz . [SEP]
Normal	Normal (0.96)	Normal	-1.11	[CLS] fly with caution [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.68	[CLS] low power . [SEP]
Normal	Normal (1.00)	Normal	2.36	[CLS] aircraft is returning to the home point . [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.68	[CLS] low power . [SEP]

Normal	Normal (1.00)	Normal	1.68	[CLS] returning home . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.98)	SurroundingEnvironment	1.40	[CLS] magnetic filed interference . [SEP]
				[CLS] exit p -
Normal	Normal (1.00)	Normal	1.94	gps mode . [SEP]
HardwareFault	HardwareFault (0.99)	HardwareFault	1.55	[CLS] yaw error . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.70)	SurroundingEnvironment	1.31	[CLS] manned aircraft detected nearby . [SEP]
				[CLS] fly with caution [SEP]
Normal	Normal (1.00)	Normal	1.98	[CLS] max altitude approached . [SEP]
ParamViolation	ParamViolation (0.92)	ParamViolation	1.33	[CLS] wait for the gps satellite signal recovery before ascend [SEP]
Normal	Normal (1.00)	Normal	1.67	[CLS] max flight altitude reached . [SEP]
ParamViolation	ParamViolation (0.98)	ParamViolation	1.90	[CLS] adjust in main controller settings if necessary [SEP]
Normal	Normal (1.00)	Normal	1.77	[CLS] max flight distance reached . [SEP]
ParamViolation	ParamViolation (0.98)	ParamViolation	2.01	[CLS] adjust

Normal	Normal (1.00)	Normal	1.72	in main controller settings if necessary . [SEP] [CLS] maximum
ParamViolation	ParamViolation (0.98)	ParamViolation	2.10	flight distance reached . [SEP] [CLS] adjust the distance in mc settings if required . [SEP] [CLS] mobile device cpu fully loaded . [SEP] [CLS] related performance will be affected . [SEP] [CLS] mobile device version too old to support hd image transmission and the image transmission mode has been switch to normal mode . [SEP] [CLS] motor is blocked . [SEP] [CLS] motor stuck . [SEP] [CLS] check for objects blocking motor or contact dji support for
Normal	Normal (1.00)	Normal	1.72	
HardwareFault	Normal (0.60)	HardwareFault	2.05	
Normal	Normal (1.00)	Normal	2.24	
SoftwareFault	SoftwareFault (0.90)	SoftwareFault	0.76	
Normal	Normal (1.00)	Normal	1.10	
HardwareFault	HardwareFault (0.99)	HardwareFault	1.51	
Normal	Normal (1.00)	Normal	2.01	

Normal	Normal (1.00)	Normal	1.52	assistance [SEP]
				[CLS] motors started . [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.14	[CLS] no gps signal . [SEP]
Normal	HardwareFault (0.92)	Normal	-0.91	[CLS] aircraft unable to hover . [SEP]
				[CLS] fly with caution [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.14	[CLS] no gps signal . [SEP]
Normal	HardwareFault (0.95)	Normal	-0.89	[CLS] unable to hover . [SEP]
				[CLS] fly with caution [SEP]
Normal	Normal (1.00)	Normal	2.16	[CLS] obstacle avoidance disabled . [SEP]
Normal	Normal (1.00)	Normal	1.82	[CLS] landing gear lowered . [SEP]
				[CLS] obstacle avoidance disabled . [SEP]
Normal	Normal (1.00)	Normal	2.16	[CLS] obstacle avoidance disabled . [SEP]
Normal	Normal (1.00)	Normal	1.82	[CLS] landing gear lowered . [SEP]
				[CLS] obstacle avoidance has been disabled . [SEP]
Normal	Normal (1.00)	Normal	1.68	[CLS] precision

				landing [SEP]
				[CLS]
Normal	Normal (1.00)	Normal	1.94	quickshot has ended [SEP]
				[CLS]
Normal	Normal (1.00)	Normal	1.53	recenter gimbal pan [SEP]
				[CLS]
Normal	Normal (1.00)	Normal	2.32	rectifying aircraft position [SEP]
				[CLS] remote controller in high
SurroundingEnvironment	SurroundingEnvironment (0.97)	SurroundingEnvironment	1.73	interference environment . [SEP]
				[CLS]
Normal	Normal (1.00)	Normal	2.15	manually adjust flight route or return to home [SEP]
				[CLS] return -
Normal	Normal (1.00)	Normal	1.88	to - home altitude : 65ft [SEP]
				[CLS] return -
Normal	Normal (1.00)	Normal	1.68	to - home altitude : 98ft . [SEP]
				[CLS] rth :
Normal	Normal (1.00)	Normal	2.22	ascending to rth altitude . [SEP]
				[CLS] rth :
Normal	Normal (1.00)	Normal	2.02	heading alignment . [SEP]
				[CLS] rth
Normal	Normal (1.00)	Normal	2.14	altitude : 65ft . [SEP]
				[CLS] rth
Normal	Normal (1.00)	Normal	2.00	altitude : 98ft . [SEP]
				[CLS] signal
CommunicationIssue	CommunicationIssue (0.93)	CommunicationIssue	1.58	



				lost . [SEP]
Normal	Normal (1.00)	Normal	2.14	[CLS] aircraft returning to home point [SEP]
Normal	Normal (1.00)	Normal	2.14	[CLS] sprayer turned on [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.98)	SurroundingEnvironment	1.63	[CLS] strong wind warning . [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.32	[CLS] aircraft unable to return to home automatically . [SEP]
Normal	Normal (1.00)	Normal	2.35	[CLS] lower altitude immediately and return to home manually [SEP]
Normal	Normal (1.00)	Normal	1.55	[CLS] switched to s ( sport ) - mode . [SEP]
Normal	Normal (1.00)	Normal	1.26	[CLS] switched to t ( tripod ) - mode . [SEP]
Normal	Normal (1.00)	Normal	2.51	[CLS] take off in p - mode [SEP]
SoftwareFault	HardwareFault (0.90)	SoftwareFault	0.45	[CLS] vision sensor error . [SEP]
Normal	Normal (1.00)	Normal	1.57	[CLS] contact dji support for assistance [SEP]
Normal	Normal (1.00)	Normal	1.73	[CLS] vision systems and obstacle avoidance disabled [SEP]

Normal	Normal (1.00)	Normal	2.27	[CLS] waypoint mission paused [SEP]
SoftwareFault	SoftwareFault (0.98)	SoftwareFault	1.31	[CLS] weak gps signal . [SEP]
Normal	Normal (1.00)	Normal	2.37	[CLS] aircraft is in attitude mode and hovering may be unstable . [SEP]
Normal	Normal (1.00)	Normal	1.92	[CLS] fly with caution . [SEP]
CommunicationIssue	CommunicationIssue (0.94)	CommunicationIssue	1.57	[CLS] weak signal . [SEP]
Normal	Normal (1.00)	Normal	1.79	[CLS] adjust antennas [SEP]
RegulationViolation	RegulationViolation (0.73)	RegulationViolation	2.58	[CLS] your aircraft is flying in an altitude zone ( nnn ) . [SEP]
Normal	Normal (1.00)	Normal	2.14	[CLS] please fly with caution [SEP]