

Legend: ■ Negative □ Neutral ■ Positive

True Label	Predicted Label	Attribution Label	Attribution Score	Word Importance
SurroundingEnvironment	Normal (0.95)	Normal	0.90	[CLS] a passenger aircraft is nearby . [SEP]
				[CLS] fly with caution [SEP]
				[CLS] account not logged in . [SEP]
				[CLS] flight altitude and distance restricted to nnn and nnn . [SEP]
ParamViolation	ParamViolation (0.74)	ParamViolation	1.93	[CLS] check and log in [SEP]
Normal	Normal (0.95)	Normal	1.25	[CLS] activetrack flight paused [SEP]
Normal	Normal (0.95)	Normal	0.50	[CLS] aircraft activetrack available at max speed . [SEP]
Normal	Normal (0.95)	Normal	0.05	[CLS] obstacle avoidance is not available [SEP]
Normal	Normal (0.95)	Normal	0.09	[CLS] aircraft activetrack available at max speed . [SEP]
Normal	Normal (0.95)	Normal	0.05	[CLS] when exceeding nnn , obstacle avoidance is not available [SEP]
Normal	Normal (0.95)	Normal	0.04	[CLS] aircraft

Normal	Normal (0.95)	Normal	0.03	activetrack
				max speed of
				nnn and
				obstacle
				avoidance
HardwareFault	HardwareFault (0.87)	HardwareFault	2.59	functions
				normally
				[SEP]
				[CLS] aircraft
				core board
Normal	Normal (0.95)	Normal	0.49	overheated
				[SEP]
				[CLS] aircraft
				entered fixed
				- wing mode .
Normal	Normal (0.84)	Normal	-2.14	[SEP]
				[CLS] current
				flight speed is
				nnn . [SEP]
				[CLS] press
Normal	Normal (0.95)	Normal	1.05	c2 to exit
				[SEP]
				[CLS] aircraft
				flight control
				unlocked
RegulationViolation	RegulationViolation (0.60)	RegulationViolation	1.75	[SEP]
				[CLS] aircraft
				in restricted
				zones . [SEP]
				[CLS] check
Normal	Normal (0.95)	Normal	-0.37	map to find
				recommended
				zones [SEP]
				[CLS] aircraft
				is in attitude
Normal	Normal (0.95)	Normal	-0.09	mode , so that
				it will not
				hover . [SEP]
				[CLS] please
				fly with
Normal	Normal (0.95)	Normal	0.48	caution .
				[SEP]
				[CLS] aircraft
				is in tripod
				mode . [SEP]
Normal	Normal (0.95)	Normal	-0.13	[CLS] exit
				this mode and
				try again
Normal	Normal (0.95)	Normal	1.56	

				[SEP]
				[CLS] aircraft
				is returning
Normal	Normal (0.95)	Normal	1.14	to the
				starting point
				[SEP]
ParamViolation	ParamViolation (0.74)	ParamViolation	2.01	[CLS] aircraft
				out of range
				[SEP]
RegulationViolation	RegulationViolation (0.61)	RegulationViolation	2.21	[CLS]
				approaching
				a no - fly zone
				. [SEP]
Normal	Normal (0.95)	Normal	0.04	[CLS] rth may
				be affected .
				[SEP]
Normal	Normal (0.95)	Normal	1.35	[CLS] fly with
				caution [SEP]
Normal	Normal (0.95)	Normal	0.28	[CLS] arrived
				at start point
				. [SEP]
Normal	Normal (0.95)	Normal	0.49	[CLS] starting
				waypoint
				mission [SEP]
Normal	Normal (0.95)	Normal	1.37	[CLS] auto
				landing
				initiated
				[SEP]
Normal	Normal (0.95)	Normal	-0.20	[CLS]
				auxiliary
				bottom light
				turned off
				[SEP]
SoftwareFault	SoftwareFault (0.85)	SoftwareFault	1.79	[CLS]
				backward
				obstacle
				sensing is not
				functioning .
				[SEP]
HardwareFault	HardwareFault (0.86)	HardwareFault	1.87	[CLS] battery
				cell broken ,
				please
				replace the
				battery [SEP]
HardwareFault	HardwareFault (0.87)	HardwareFault	1.27	[CLS] battery
				error . [SEP]
				[CLS] aircraft
				returning to

Normal	Normal (0.95)	Normal	1.24	home automatically [SEP]
HardwareFault	HardwareFault (0.87)	HardwareFault	1.91	[CLS] battery power low . [SEP]
Normal	Normal (0.95)	Normal	0.66	[CLS] check battery status and charge or warm up battery [SEP]
HardwareFault	HardwareFault (0.48)	HardwareFault	1.93	[CLS] cache space full [SEP]
SurroundingEnvironment	SoftwareFault (0.85)	SoftwareFault	0.08	[CLS] calibration subject is too close . [SEP]
Normal	Normal (0.95)	Normal	-0.01	[CLS] recalibrate using a subject that is farther away [SEP]
HardwareFault	HardwareFault (0.83)	HardwareFault	1.85	[CLS] camera busy , cannot enter playback [SEP]
SoftwareFault	SoftwareFault (0.85)	SoftwareFault	1.00	[CLS] cannot enable intelligent flight mode [SEP]
HardwareFault	HardwareFault (0.87)	HardwareFault	1.62	[CLS] low battery [SEP]
SoftwareFault	SoftwareFault (0.85)	SoftwareFault	1.37	[CLS] cannot start return to home due to weak gps signal [SEP]
SoftwareFault	SoftwareFault (0.85)	SoftwareFault	1.21	[CLS] cannot start self - timer . [SEP]
SoftwareFault	ParamViolation (0.66)	ParamViolation	0.25	[CLS] exposure time is too long [SEP]

SoftwareFault	SoftwareFault (0.85)	SoftwareFault	1.04	[CLS] cannot switch flight mode . [SEP]
Normal	Normal (0.95)	Normal	0.85	[CLS] turn on " multiple flight modes " to enable atti and sport modes . [SEP]
SoftwareFault	SoftwareFault (0.85)	SoftwareFault	1.17	[CLS] cannot track subject [SEP]
SurroundingEnvironment	SoftwareFault (0.83)	SoftwareFault	-1.69	[CLS] no image [SEP]
Normal	Normal (0.95)	Normal	1.18	[CLS] please retry [SEP]
SoftwareFault	SoftwareFault (0.85)	SoftwareFault	1.17	[CLS] cannot track subject [SEP]
SurroundingEnvironment	SoftwareFault (0.84)	SoftwareFault	0.83	[CLS] subject too large [SEP]
Normal	Normal (0.95)	Normal	0.89	[CLS] move away and retry [SEP]
Normal	Normal (0.95)	Normal	0.17	[CLS] color display in the liveview has been enhanced . [SEP]
Normal	Normal (0.95)	Normal	0.46	[CLS] videos and photos will still be shot in d - log mode [SEP]
HardwareFault	HardwareFault (0.87)	HardwareFault	1.58	[CLS] compass abnormal . [SEP]
Normal	Normal (0.95)	Normal	0.01	[CLS] solution : 1 . ensure there are no magnets or metal objects near the aircraft .

				[SEP]
Normal	Normal (0.95)	Normal	-0.15	[CLS] the ground or walls may contain metal . [SEP]
Normal	Normal (0.95)	Normal	-0.21	[CLS] move away from sources of interference before attempting flight . [SEP]
Normal	Normal (0.95)	Normal	0.19	[CLS] 2 . calibrate compass before takeoff [SEP]
HardwareFault	HardwareFault (0.87)	HardwareFault	1.27	[CLS] compass error [SEP]
HardwareFault	HardwareFault (0.55)	HardwareFault	1.24	[CLS] compass error , calibration required [SEP]
HardwareFault	HardwareFault (0.87)	HardwareFault	1.41	[CLS] compass error . [SEP]
HardwareFault	HardwareFault (0.87)	HardwareFault	1.41	[CLS] compass error . [SEP]
HardwareFault	HardwareFault (0.87)	HardwareFault	1.58	[CLS] compass disconnected [SEP]
HardwareFault	HardwareFault (0.87)	HardwareFault	1.41	[CLS] compass error . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.84)	SurroundingEnvironment	1.34	[CLS] magnetic filed interference . [SEP]
Normal	Normal (0.95)	Normal	1.49	[CLS] exit p - gps mode [SEP]

				[CLS]
SoftwareFault	HardwareFault (0.82)	HardwareFault	0.06	compass initialization failed . [SEP]
Normal	Normal (0.95)	Normal	0.61	[CLS] restart aircraft [SEP]
HardwareFault	HardwareFault (0.87)	HardwareFault	1.84	[CLS] critical low battery . [SEP]
Normal	Normal (0.95)	Normal	0.79	[CLS] aircraft in auto power off protection . [SEP]
Normal	Normal (0.95)	Normal	1.13	[CLS] forced landing in progress [SEP]
HardwareFault	HardwareFault (0.87)	HardwareFault	1.84	[CLS] critical low battery . [SEP]
Normal	Normal (0.95)	Normal	0.80	[CLS] aircraft landing automatically [SEP]
HardwareFault	HardwareFault (0.87)	HardwareFault	1.84	[CLS] critical low battery . [SEP]
Normal	Normal (0.95)	Normal	0.64	[CLS] return to home or land promptly [SEP]
HardwareFault	HardwareFault (0.87)	HardwareFault	2.00	[CLS] critically low power . [SEP]
Normal	Normal (0.95)	Normal	0.74	[CLS] aircraft is landing [SEP]
HardwareFault	HardwareFault (0.87)	HardwareFault	2.00	[CLS] critically low power . [SEP]
Normal	Normal (0.95)	Normal	0.53	[CLS] aircraft landing . [SEP]
Normal	Normal (0.95)	Normal	0.53	[CLS] aircraft landing . [SEP]
				[CLS] throttle up to reduce

Normal	Normal (0.95)	Normal	0.10	the speed of descent and use sticks to avoid obstacles [SEP] [CLS]
HardwareFault	HardwareFault (0.87)	HardwareFault	1.92	critically low voltage warning . [SEP] [CLS] aircraft will be forced to land [SEP] [CLS]
Normal	Normal (0.95)	Normal	0.33	critically low voltage . [SEP] [CLS] aircraft will land [SEP] [CLS] data recorder file index is 15 . [SEP]
HardwareFault	HardwareFault (0.87)	HardwareFault	1.96	[CLS] data recorder file index is 17 . [SEP]
Normal	Normal (0.95)	Normal	0.59	[CLS] data recorder file index is 30 . [SEP]
Normal	Normal (0.95)	Normal	0.33	[CLS] data recorder file index is 45 . [SEP]
Normal	Normal (0.95)	Normal	0.18	[CLS] data recorder file index is 46 . [SEP]
Normal	Normal (0.95)	Normal	0.35	[CLS] data recorder file index is 65 . [SEP]
Normal	Normal (0.95)	Normal	0.04	[CLS] disable sd card read and write
Normal	Normal (0.95)	Normal	0.12	
Normal	Normal (0.95)	Normal	0.22	
Normal	Normal (0.95)	Normal	0.46	

CommunicationIssue	CommunicationIssue (0.45)	CommunicationIssue	1.55	protection or change card [SEP]
				[CLS]
				downlink lost . [SEP]
Normal	Normal (0.95)	Normal	-0.09	[CLS]
				downlink restored (after 0m 2 . 9s) . [SEP]
				[CLS]
Normal	HardwareFault (0.70)	HardwareFault	-1.78	drone is vibrating [SEP]
				[CLS]
				entered cruise control mode . [SEP]
Normal	Normal (0.95)	Normal	1.21	[CLS]
				press c1 or c2 to exit [SEP]
				[CLS]
ParamViolation	ParamViolation (0.75)	ParamViolation	2.01	excessive attitude angle detected [SEP]
				[CLS]
				forward obstacle avoidance has stopped working [SEP]
SoftwareFault	SoftwareFault (0.73)	SoftwareFault	1.36	[CLS]
				exit backward sensing system [SEP]
				[CLS]
SurroundingEnvironment	SurroundingEnvironment (0.84)	SurroundingEnvironment	1.92	ambient light is too weak [SEP]
				[CLS]
				exited visual avoidance system . [SEP]
Normal	Normal (0.95)	Normal	1.04	[CLS]
				avoidance system . [SEP]
				[CLS]
SoftwareFault	SoftwareFault (0.85)	SoftwareFault	1.17	exiting gps mode : unknown error [SEP]
				[CLS]
				[CLS]

ParamViolation	ParamViolation (0.75)	ParamViolation	1.94	[CLS] extra payload detected . [SEP]
Normal	Normal (0.95)	Normal	0.71	[CLS] flight performance will be affected . [SEP]
Normal	Normal (0.95)	Normal	1.35	[CLS] fly with caution [SEP]
SoftwareFault	SoftwareFault (0.85)	SoftwareFault	1.64	[CLS] forward obstacle sensing is not functioning . [SEP]
SoftwareFault	SoftwareFault (0.85)	SoftwareFault	1.76	[CLS] forward obstacle sensing not responding [SEP]
HardwareFault	HardwareFault (0.87)	HardwareFault	2.09	[CLS] gimbal motor overloaded . [SEP]
Normal	Normal (0.95)	Normal	0.24	[CLS] check whether gimbal can rotate freely [SEP]
HardwareFault	HardwareFault (0.86)	HardwareFault	1.88	[CLS] gimbal pitch limit reached . [SEP]
Normal	Normal (0.95)	Normal	-0.84	[CLS] ground plain . [SEP]
Normal	Normal (0.95)	Normal	0.60	[CLS] safe to land . [SEP]
ParamViolation	ParamViolation (0.75)	ParamViolation	1.68	[CLS] high altitude . [SEP]
Normal	ParamViolation (0.38)	ParamViolation	-2.39	[CLS] aircraft braking distance increased and flight time decreased . [SEP]

Normal	Normal (0.95)	Normal	1.35	[CLS] fly with caution [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.83)	SurroundingEnvironment	1.56	[CLS] high wind velocity . [SEP]
Normal	Normal (0.95)	Normal	0.15	[CLS] ensure the aircraft remains within your line of sight and fly with caution . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.83)	SurroundingEnvironment	1.56	[CLS] high wind velocity . [SEP]
Normal	Normal (0.95)	Normal	0.15	[CLS] ensure the aircraft remains within your line of sight and fly with caution . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.83)	SurroundingEnvironment	1.56	[CLS] high wind velocity . [SEP]
Normal	Normal (0.95)	Normal	-0.28	[CLS] fly with caution and land in a safe place asap . [SEP]
Normal	ParamViolation (0.76)	ParamViolation	-1.98	[CLS] high - altitude flight [SEP]
Normal	Normal (0.95)	Normal	1.35	[CLS] fly with caution [SEP]
Normal	ParamViolation (0.47)	ParamViolation	-1.42	[CLS] aircraft braking distance is extended [SEP]
Normal	ParamViolation (0.63)	ParamViolation	-1.99	[CLS] flight time is shortened . [SEP]
Normal	Normal (0.95)	Normal	1.00	[CLS] home

ParamViolation	ParamViolation (0.64)	ParamViolation	1.72	point updated . [SEP]
				[CLS] imu attitude restricted . [SEP]
				[CLS] ensure
Normal	Normal (0.95)	Normal	0.83	aircraft is level [SEP]
SoftwareFault	Normal (0.95)	Normal	-0.20	[CLS] imu not calibrated . [SEP]
				[CLS]
Normal	Normal (0.95)	Normal	1.77	calibrate imu [SEP]
Normal	Normal (0.95)	Normal	-0.63	[CLS] landing canceled . [SEP]
				[CLS] landing gear function restored [SEP]
Normal	Normal (0.95)	Normal	0.70	[CLS] landing gear paused . [SEP]
				[CLS] landing gear raising . [SEP]
Normal	Normal (0.95)	Normal	0.59	[CLS] home point recorded [SEP]
				[CLS] live stream video frame rate less than 9hz . [SEP]
Normal	Normal (0.95)	Normal	1.35	[CLS] fly with caution [SEP]
				[CLS] low power . [SEP]
HardwareFault	HardwareFault (0.87)	HardwareFault	1.73	[CLS] aircraft is returning to the home point . [SEP]
Normal	Normal (0.95)	Normal	0.51	[CLS] low power . [SEP]
HardwareFault	HardwareFault (0.87)	HardwareFault	1.73	

Normal	Normal (0.95)	Normal	0.79	[CLS] returning home . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.84)	SurroundingEnvironment	1.34	[CLS] magnetic filed interference . [SEP]
Normal	Normal (0.95)	Normal	0.97	[CLS] exit p - gps mode . [SEP]
HardwareFault	HardwareFault (0.87)	HardwareFault	2.10	[CLS] yaw error . [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.40)	SurroundingEnvironment	1.34	[CLS] manned aircraft detected nearby . [SEP]
Normal	Normal (0.95)	Normal	1.35	[CLS] fly with caution [SEP]
ParamViolation	ParamViolation (0.72)	ParamViolation	1.31	[CLS] max altitude approached . [SEP]
Normal	Normal (0.95)	Normal	0.11	[CLS] wait for the gps satellite signal recovery before ascend [SEP]
ParamViolation	ParamViolation (0.76)	ParamViolation	1.83	[CLS] max flight altitude reached . [SEP]
Normal	Normal (0.95)	Normal	1.37	[CLS] adjust in main controller settings if necessary [SEP]
ParamViolation	ParamViolation (0.75)	ParamViolation	1.87	[CLS] max flight distance reached . [SEP]
				[CLS] adjust

Normal	Normal (0.95)	Normal	0.89	in main controller settings if necessary . [SEP] [CLS] maximum
ParamViolation	ParamViolation (0.75)	ParamViolation	1.99	flight distance reached . [SEP] [CLS] adjust the distance
Normal	Normal (0.95)	Normal	0.37	in mc settings if required . [SEP] [CLS] mobile
HardwareFault	HardwareFault (0.80)	HardwareFault	2.24	device cpu fully loaded . [SEP] [CLS] related performance
Normal	Normal (0.95)	Normal	1.13	will be affected . [SEP] [CLS] mobile device version too
SoftwareFault	Normal (0.84)	Normal	0.27	old to support hd image transmission and the image transmission mode has been switch to normal mode . [SEP] [CLS] motor
Normal	Normal (0.95)	Normal	0.45	is blocked . [SEP] [CLS] motor stuck . [SEP] [CLS] check
HardwareFault	HardwareFault (0.87)	HardwareFault	1.68	for objects blocking motor or
Normal	Normal (0.95)	Normal	0.24	contact dji support for

				assistance [SEP]
Normal	HardwareFault (0.84)	HardwareFault	-1.90	[CLS] motors started . [SEP]
SoftwareFault	SoftwareFault (0.85)	SoftwareFault	1.58	[CLS] no gps signal . [SEP]
Normal	HardwareFault (0.86)	HardwareFault	-1.22	[CLS] aircraft unable to hover . [SEP]
Normal	Normal (0.95)	Normal	1.35	[CLS] fly with caution [SEP]
SoftwareFault	SoftwareFault (0.85)	SoftwareFault	1.58	[CLS] no gps signal . [SEP]
Normal	HardwareFault (0.86)	HardwareFault	-1.34	[CLS] unable to hover . [SEP]
Normal	Normal (0.95)	Normal	1.35	[CLS] fly with caution [SEP]
Normal	Normal (0.95)	Normal	0.57	[CLS] obstacle avoidance disabled . [SEP]
Normal	Normal (0.95)	Normal	0.78	[CLS] landing gear lowered . [SEP]
Normal	Normal (0.95)	Normal	0.57	[CLS] obstacle avoidance disabled . [SEP]
Normal	Normal (0.95)	Normal	0.57	[CLS] obstacle avoidance disabled . [SEP]
Normal	Normal (0.95)	Normal	0.78	[CLS] landing gear lowered . [SEP]
Normal	Normal (0.95)	Normal	0.26	[CLS] obstacle avoidance has been disabled . [SEP]
Normal	Normal (0.95)	Normal	1.13	[CLS] precision

Normal	Normal (0.95)	Normal	1.54	landing [SEP]
				[CLS]
				quickshot has ended [SEP]
Normal	Normal (0.95)	Normal	0.32	[CLS]
				recenter
				gimbal pan [SEP]
Normal	Normal (0.95)	Normal	0.45	[CLS]
				rectifying
				aircraft
SurroundingEnvironment	SurroundingEnvironment (0.84)	SurroundingEnvironment	1.65	position [SEP]
				[CLS] remote controller in
				high interference environment . [SEP]
Normal	Normal (0.95)	Normal	0.67	[CLS]
				manually
				adjust flight route or return to home [SEP]
Normal	Normal (0.95)	Normal	0.25	[CLS] return -
				to - home
				altitude : 65ft [SEP]
Normal	Normal (0.95)	Normal	0.19	[CLS] return -
				to - home
				altitude : 98ft . [SEP]
Normal	Normal (0.95)	Normal	-0.07	[CLS] rth :
				ascending to
				rth altitude . [SEP]
Normal	Normal (0.95)	Normal	0.94	[CLS] rth :
				heading
				alignment . [SEP]
Normal	Normal (0.95)	Normal	-0.21	[CLS] rth
				altitude : 65ft
				. [SEP]
Normal	Normal (0.95)	Normal	-0.16	[CLS] rth
				altitude : 98ft
				. [SEP]
CommunicationIssue	CommunicationIssue (0.45)	CommunicationIssue	1.60	[CLS] signal

Normal	Normal (0.95)	Normal	1.05	lost . [SEP]
				[CLS] aircraft
				returning to home point [SEP]
Normal	Normal (0.95)	Normal	1.59	[CLS] sprayer turned on [SEP]
SurroundingEnvironment	SurroundingEnvironment (0.82)	SurroundingEnvironment	1.53	[CLS] strong wind warning . [SEP]
				[CLS] aircraft unable to return to home automatically . [SEP]
SoftwareFault	SoftwareFault (0.85)	SoftwareFault	1.30	[CLS] lower altitude immediately and return to home manually [SEP]
Normal	Normal (0.95)	Normal	0.57	[CLS] switched to s (sport) - mode . [SEP]
Normal	Normal (0.95)	Normal	0.52	[CLS] switched to t (tripod) - mode . [SEP]
Normal	Normal (0.95)	Normal	0.13	[CLS] take off in p - mode [SEP]
SoftwareFault	SoftwareFault (0.39)	SoftwareFault	0.63	[CLS] vision sensor error . [SEP]
Normal	Normal (0.95)	Normal	1.10	[CLS] contact dji support for assistance [SEP]
Normal	Normal (0.95)	Normal	0.35	[CLS] vision systems and obstacle avoidance disabled [SEP]

Normal	Normal (0.95)	Normal	1.23	[CLS]
				waypoint
				mission
				paused [SEP]
SoftwareFault	SoftwareFault (0.85)	SoftwareFault	1.71	[CLS] weak
				gps signal .
				[SEP]
				[CLS] aircraft
Normal	Normal (0.95)	Normal	0.38	is in attitude
				mode and
				hovering may
				be unstable .
Normal	Normal (0.95)	Normal	0.64	[SEP]
				[CLS] fly with
				caution .
				[SEP]
CommunicationIssue	CommunicationIssue (0.46)	CommunicationIssue	1.56	[CLS] weak
				signal . [SEP]
				[CLS] adjust
				antennas
Normal	Normal (0.95)	Normal	0.96	[SEP]
				[CLS] your
				aircraft is
				flying in an
RegulationViolation	RegulationViolation (0.60)	RegulationViolation	2.55	altitude zone
				(nnn) . [SEP]
				[CLS] please
				fly with
Normal	Normal (0.95)	Normal	0.79	caution [SEP]