Name: SWARNAVA CHAURABORTY

Date: 08-01-2020

Roll no. 20

Dept-CSE year, 4th

Subject code: CS705A

1)a) ans: (ii)

1) b) ans: (i)

1) c) aus: (iv)

1) d) ans: (ii)

)e) ans: (1)

2) a) block qutote :-

In the HTML <610ckquote> tag is used for indicating long quotations (i.e. aprultiple lines).

It should contain only block-level elements within it, and not just plain short tent.

This tag supports all the global attributes of event attributes. It's specific attribute is 'cite". This tug supported by chrome, Frefox, IF, Operal, Safati, Android, etc.

Stample >

The egs tag is an inline element "sed to designate that the enclosed tent is a short quotation.

It is useful when we need to put a ashert quote onto a web page that doesn't require paragraph breaks.

Example of 9 & blockquote:
DOCTYPE html
<html></html>
<pre> <head> </head></pre> <pre> <head> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> </pre> <pre> <pre> </pre> <pre> <pre> <pre> <pre> <pre> </pre> <pre> <pre> </pre> <pre> <pre> </pre> <pre> <pre> <pre> <pre> <pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> </pre> <pre> <pre> <pre> <pre> <pre> <pre> </pre> <pre> </pre> <pre> <pre< td=""></pre<></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></head></pre>
(Thead)
Lblockquote > Pog is a
quote Cx units B
Dog is a drust.
Dog is a lord devote animal".
ID selector and Class Selector:
In HTML, tag is used for selectoria, But
INA CON CRETINE UVI UWN SERECTUR IN C.

ID Selector and Class Selector:—
In HTML, tag is used for selectoria, But
we can define our own selector in CSS
using class selector, Id selector, etc.
The were fit is we can choose our own styling
on any while elements.
Selectors identify the While element.

3)

CSS selector Syntax'

> selector -proporty \_\_value

P { colon: red;

borden: 1px solid blue;

Here we define class selecture as name and id seclector of # name

Enample of class selection & II selector :

· c lass - nav { background-colon : yellow,

# Had-head & backgground-color ; black,

GET Method

1) It can be cached 1) This request can be cashed.

- 2) This request remain in the browson history.
- 3) This regust can be bookmorked.
- 4) This request have length restriction.

Post Method

- 1) The's request we vever cached
- 2) This request not remain in browser
- 3) This can't be bookmarked,
- 2) This request have no restriction on dela length,

4)

Working of an email-delivery system using SMTP:

A SMTP client who wants to send the movil will contact the destination's host SMTP directly in order to send the movil to the destination,

The SMTP server will keep the movil to itself until it is successfully copied to the treceiver's SMTP.