




DATA CONCEPTS PRIMER

# The corridors dataset, explained.

A short guide to the ideas the data is built on: what a place is, how demand is described, and how it all pins to the map.

This dataset profiles two US metros - **New York City** and **Dallas-Fort Worth** - as networks of commercial districts. Every record ties back to one district, and each concept is a different lens on the same ground: who is there, what would do well there, and exactly where "there" is.

6-8 MINUTE READ | 7 CONCEPTS

**2**

METROS

**137**

CORRIDORS

**6,684**

FIT SCORES

**~17k**

MAPPED PLACES

**~65 m**

FINEST GRAIN

01


# Corridor

THE UNIT OF ANALYSIS

A **corridor** is a named commercial district - a walkable stretch of shops, transit, and daily life, drawn so it behaves as a single place. It is the spine of the dataset: audiences, scores, anchors, and geometry all attach to a corridor.

| **65 in New York City, 72 in Dallas-Fort Worth**, as macro districts with finer sub-corridors nested inside.

| Each carries a plain-English character note, its neighborhoods, and named **anchors** - the landmarks that pull traffic.



02

# Audience segment

WHO SHOWS UP, AND WHEN


Demand is described through **55 audience personas** - morning commuters, luxury shoppers, hospital workers, park-goers. Each corridor scores every segment from 1 to 7.

| Segments group into families by time of day - morning, daytime, evening.

| Paired with daypart density, so the data shows **when** a place is alive, not only who fills it.

## Activity across the day

each corridor scored for 55 audience segments



DAYPART RHYTHM

ILLUSTRATIVE

03

# Archetype

A BUSINESS FORMAT, DEFINED BY RULES

An **archetype** is a template for a kind of venue - a residential-amenity cafe, a stadium concession, a neighborhood restaurant. Each names the demand signals it needs to work, and the substitutions it forbids.

| 31 cafe archetypes in NYC; Dallas-Fort Worth adds restaurants for **67 in total**.

| Every archetype declares a **required gate** - the condition without which it cannot exist there.

### Residential-amenity cafe

REQUIRES: an on-site resident base

PRIMARY

resident density

PRIMARY

daytime footfall

SUPPORT

transit access

SUPPORT

local errands

EXCLUDED

~~airport passenger flow~~

ARCHETYPE SIGNAL CONTRACT

EXAMPLE

04

# Fit score

HOW WELL A FORMAT SUITS A PLACE

For every corridor-archetype pair, the data gives a **0-1 score** and a tier, from STRONG\_FIT down to GATED\_OUT. It also shows the work: each contributing signal, its weight, and its share of the total.

- | **1,860 scores in NYC, 4,824 in DFW** - one for every place-and-format combination.
- | The richer records break the score into **contributions**, so a recommendation can always explain itself.



05


# Special zone

THE TRAFFIC MAGNETS

Some places generate demand far beyond their footprint: stadiums, airports, campuses, hospitals, malls. These are **special zones**, laid over the corridors they influence.

| **25 zones in NYC, 37 in DFW**, each listing the host corridors it touches.

| Types include stadium, airport, campus, hospital, and mall.



06


# H3 hexes

THE GEOGRAPHIC GRAIN

To pin everything to the ground, the data uses **H3**, an open system that tiles the planet in hexagons. A hexagon is essentially a map pixel - chosen over squares because every neighbor sits the same distance away, which keeps what-is-nearby math clean.


| **Resolution is zoom.** H3-10 cells span ~65 m; the coarser H3-9 (~180 m) is lighter to draw.

| **Ownership** assigns each cell to exactly one corridor - NYC ships 81,767 as a non-overlapping mosaic.



one H3-9 cell ~180 m

holds finer H3-10 cells ~65 m



each cell -> one corridor

(no overlaps)

RESOLUTION AND OWNERSHIP

H3-9 / H3-10

**Read with care:** New York City hex ownership is canonical - real boundaries. Dallas-Fort Worth hexes are an activity display envelope, not property lines.

07


# Places and map context

THE REAL COORDINATES

Alongside the abstractions sit roughly **17,000 real, named places** with latitude and longitude - cafes, groceries, clinics, workplaces, culture - grouped by family. Because the coordinates travel with the data, it maps on its own.

| Sampled to a representative set per district, so a map stays legible.

| Categories include food & drink, retail, medical, workplace, grocery, and culture.



--

# The data, in four files

EVERYTHING JOINS ON SHARED IDS

| File                          | Holds                                                       | Scale        |
|-------------------------------|-------------------------------------------------------------|--------------|
| NYC_CORRIDORS.full.json       | Corridors, audiences, archetypes, scores, zones, map points | 65 corridors |
| NYC...H3_10_OWNERSHIP.json    | Which corridor owns each hexagon, plus a display projection | 81,767 cells |
| DALLAS_FORT_WORTH...full.json | The same shape, with cafe and restaurant archetypes         | 72 corridors |
| EXPORT_MANIFEST.json          | Record counts, byte sizes, and checksums                    | reference    |

HOW TO READ THE NUMBERS

Dayparts are **relative indices**, not foot-traffic counts. A few behavioral measures - crime perception, opportunity whitespace - are **expert estimates**, and the data labels them as such.