Cucumber Report

| Start : Dec 18, 12:38:44.006 pm	End : Dec 18, 12:44:58.928 pm	Duration : 6 m 14.922 s
Features	Scenarios	Steps
PASSED - 2 FAILED - 3 SKIPPED - 0	PASSED - 6 FAILED - 8 SKIPPED - 0	PASSED - 83 FAILED - 8 SKIPPED - 69

Features: 5

Scenarios: 14

Steps: 160

Pass % — 40 %

Pass % — 42 %

Pass % — 51 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Desktops Page Test Feature	2 m 54.956 s	7	1	6	0	96	42	6	48
Laptops And Notebooks Page Test Feature	1 m 1.694 s	2	1	1	0	33	14	1	18
MyAccount Login Page Test Feature	38.233 s	1	0	1	0	11	7	1	3
MyAccount Register Page Test Feature	47.946 s	2	2	0	0	10	10	0	0
TopMenu Test Feature	52.030 s	2	2	0	0	10	10	0	0

| #	Feature Name	Scenario Name
1	*Desktops Page Test Feature*	*Verify Product Added To Shopping Cart SuccessFully*
2		*Verify Product Added To Shopping Cart SuccessFully*
3		*Verify Product Added To Shopping Cart SuccessFully*
4		*Verify Product Added To Shopping Cart SuccessFully*
5		*Verify Product Added To Shopping Cart SuccessFully*
6		*Verify Product Added To Shopping Cart SuccessFully*
7	*Laptops And Notebooks Page Test Feature*	*Verify That User Place Order Successfully*
8	*MyAccount Login Page Test Feature*	*Verify That User Should Login And Logout Successfully*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@Smoke	14	6	8	0	5	2	3	0
@Sanity	5	4	1	0	5	2	3	0
@Asha	14	6	8	0	5	2	3	0
@Regression	14	6	8	0	5	2	3	0

#	Feature Name	T	P	F	S	Duration
1	Desktops Page Test Feature	7	1	6	0	2 m 54.956 s
2	Laptops And Notebooks Page Test Feature	2	1	1	0	1 m 1.694 s
3	MyAccount Login Page Test Feature	1	0	1	0	38.233 s
4	MyAccount Register Page Test Feature	2	2	0	0	47.946 s
5	TopMenu Test Feature	2	2	0	0	52.030 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Desktops Page Test Feature	Verify Product Arrange In Alphabetical Order	6	6	0	0	17.357 s
2		Verify Product Added To Shopping Cart SuccessFully	15	6	1	8	12.702 s
3		Verify Product Added To Shopping Cart SuccessFully	15	6	1	8	12.545 s
4		Verify Product Added To Shopping Cart SuccessFully	15	6	1	8	28.481 s
5		Verify Product Added To Shopping Cart SuccessFully	15	6	1	8	29.092 s
6		Verify Product Added To Shopping Cart SuccessFully	15	6	1	8	40.662 s
7		Verify Product Added To Shopping Cart SuccessFully	15	6	1	8	34.017 s
8	Laptops And Notebooks Page Test Feature	User should see the Product price display in High to Low order from Sort by	6	6	0	0	31.590 s
9		Verify That User Place Order Successfully	27	8	1	18	30.097 s
10	MyAccount Login Page Test Feature	Verify That User Should Login And Logout Successfully	11	7	1	3	38.233 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	MyAccount Register Page Test Feature	Verify User Should Navigate To Register Page Successfully	5	5	0	0	27.207 s
12		Verify User Should Navigate To Login Page Successfully	5	5	0	0	20.731 s
13	TopMenu Test Feature	Verify User Should Navigate To Desktops Page Successfully	5	5	0	0	29.429 s
14		Verify User Should Navigate To Laptops And Notebooks Page Successfully	5	5	0	0	22.596 s

Desktops Page Test Feature

FAILED	DURATION - 2 m 54.956 s	Scenarios Total - 7 Pass - 1 Fail - 6 Skip - 0	Steps Total - 96 Pass - 42 Fail - 6 Skip - 48
/ 12:38:44.006 pm // 12:41:38.962 pm /			

Verify Product Arrange In Alphabetical Order

PASSED	DURATION - 17.357 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0
/ 12:38:44.010 pm // 12:39:01.367 pm /			
Desktops Page Test Feature			
@Smoke @Sanity @Asha @Regression			

#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.200 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	0.862 s
3	When User mouse hover on Desktops tab and click on it	PASSED	0.171 s
4	And User click on Show All Desktops Option	PASSED	5.859 s
5	And User click on sort By Position Name: Z to A	PASSED	0.917 s
6	Then User should see products are arranged in Descending order	PASSED	0.260 s

Verify Product Added To Shopping Cart SuccessFully

FAILED	DURATION - 12.702 s

/ 12:39:01.414 pm // 12:39:14.116 pm /

Desktops Page Test Feature

@Smoke @Asha @Regression

Steps
Total - 15
Pass - 6
Fail - 1
Skip - 8

15

| #	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.180 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	0.870 s
3	When User mouse hover on Desktops tab and click on it	PASSED	0.154 s
4	And User click on Show All Desktops Option	PASSED	1.571 s
5	And User click on sort By Position Name: A to Z	PASSED	0.593 s
6	And User select the product "HTC Touch HD"	PASSED	1.493 s
7	Then User should navigate to the product page and see text for the product's name	FAILED	0.003 s
	io.cucumber.core.exception.CucumberException: Step [User should navigate to the product page and see text for the product's name] is defined with 1 parameters at 'com.tutorialninja.demo.steps.ProductPageTestSteps. userShouldNavigateToTheProductPageAndSeeTextForTheProductSName(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User should navigate to the product page and see text for the product's name
  at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)
  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)
  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)
  at io.cucumber.core.runner.TestStep.run(TestStep.java:56)
  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
  at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)
  at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)
  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)
  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)
  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)
  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
 at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |

| #	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
8	And User enter the Qty require as "1"	SKIPPED	0.000 s
9	And User click on Add to cart button	SKIPPED	0.000 s
10	Then User should able to verify the message "Success: You have added "product" to your shopping cart!"	SKIPPED	0.000 s
11	And user click on Link Shopping Cart display into success message	SKIPPED	0.000 s
12	Then USer should able to verify the text "Shopping Cart"	SKIPPED	0.000 s
13	Then User should able to verify the product name "product"	SKIPPED	0.001 s
14	Then User should able to verify the Model "Product 1"	SKIPPED	0.000 s
15	Then User should able to verify the Total "£74.73"	SKIPPED	0.001 s
	AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) Verify Product Added To Shopping Cart SuccessFully 	PASSED	0.381 s

Verify Product Added To Shopping Cart SuccessFully

FAILED	*DURATION - 12.545 s*	Steps	
/ 12:39:14.126 pm // 12:39:26.671 pm /		Total - 15	15
Desktops Page Test Feature		Pass - 6 / Fail - 1	
@Smoke @Asha @Regression		Skip - 8	

#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.182 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	0.915 s
3	When User mouse hover on Desktops tab and click on it	PASSED	0.178 s
4	And User click on Show All Desktops Option	PASSED	1.429 s
5	And User click on sort By Position Name: A to Z	PASSED	0.540 s
6	And User select the product "iPhone"	PASSED	1.531 s
7	Then User should navigate to the product page and see text for the product's name	FAILED	0.002 s

	io.cucumber.core.exception.CucumberException: Step [User should navigate to the product page and see text for the product's name] is defined with 1 parameters at 'com.tutorialninja.demo.steps.ProductPageTestSteps. userShouldNavigateToTheProductPageAndSeeTextForTheProductSName(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User should navigate to the product page and see text for the product's name
	     at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)
	     at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)
	     at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	     at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)
	     at io.cucumber.core.runner.TestStep.run(TestStep.java:56)
	     at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	     at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
	     at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	     at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)
	     at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)
	     at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
	     at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)
	     at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)
	     at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)
	     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
8	And User enter the Qty require as "1"	SKIPPED	0.000 s
9	And User click on Add to cart button	SKIPPED	0.000 s
10	Then User should able to verify the message "Success: You have added "product" to your shopping cart!"	SKIPPED	0.000 s
11	And user click on Link Shopping Cart display into success message	SKIPPED	0.001 s
12	Then USer should able to verify the text "Shopping Cart"	SKIPPED	0.001 s
13	Then User should able to verify the product name "product"	SKIPPED	0.001 s
14	Then User should able to verify the Model "product 11"	SKIPPED	0.000 s
15	Then User should able to verify the Total "£75.46"	SKIPPED	0.001 s
	AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.385 s
	Verify Product Added To Shopping Cart SuccessFully		

#	Step / Hook Details	Status	Duration

Verify Product Added To Shopping Cart SuccessFully

FAILED	*DURATION - 28.481 s*		Steps
/ 12:39:26.682 pm // 12:39:55.163 pm /			Total - 15
			Pass - 6
Desktops Page Test Feature			Fail - 1
@Smoke @Asha @Regression			Skip - 8

#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.169 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	0.902 s
3	When User mouse hover on Desktops tab and click on it	PASSED	0.156 s
4	And User click on Show All Desktops Option	PASSED	4.271 s
5	And User click on sort By Position Name: A to Z	PASSED	1.288 s
6	And User select the product "iPod Classic"	PASSED	7.193 s
7	Then User should navigate to the product page and see text for the product's name	FAILED	0.002 s
	io.cucumber.core.exception.CucumberException: Step [User should navigate to the product page and see text for the product's name] is defined with 1 parameters at 'com.tutorialninja.demo.steps.ProductPageTestSteps. userShouldNavigateToTheProductPageAndSeeTextForTheProductSName(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User should navigate to the product page and see text for the product's name at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		

#	Step / Hook Details	Status	Duration
	at io.cumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
8	And User enter the Qty require as "1"	SKIPPED	0.000 s
9	And User click on Add to cart button	SKIPPED	0.000 s
10	Then User should able to verify the message "Success: You have added "product" to your shopping cart!"	SKIPPED	0.000 s
11	And user click on Link Shopping Cart display into success message	SKIPPED	0.000 s
12	Then USer should able to verify the text "Shopping Cart"	SKIPPED	0.000 s
13	Then User should able to verify the product name "product"	SKIPPED	0.000 s

| #	Step / Hook Details	Status	Duration
14	Then User should able to verify the Model "product 20"	SKIPPED	0.000 s
15	Then User should able to verify the Total "£74.73"	SKIPPED	0.001 s
	AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.336 s
	Verify Product Added To Shopping Cart SuccessFully		

Verify Product Added To Shopping Cart SuccessFully

FAILED	DURATION - 29.092 s
/ 12:39:55.172 pm // 12:40:24.264 pm /	
Desktops Page Test Feature	
@Smoke @Asha @Regression	

Steps
Total - 15
Pass - 6
Fail - 1
Skip - 8

#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.158 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	0.865 s
3	When User mouse hover on Desktops tab and click on it	PASSED	0.146 s
4	And User click on Show All Desktops Option	PASSED	4.675 s
5	And User click on sort By Position Name: A to Z	PASSED	0.517 s
6	And User select the product "MacBook"	PASSED	5.008 s
7	Then User should navigate to the product page and see text for the product's name	FAILED	0.001 s

	io.cucumber.core.exception.CucumberException: Step [User should navigate to the product page and see text for the product's name] is defined with 1 parameters at 'com.tutorialninja.demo.steps.ProductPageTestSteps. userShouldNavigateToTheProductPageAndSeeTextForTheProductSName(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User should navigate to the product page and see text for the product's name
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)
	    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
8	And User enter the Qty require as "1"	SKIPPED	0.000 s
9	And User click on Add to cart button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
10	Then User should able to verify the message "Success: You have added "product" to your shopping cart!"	SKIPPED	0.000 s
11	And user click on Link Shopping Cart display into success message	SKIPPED	0.000 s
12	Then USer should able to verify the text "Shopping Cart"	SKIPPED	0.000 s
13	Then User should able to verify the product name "product"	SKIPPED	0.000 s
14	Then User should able to verify the Model "Product 16"	SKIPPED	0.000 s
15	Then User should able to verify the Total "£368.73"	SKIPPED	0.000 s
	AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.373 s
	Verify Product Added To Shopping Cart SuccessFully		

## Verify Product Added To Shopping Cart SuccessFully

FAILED	DURATION - 40.662 s		Steps
/ 12:40:24.277 pm // 12:41:04.939 pm /			Total - 15
			Pass - 6
Desktops Page Test Feature			Fail - 1
			Skip - 8
@Smoke @Asha @Regression			15

#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.157 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	0.845 s
3	When User mouse hover on Desktops tab and click on it	PASSED	0.179 s
4	And User click on Show All Desktops Option	PASSED	3.932 s
5	And User click on sort By Position Name: A to Z	PASSED	0.525 s
6	And User select the product "MacBook Air"	PASSED	10.879 s
7	Then User should navigate to the product page and see text for the product's name	FAILED	0.002 s
	io.cucumber.core.exception.CucumberException: Step [User should navigate to the product page and see text for the product's name] is defined with 1 parameters at 'com.tutorialninja.demo.steps.ProductPageTestSteps.		

| #	Step / Hook Details	Status	Duration

	userShouldNavigateToTheProductPageAndSeeTextForTheProductSName(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User should navigate to the product page and see text for the product's name
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)
	    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)
	    at io.cucumber.core.runner.TestStep.run(TestStep.java:56)
	    at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	    at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
	    at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	    at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)
	    at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)
	    at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
	    at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)
	    at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)
	    at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)
	    at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)
	    at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)
	    at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)
	    at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)
	    at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)
	    at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)
	    at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)
	    at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
	    at org.testng.TestRunner.privateRun(TestRunner.java:848)
	    at org.testng.TestRunner.run(TestRunner.java:621)
	    at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)
	    at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)
	    at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)
	    at org.testng.SuiteRunner.run(SuiteRunner.java:336)
	    at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
	    at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)
	    at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)
	    at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)
	    at org.testng.TestNG.runSuites(TestNG.java:1114)
	    at org.testng.TestNG.run(TestNG.java:1082)		

#	Step / Hook Details	Status	Duration
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
8	And User enter the Qty require as "1"	SKIPPED	0.001 s
9	And User click on Add to cart button	SKIPPED	0.000 s
10	Then User should able to verify the message "Success: You have added "product" to your shopping cart!"	SKIPPED	0.000 s
11	And user click on Link Shopping Cart display into success message	SKIPPED	0.000 s
12	Then USer should able to verify the text "Shopping Cart"	SKIPPED	0.000 s
13	Then User should able to verify the product name "product"	SKIPPED	0.001 s
14	Then User should able to verify the Model "Product 17"	SKIPPED	0.000 s
15	Then User should able to verify the Total "£736.23"	SKIPPED	0.000 s
	AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) Verify Product Added To Shopping Cart SuccessFully 	PASSED	0.400 s

Verify Product Added To Shopping Cart SuccessFully

FAILED	DURATION - 34.017 s		Steps	
/ 12:41:04.945 pm // 12:41:38.962 pm /			Total - 15	
			Pass - 6	
Desktops Page Test Feature			Fail - 1	
@Smoke @Asha @Regression			Skip - 8	

| #	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.152 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	0.905 s
3	When User mouse hover on Desktops tab and click on it	PASSED	0.167 s
4	And User click on Show All Desktops Option	PASSED	5.206 s
5	And User click on sort By Position Name: A to Z	PASSED	0.714 s

#	Step / Hook Details	Status	Duration
6	And User select the product "Sony VAIO"	PASSED	7.106 s
7	Then User should navigate to the product page and see text for the product's name	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Step [User should navigate to the product page and see text for the product's name] is defined with 1 parameters at 'com.tutorialninja.demo.steps.ProductPageTestSteps. userShouldNavigateToTheProductPageAndSeeTextForTheProductSName(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User should navigate to the product page and see text for the product's name		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
8	And User enter the Qty require as "1"	SKIPPED	0.001 s
9	And User click on Add to cart button	SKIPPED	0.000 s
10	Then User should able to verify the message "Success: You have added "product" to your shopping cart!"	SKIPPED	0.001 s
11	And user click on Link Shopping Cart display into success message	SKIPPED	0.000 s
12	Then USer should able to verify the text "Shopping Cart"	SKIPPED	0.000 s
13	Then User should able to verify the product name "product"	SKIPPED	0.000 s
14	Then User should able to verify the Model "Product 19"	SKIPPED	0.000 s
15	Then User should able to verify the Total "£736.23"	SKIPPED	0.000 s
	AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) Verify Product Added To Shopping Cart SuccessFully 	PASSED	0.451 s

Laptops And Notebooks Page Test Feature

| FAILED	DURATION - 1 m 1.694 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 33 Pass - 14 Fail - 1 Skip - 18	
/ 12:41:38.985 pm // 12:42:40.679 pm /					

User should see the Product price display in High to Low order from Sort by

PASSED	*DURATION - 31.590 s*

/ 12:41:38.985 pm // 12:42:10.575 pm /

Laptops And Notebooks Page Test Feature

@Smoke @Sanity @Asha @Regression

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.153 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	0.877 s
3	When User mouse hover on Laptops & Notebooks tab and click on it	PASSED	0.163 s
4	And User click on Show All Laptops & Notebooks Option	PASSED	3.208 s
5	And User Select Sort By Price (High > Low)	PASSED	0.832 s
6	Then User should see Product price is arrange in High to Low order.	PASSED	0.075 s

## Verify That User Place Order Successfully

FAILED	*DURATION - 30.097 s*

/ 12:42:10.582 pm // 12:42:40.679 pm /

Laptops And Notebooks Page Test Feature

@Smoke @Asha @Regression

Steps
Total - 27
Pass - 8
Fail - 1
Skip - 18

27

| #	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.177 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	1.054 s
3	When User mouse hover on Laptops & Notebooks tab and click on it	PASSED	0.160 s
4	And User click on Show All Laptops & Notebooks Option	PASSED	3.353 s
5	And User Select Sort By Price (High > Low)	PASSED	0.921 s
6	And User Select Product MacBook	PASSED	4.838 s
7	Then User should able to verify the Product name "MacBook"	PASSED	0.034 s

#	Step / Hook Details	Status	Duration
8	And User Click on Add To Cart button	PASSED	0.057 s
9	Then User should see the message "Success: You have added MacBook to your shopping cart!"	FAILED	0.556 s

	java.lang.AssertionError: Incorrect message displayed! expected [Success: You have added MacBook to your shopping cart!] but found [Success: You have added MacBook to your shopping cart! ×]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:656)
	    at com.tutorialninja.demo.steps.LaptopsAndNotebooksSteps.userShouldSeeTheMessage(LaptopsAndNotebooksSteps.java:40)
	    at ?.User should see the message "Success: You have added MacBook to your shopping cart!"(file:///C:/Users/kakad/IdeaProjects/com-tutorialninja-demo-sw-6/src/test/resources/features/LaptopsAndNotebooksTest.feature:52)
	* Not displayable characters are replaced by '?'.		

10	And User click on link shopping cart display into success message	SKIPPED	0.000 s
11	Then User should able to see "Shopping Cart"	SKIPPED	0.000 s
12	And user should able to see Product name is "MacBook"	SKIPPED	0.000 s
13	And User Change Quantity to 2	SKIPPED	0.000 s
14	And User click on Update tab	SKIPPED	0.000 s
15	Then User should see message "Success: You have modified your shopping cart!"	SKIPPED	0.000 s
16	And User should see the updated total price "£737.45"	SKIPPED	0.000 s
17	And user click on Checkout button	SKIPPED	0.000 s
18	Then User should see checkout text "Checkout"	SKIPPED	0.000 s
19	And user should see customer text "New Customer"	SKIPPED	0.000 s
20	And User click on Guest Checkout radio button	SKIPPED	0.000 s
21	And User click on Continue tab	SKIPPED	0.000 s
22	Then user fill all the mandatory fields	SKIPPED	0.000 s
23	And User click on Continue	SKIPPED	0.000 s
24	And User enter Comments about order into text field	SKIPPED	0.000 s
25	And User Click on check the Terms & Conditions check box	SKIPPED	0.000 s
26	And User Click on Continues	SKIPPED	0.000 s
27	Then User should see warning message "Warning: Payment method required"	SKIPPED	0.001 s
	AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) Verify That User Place Order Successfully	PASSED	0.361 s

#	Step / Hook Details	Status	Duration

MyAccount Login Page Test Feature

FAILED	DURATION - 38.233 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	Steps Total - 11 Pass - 7 Fail - 1 Skip - 3
/ 12:42:40.691 pm // 12:43:18.924 pm /			

Verify That User Should Login And Logout Successfully

FAILED	DURATION - 38.233 s		Steps Total - 11 Pass - 7 Fail - 1 Skip - 3
/ 12:42:40.691 pm // 12:43:18.924 pm /			
MyAccount Login Page Test Feature			
@Smoke @Sanity @Asha @Regression			

| #	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.157 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	0.913 s
3	When User click on My Account Link	PASSED	0.167 s
4	And User Click on Login link	PASSED	0.541 s
5	And User Enter an Email	PASSED	0.221 s
6	And User enter password	PASSED	0.065 s
7	And User click on Login button	PASSED	0.493 s
8	Then User should be able to login successfully and Verify the text "My Account"	FAILED	20.054 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h2[normalize-		

#	Step / Hook Details	Status	Duration

	space()='My Account']"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www.selenium.dev/ documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [016be3385f1a81e023a841e132a882b3, findElement {using=xpath, value=//h2[normalize-space()='My Account']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\kakad\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54491}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54491/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 016be3385f1a81e023a841e132a882b3
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy28.getText(Unknown Source)
	  at com.tutorialninja.demo.utility.Utility.getTextFromElement(Utility.java:63)
	  at com.tutorialninja.demo.pages.MyAccountPage.verifyTheTextMyAccount(MyAccountPage.java:62)
	  at com.tutorialninja.demo.steps.MyAccountLoginSteps. userShouldBeAbleToLoginSuccessfullyAndVerifyTheTextMyAccount(MyAccountLoginSteps.java:35)
	  at ?.User should be able to login successfully and Verify the text "My Account"(file:///C:/Users/kakad/IdeaProjects/com-tutorialninja-demo-sw-6/src/test/resources/features/MyAccountLoginTest.feature:26)
	* Not displayable characters are replaced by '?'.		

9	And User click On LogOut link	SKIPPED	0.000 s
10	Then User should be able to logout successfully and Verify the text "Account Logout"	SKIPPED	0.000 s
11	And User click on continue buttonThree	SKIPPED	0.000 s
	AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.421 s

#	Step / Hook Details	Status	Duration
	Verify That User Should Login And Logout Successfully		

MyAccount Register Page Test Feature

PASSED	DURATION - 47.946 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0	Steps Total - 10 Pass - 10 Fail - 0 Skip - 0
/ 12:43:18.938 pm // 12:44:06.884 pm /			

Verify User Should Navigate To Register Page Successfully

PASSED	DURATION - 27.207 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0
/ 12:43:18.938 pm // 12:43:46.145 pm /			
MyAccount Register Page Test Feature			
@Smoke @Sanity @Asha @Regression			

#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.160 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	0.871 s
3	When User click on My Account Link	PASSED	0.171 s
4	And User Click on Register link	PASSED	2.041 s
5	Then User should verify the text for Register Account "Register Account"	PASSED	0.032 s

### Verify User Should Navigate To Login Page Successfully

PASSED	*DURATION - 20.731 s*	
/ 12:43:46.153 pm // 12:44:06.884 pm /		
MyAccount Register Page Test Feature		
@Smoke @Asha @Regression		

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

| #	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.153 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	1.228 s
3	When User click on My Account Link	PASSED	0.159 s
4	And User Click on Login link	PASSED	0.908 s
5	Then User should verify the text for customer "Returning Customer"	PASSED	0.034 s

TopMenu Test Feature

PASSED	*DURATION - 52.030 s*
/ 12:44:06.898 pm // 12:44:58.928 pm /	

Scenarios
Total - 2
Pass - 2
Fail - 0
Skip - 0

2

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

10

Verify User Should Navigate To Desktops Page Successfully

PASSED	*DURATION - 29.429 s*
/ 12:44:06.898 pm // 12:44:36.327 pm /	
TopMenu Test Feature	
@Smoke @Sanity @Asha @Regression	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	17.070 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	0.860 s
3	When User mouse hover on Desktops tab and click on it	PASSED	0.171 s
4	And User click on Show All Desktops Option	PASSED	8.770 s
5	Then User should See "Desktops" text on desktops page	PASSED	0.024 s

Verify User Should Navigate To Laptops And Notebooks Page Successfully

PASSED	DURATION - 22.596 s	Steps	
/ 12:44:36.332 pm // 12:44:58.928 pm /		Total - 5	
		Pass - 5	
TopMenu Test Feature		Fail - 0	5
		Skip - 0	
@Smoke @Asha @Regression			

#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.167 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	1.060 s
3	When User mouse hover on Laptops & Notebooks tab and click on it	PASSED	0.162 s
4	And User click on Show All Laptops & Notebooks Option	PASSED	3.434 s
5	Then User should See "Laptops & Notebooks" text on laptops & notebooks page	PASSED	0.025 s