

Cucumber Report

18 Dec 2023, 14:15:12

Start : Dec 18, 2:12:57.343 pm

End : Dec 18, 2:15:10.570 pm

Duration : 2 m 13.227 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 6
SKIPPED - 0


PASSED - 36
FAILED - 6
SKIPPED - 48




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Desktops Page Test Feature</u>	2 m 13.227 s	6	0	6	0	90	36	6	48

#	Feature Name	Scenario Name
1	<u>Desktops Page Test Feature</u>	<u>Verify Product Added To Shopping Cart Successfully</u>
2		<u>Verify Product Added To Shopping Cart Successfully</u>
3		<u>Verify Product Added To Shopping Cart Successfully</u>
4		<u>Verify Product Added To Shopping Cart Successfully</u>
5		<u>Verify Product Added To Shopping Cart Successfully</u>
6		<u>Verify Product Added To Shopping Cart Successfully</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Smoke	6	0	6	0	1	0	1	0
@Asha	6	0	6	0	1	0	1	0
@Regression	6	0	6	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Desktops Page Test Feature</u>	6	0	6	0	2 m 13.227 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Desktops Page Test Feature</u>	<u>Verify Product Added To Shopping Cart Successfully</u>	15	6	1	8	24.405 s
2		<u>Verify Product Added To Shopping Cart Successfully</u>	15	6	1	8	40.615 s
3		<u>Verify Product Added To Shopping Cart Successfully</u>	15	6	1	8	30.415 s
4		<u>Verify Product Added To Shopping Cart Successfully</u>	15	6	1	8	12.395 s
5		<u>Verify Product Added To Shopping Cart Successfully</u>	15	6	1	8	12.750 s
6		<u>Verify Product Added To Shopping Cart Successfully</u>	15	6	1	8	12.533 s

Desktops Page Test Feature


FAILED	DURATION - 2 m 13.227 s	Scenarios Total - 6 Pass - 0 Fail - 6 Skip - 0		Steps Total - 90 Pass - 36 Fail - 6 Skip - 48	
/ 2:12:57.343 pm // 2:15:10.570 pm /					

Verify Product Added To Shopping Cart Successfully



<div>FAILED</div> <div>DURATION - 24.405 s</div>		<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 8</div>	<div></div>
<div>/ 2:12:57.348 pm // 2:13:21.753 pm /</div>				
<div>Desktops Page Test Feature</div>				
<div>@Smoke @Asha @Regression</div>				

#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.259 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	0.812 s
3	When User mouse hover on Desktops tab and click on it	PASSED	0.183 s
4	And User click on Show All Desktops Option	PASSED	5.005 s
5	And User click on sort By Position Name: A to Z	PASSED	0.785 s
6	And User select the product "HTC Touch HD"	PASSED	4.145 s
7	Then User should navigate to the product page and see text for the product's name io.cucumber.core.exception.CucumberException: Step [User should navigate to the product page and see text for the product's name] is defined with 1 parameters at 'com.tutorialninja.demo.steps.ProductPageTestSteps.userShouldNavigateToTheProductPageAndSeeTextForTheProductSName(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User should navigate to the product page and see text for the product's name at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)	FAILED	0.014 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
8	And User enter the Qty require as "1"	SKIPPED	0.000 s
9	And User click on Add to cart button	SKIPPED	0.000 s
10	Then User should able to verify the message Success: You have added "product" to your shopping cart!	SKIPPED	0.000 s
11	And user click on Link Shopping Cart display into success message	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
12	Then User should able to verify the text Shopping Cart	SKIPPED	0.000 s
13	Then User should able to verify the product name "product"	SKIPPED	0.000 s
14	Then User should able to verify the Model "Product 1"	SKIPPED	0.000 s
15	Then User should able to verify the Total "£74.73"	SKIPPED	0.002 s
	AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.453 s
	Verify Product Added To Shopping Cart Successfully		
			

Verify Product Added To Shopping Cart Successfully



FAILED		DURATION - 40.615 s			Steps Total - 15 Pass - 6 Fail - 1 Skip - 8	
/ 2:13:21.786 pm // 2:14:02.401 pm /						
Desktops Page Test Feature						
@Smoke @Asha @Regression						

#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.157 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	1.171 s
3	When User mouse hover on Desktops tab and click on it	PASSED	0.164 s
4	And User click on Show All Desktops Option	PASSED	6.809 s
5	And User click on sort By Position Name: A to Z	PASSED	0.791 s
6	And User select the product "iPhone"	PASSED	5.363 s
7	Then User should navigate to the product page and see text for the product's name	FAILED	0.000 s
	io.cucumber.core.exception.CucumberException: Step [User should navigate to the product page and see text for the product's name] is defined with 1 parameters at 'com.tutorialninja.demo.steps.ProductPageTestSteps.userShouldNavigateToTheProductPageAndSeeTextForTheProductSName(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User should navigate to the product page and see text for the product's name at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		


#	Step / Hook Details	Status	Duration
8	And User enter the Qty require as "1"	SKIPPED	0.000 s
9	And User click on Add to cart button	SKIPPED	0.000 s
10	Then User should able to verify the message Success: You have added "product" to your shopping cart!	SKIPPED	0.002 s
11	And user click on Link Shopping Cart display into success message	SKIPPED	0.001 s
12	Then User should able to verify the text Shopping Cart	SKIPPED	0.000 s
13	Then User should able to verify the product name "product"	SKIPPED	0.000 s
14	Then User should able to verify the Model "product 11"	SKIPPED	0.001 s
15	Then User should able to verify the Total "£75.46"	SKIPPED	0.000 s
	AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.407 s
	Verify Product Added To Shopping Cart Successfully		
			

Verify Product Added To Shopping Cart Successfully



FAILED		DURATION - 30.415 s			Steps Total - 15 Pass - 6 Fail - 1 Skip - 8	
/ 2:14:02.442 pm // 2:14:32.857 pm /						
Desktops Page Test Feature						
@Smoke @Asha @Regression						

#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.172 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	0.815 s
3	When User mouse hover on Desktops tab and click on it	PASSED	0.165 s
4	And User click on Show All Desktops Option	PASSED	3.249 s
5	And User click on sort By Position Name: A to Z	PASSED	0.798 s
6	And User select the product "iPod Classic"	PASSED	4.815 s
7	Then User should navigate to the product page and see text for the product's name	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<p>io.cucumber.core.exception.CucumberException: Step [User should navigate to the product page and see text for the product's name] is defined with 1 parameters at 'com.tutorialninja.demo.steps.ProductPageTestSteps.userShouldNavigateToTheProductPageAndSeeTextForTheProductSName(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User should navigate to the product page and see text for the product's name</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
8	And User enter the Qty require as "1"	SKIPPED	0.000 s
9	And User click on Add to cart button	SKIPPED	0.000 s
10	Then User should able to verify the message Success: You have added "product" to your shopping cart!	SKIPPED	0.000 s
11	And user click on Link Shopping Cart display into success message	SKIPPED	0.000 s
12	Then USer should able to verify the text Shopping Cart	SKIPPED	0.000 s
13	Then User should able to verify the product name "product"	SKIPPED	0.000 s
14	Then User should able to verify the Model "product 20"	SKIPPED	0.000 s
15	Then User should able to verify the Total "£74.73"	SKIPPED	0.000 s
	AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.383 s
	Verify Product Added To Shopping Cart Successfully		
			

Verify Product Added To Shopping Cart Successfully



<div>FAILED</div> <div>DURATION - 12.395 s</div>		<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 8</div>	<div></div>
/ 2:14:32.873 pm // 2:14:45.268 pm /				
Desktops Page Test Feature				
@Smoke @Asha @Regression				

#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.172 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	0.821 s
3	When User mouse hover on Desktops tab and click on it	PASSED	0.172 s


#	Step / Hook Details	Status	Duration
4	And User click on Show All Desktops Option	PASSED	1.324 s
5	And User click on sort By Position Name: A to Z	PASSED	0.539 s
6	And User select the product "MacBook"	PASSED	1.560 s
7	<p>Then User should navigate to the product page and see text for the product's name</p> <p>io.cucumber.core.exception.CucumberException: Step [User should navigate to the product page and see text for the product's name] is defined with 1 parameters at 'com.tutorialninja.demo.steps.ProductPageTestSteps.userShouldNavigateToTheProductPageAndSeeTextForTheProductSName(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User should navigate to the product page and see text for the product's name</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)</p>	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
8	And User enter the Qty require as "1"	SKIPPED	0.000 s
9	And User click on Add to cart button	SKIPPED	0.000 s
10	Then User should able to verify the message Success: You have added "product" to your shopping cart!	SKIPPED	0.000 s
11	And user click on Link Shopping Cart display into success message	SKIPPED	0.000 s
12	Then User should able to verify the text Shopping Cart	SKIPPED	0.000 s
13	Then User should able to verify the product name "product"	SKIPPED	0.000 s
14	Then User should able to verify the Model "Product 16"	SKIPPED	0.000 s
15	Then User should able to verify the Total "£368.73"	SKIPPED	0.000 s
	AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.379 s
	Verify Product Added To Shopping Cart Successfully		
			



Verify Product Added To Shopping Cart Successfully

FAILED DURATION - 12.750 s / 2:14:45.284 pm // 2:14:58.034 pm / Desktops Page Test Feature @Smoke @Asha @Regression		Steps Total - 15 Pass - 6 Fail - 1 Skip - 8	
--	--	---	---

#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.158 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	0.818 s
3	When User mouse hover on Desktops tab and click on it	PASSED	0.174 s
4	And User click on Show All Desktops Option	PASSED	1.785 s
5	And User click on sort By Position Name: A to Z	PASSED	0.459 s
6	And User select the product "MacBook Air"	PASSED	1.572 s
7	Then User should navigate to the product page and see text for the product's name	FAILED	0.001 s
	<p>io.cucumber.core.exception.CucumberException: Step [User should navigate to the product page and see text for the product's name] is defined with 1 parameters at 'com.tutorialninja.demo.steps.ProductPageTestSteps.userShouldNavigateToTheProductPageAndSeeTextForTheProductSName(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User should navigate to the product page and see text for the product's name</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
8	And User enter the Qty require as "1"	SKIPPED	0.001 s
9	And User click on Add to cart button	SKIPPED	0.000 s
10	Then User should able to verify the message Success: You have added "product" to your shopping cart!	SKIPPED	0.000 s
11	And user click on Link Shopping Cart display into success message	SKIPPED	0.000 s
12	Then USer should able to verify the text Shopping Cart	SKIPPED	0.000 s
13	Then User should able to verify the product name "product"	SKIPPED	0.000 s
14	Then User should able to verify the Model "Product 17"	SKIPPED	0.000 s
15	Then User should able to verify the Total "£736.23"	SKIPPED	0.000 s
	AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.438 s
	Verify Product Added To Shopping Cart Successfully		
			

Verify Product Added To Shopping Cart Successfully

<div>FAILED</div> <div>DURATION - 12.533 s</div>		<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 8</div>	<div></div>
/ 2:14:58.037 pm // 2:15:10.570 pm /				
Desktops Page Test Feature				
@Smoke @Asha @Regression				

#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.162 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	0.849 s
3	When User mouse hover on Desktops tab and click on it	PASSED	0.157 s
4	And User click on Show All Desktops Option	PASSED	1.559 s
5	And User click on sort By Position Name: A to Z	PASSED	0.461 s
6	And User select the product "Sony VAIO"	PASSED	1.363 s
7	Then User should navigate to the product page and see text for the product's name io.cucumber.core.exception.CucumberException: Step [User should navigate to the product page and see text for the product's name] is defined with 1 parameters at 'com.tutorialninja.demo.steps.ProductPageTestSteps.userShouldNavigateToTheProductPageAndSeeTextForTheProductSName(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User should navigate to the product page and see text for the product's name at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
8	And User enter the Qty require as "1"	SKIPPED	0.000 s
9	And User click on Add to cart button	SKIPPED	0.000 s
10	Then User should able to verify the message Success: You have added "product" to your shopping cart!	SKIPPED	0.000 s
11	And user click on Link Shopping Cart display into success message	SKIPPED	0.000 s
12	Then User should able to verify the text Shopping Cart	SKIPPED	0.000 s
13	Then User should able to verify the product name "product"	SKIPPED	0.015 s
14	Then User should able to verify the Model "Product 19"	SKIPPED	0.000 s
15	Then User should able to verify the Total "£736.23"	SKIPPED	0.004 s
	AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.349 s
	Verify Product Added To Shopping Cart Successfully		
	