

Cucumber Report

18 Dec 2023, 01:51:50

Start : Dec 18, 1:50:15.221 am

End : Dec 18, 1:51:48.822 am

Duration : 1 m 33.601 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 4

SKIPPED - 0

PASSED - 1



FAILED - 4

SKIPPED - 0

PASSED - 24

FAILED - 4


SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Desktops Page Test Feature</u>	51.196 s	1	0	1	0	6	4	1	1
<u>Laptops And Notebooks Page Test Feature</u>	7.293 s	1	0	1	0	6	4	1	1
<u>MyAccount Login Page Test Feature</u>	6.713 s	1	0	1	0	11	7	1	3
<u>MyAccount Register Page Test Feature</u>	6.358 s	1	1	0	0	5	5	0	0
<u>TopMenu Test Feature</u>	21.886 s	1	0	1	0	5	4	1	0

#	Feature Name	Scenario Name
1	<u>Desktops Page Test Feature</u>	<u>Verify Product Arrange In Alphabetical Order</u>
2	<u>Laptops And Notebooks Page Test Feature</u>	<u>User should see the Product price display in High to Low order from Sort by</u>
3	<u>MyAccount Login Page Test Feature</u>	<u>Verify That User Should Login And Logout Successfully</u>
4	<u>TopMenu Test Feature</u>	<u>Verify User Should Navigate To Desktops Page Successfully</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Smoke	5	1	4	0	5	1	4	0
@Sanity	5	1	4	0	5	1	4	0
@Asha	5	1	4	0	5	1	4	0
@Regression	5	1	4	0	5	1	4	0





#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>Desktops Page Test Feature</u>	1	0	1	0	51.196 s
2	<u>Laptops And Notebooks Page Test Feature</u>	1	0	1	0	7.293 s
3	<u>MyAccount Login Page Test Feature</u>	1	0	1	0	6.713 s
4	<u>MyAccount Register Page Test Feature</u>	1	1	0	0	6.358 s
5	<u>TopMenu Test Feature</u>	1	0	1	0	21.886 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Desktops Page Test Feature</u>	<u>Verify Product Arrange In Alphabetical Order</u>	6	4	1	1	51.193 s
2	<u>Laptops And Notebooks Page Test Feature</u>	<u>User should see the Product price display in High to Low order from Sort by</u>	6	4	1	1	7.293 s
3	<u>MyAccount Login Page Test Feature</u>	<u>Verify That User Should Login And Logout Successfully</u>	11	7	1	3	6.713 s
4	<u>MyAccount Register Page Test Feature</u>	<u>Verify User Should Navigate To Register Page Successfully</u>	5	5	0	0	6.358 s
5	<u>TopMenu Test Feature</u>	<u>Verify User Should Navigate To Desktops Page Successfully</u>	5	4	1	0	21.886 s


Desktops Page Test Feature

FAILED	DURATION - 51.196 s	Scenarios		Steps	
/ 1:50:15.221 am // 1:51:06.417 am /		Total - 1		Total - 6	
		Pass - 0		Pass - 4	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	



Verify Product Arrange In Alphabetical Order

FAILED	DURATION - 51.193 s		Steps	
/ 1:50:15.224 am // 1:51:06.417 am /			Total - 6	
Desktops Page Test Feature			Pass - 4	
@Smoke @Sanity @Asha @Regression			Fail - 1	
			Skip - 1	



#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.354 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	0.821 s
3	When User mouse hover on Desktops tab and click on it	PASSED	0.179 s
4	And User click on Show All Desktops Option	PASSED	1.590 s
5	And User click on sort By Position Name: Z to A org.openqa.selenium.NoSuchElementException: Cannot locate option with text: Name: Z to A For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.Select.selectByVisibleText(Select.java:153) at com.tutorialninja.demo.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:191) at com.tutorialninja.demo.pages.DesktopPage.selectSortByOption(DesktopPage.java:62) at com.tutorialninja.demo.steps.DesktopsPageTestSteps.userClickOnSortByPositionNameZToA(DesktopsPageTestSteps.java:10) at ?.User click on sort By Position Name: Z to A(file:///C:/Users/kakad/IdeaProjects/com-tutorialninja-demo-sw-6/src/test/resources/features/DesktopsTest.feature:16) * Not displayable characters are replaced by '?'. 	FAILED	40.234 s
6	Then User should see products are arranged in Descending order	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.575 s
	Verify Product Arrange In Alphabetical Order		
			


Laptops And Notebooks Page Test Feature

FAILED	DURATION - 7.293 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	
/ 1:51:06.542 am // 1:51:13.835 am /					



User should see the Product price display in High to Low order from Sort by

FAILED		DURATION - 7.293 s			Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	
/ 1:51:06.542 am // 1:51:13.835 am /						
Laptops And Notebooks Page Test Feature						
@Smoke @Sanity @Asha @Regression						

#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.162 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	0.797 s
3	When User mouse hover on Laptops & Notebooks tab and click on it	PASSED	0.165 s
4	And User click on Show All Laptops & Notebooks Option	PASSED	0.999 s
5	And User Select Sort By Price (High > Low)	FAILED	0.504 s
	java.lang.ClassCastException: class jdk.proxy2.\$Proxy28 cannot be cast to class java.util.List (jdk.proxy2.\$Proxy28 is in module jdk.proxy2 of loader 'app'; java.util.List is in module java.base of loader 'bootstrap')		

#	Step / Hook Details	Status	Duration
	at com.tutorialninja.demo.utility.Utility.findElementsList(Utility.java:95) at com.tutorialninja.demo.utility.Utility.getArrayListOfProductsInChoice(Utility.java:524) at com.tutorialninja.demo.pages.LaptopsAndNoteBooksPage.selectSortByPriceHighToLow(LaptopsAndNoteBooksPage.java:47) at com.tutorialninja.demo.steps.LaptopsAndNotebooksSteps.userSelectSortByPriceHighLow(LaptopsAndNotebooksSteps.java:11) at ?.User Select Sort By Price (High > Low)(file:///C:/Users/kakad/IdeaProjects/com-tutorialninja-demo-sw-6/src/test/resources/features/LaptopsAndNotebooksTest.feature:16) * Not displayable characters are replaced by '?'.		
6	Then User should see Product price is arrange in High to Low order.	SKIPPED	0.000 s
	AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.402 s
	User should see the Product price display in High to Low order from Sort by		
			


MyAccount Login Page Test Feature

FAILED	DURATION - 6.713 s	Scenarios		Steps	
/ 1:51:13.850 am // 1:51:20.563 am /		Total - 1		Total - 11	
		Pass - 0		Pass - 7	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	



Verify That User Should Login And Logout Successfully

FAILED		DURATION - 6.713 s		<div><div>Steps</div><div>Total - 11</div><div>Pass - 7</div><div>Fail - 1</div><div>Skip - 3</div></div> <div><div>11</div></div>
/ 1:51:13.850 am // 1:51:20.563 am /				
MyAccount Login Page Test Feature				
@Smoke @Sanity @Asha @Regression				
<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>				



#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.174 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	0.824 s
3	When User click on My Account Link	PASSED	0.156 s
4	And User Click on Login link	PASSED	0.506 s
5	And User Enter an Email	PASSED	0.213 s
6	And User enter password	PASSED	0.054 s
7	And User click on Login button	PASSED	0.431 s
8	Then User should be able to login successfully and Verify the text "My Account"	FAILED	0.002 s
	<p>io.cucumber.core.exception.CucumberException: Step [User should be able to login successfully and Verify the text "My Account"] is defined with 1 parameters at 'com.tutorialninja.demo.steps.MyAccountLoginSteps.userShouldBeAbleToLoginSuccessfullyAndVerifyTheTextMyAccount(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User should be able to login successfully and Verify the text "My Account"</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
9	And User click On LogOut link	SKIPPED	0.000 s
10	Then User should be able to logout successfully and Verify the text "Account Logout"	SKIPPED	0.000 s
11	And User click on continue buttonThree	SKIPPED	0.000 s
	AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.293 s
	Verify That User Should Login And Logout Successfully		
			

MyAccount Register Page Test Feature



PASSED	DURATION - 6.358 s	Scenarios		Steps	
	/ 1:51:20.573 am // 1:51:26.931 am /	Total - 1		Total - 5	
		Pass - 1 Fail - 0 Skip - 0		Pass - 5 Fail - 0 Skip - 0	

Verify User Should Navigate To Register Page Successfully



<div>PASSED</div> <div>DURATION - 6.358 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:51:20.573 am // 1:51:26.931 am /</div>			
<div>MyAccount Register Page Test Feature</div>			
<div>@Smoke @Sanity @Asha @Regression</div>			

#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.160 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	0.774 s
3	When User click on My Account Link	PASSED	0.167 s
4	And User Click on Register link	PASSED	1.008 s
5	Then User should verify the text for Register Account "Register Account"	PASSED	0.030 s

TopMenu Test Feature

FAILED	DURATION - 21.886 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 5 Pass - 4 Fail - 1 Skip - 0					
/ 1:51:26.936 am // 1:51:48.822 am /									

Verify User Should Navigate To Desktops Page Successfully

FAILED	DURATION - 21.886 s		<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 1:51:26.936 am // 1:51:48.822 am /				
TopMenu Test Feature				
@Smoke @Sanity @Asha @Regression				

#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.173 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	1.156 s
3	When User mouse hover on Desktops tab and click on it	PASSED	0.157 s
4	And User click on Show All Desktops Option	PASSED	5.411 s
5	Then User should See text Desktops on page io.cucumber.core.exception.CucumberException: Step [User should See text Desktops on page] is defined with 1 parameters at 'com.tutorialninja.demo.steps.TopMenuTestSteps.userShouldSeeTextDesktopsOnPage(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User should See text Desktops on page at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.367 s
	Verify User Should Navigate To Desktops Page Successfully		
	