

Cucumber Report

19 Dec 2023, 12:08:03

Start : Dec 19, 11:58:12.353 am

End : Dec 19, 12:08:01.973 pm

Duration : 9 m 49.620 s

Features



Scenarios

Steps

PASSED - 3
FAILED - 2
SKIPPED - 0

PASSED - 9
FAILED - 7
SKIPPED - 0


PASSED - 143
FAILED - 7
SKIPPED - 34




| Feature | | Scenario | | | | Step | | | |
|--|--------------|----------|---|---|---|------|----|---|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Desktops Page Test Feature</u> | 7 m 14.212 s | 7 | 1 | 6 | 0 | 96 | 72 | 6 | 18 |
| <u>Laptops And Notebooks Page Test Feature</u> | 59.208 s | 2 | 1 | 1 | 0 | 33 | 16 | 1 | 16 |
| <u>MyAccount Login Page Test Feature</u> | 9.500 s | 1 | 1 | 0 | 0 | 11 | 11 | 0 | 0 |
| <u>MyAccount Register Page Test Feature</u> | 55.176 s | 3 | 3 | 0 | 0 | 29 | 29 | 0 | 0 |
| <u>TopMenu Test Feature</u> | 31.484 s | 3 | 3 | 0 | 0 | 15 | 15 | 0 | 0 |

| # | Feature Name | Scenario Name |
|---|--|---|
| 1 | <u>Desktops Page Test Feature</u> | <u>Verify Product Added To Shopping Cart Successfully</u> |
| 2 | | <u>Verify Product Added To Shopping Cart Successfully</u> |
| 3 | | <u>Verify Product Added To Shopping Cart Successfully</u> |
| 4 | | <u>Verify Product Added To Shopping Cart Successfully</u> |
| 5 | | <u>Verify Product Added To Shopping Cart Successfully</u> |
| 6 | | <u>Verify Product Added To Shopping Cart Successfully</u> |
| 7 | <u>Laptops And Notebooks Page Test Feature</u> | <u>Verify That User Place Order Successfully</u> |


| TAG | Scenario | | | | Feature | | | |
|-------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| Name | T | P | F | S | T | P | F | S |
| @Smoke | 14 | 7 | 7 | 0 | 5 | 3 | 2 | 0 |
| @Sanity | 5 | 5 | 0 | 0 | 5 | 3 | 2 | 0 |
| @Asha | 16 | 9 | 7 | 0 | 5 | 3 | 2 | 0 |
| @Regression | 16 | 9 | 7 | 0 | 5 | 3 | 2 | 0 |



| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|--------------|
| 1 | <u>Desktops Page Test Feature</u> | 7 | 1 | 6 | 0 | 7 m 14.212 s |
| 2 | <u>Laptops And Notebooks Page Test Feature</u> | 2 | 1 | 1 | 0 | 59.208 s |
| 3 | <u>MyAccount Login Page Test Feature</u> | 1 | 1 | 0 | 0 | 9.500 s |
| 4 | <u>MyAccount Register Page Test Feature</u> | 3 | 3 | 0 | 0 | 55.176 s |
| 5 | <u>TopMenu Test Feature</u> | 3 | 3 | 0 | 0 | 31.484 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|--|----|----|---|----|--------------|
| 1 | <u>Desktops Page Test Feature</u> | <u>Verify Product Arrange In Alphabetical Order</u> | 6 | 6 | 0 | 0 | 12.451 s |
| 2 | | <u>Verify Product Added To Shopping Cart Successfully</u> | 15 | 11 | 1 | 3 | 1 m 13.007 s |
| 3 | | <u>Verify Product Added To Shopping Cart Successfully</u> | 15 | 11 | 1 | 3 | 1 m 9.661 s |
| 4 | | <u>Verify Product Added To Shopping Cart Successfully</u> | 15 | 11 | 1 | 3 | 1 m 18.109 s |
| 5 | | <u>Verify Product Added To Shopping Cart Successfully</u> | 15 | 11 | 1 | 3 | 1 m 17.503 s |
| 6 | | <u>Verify Product Added To Shopping Cart Successfully</u> | 15 | 11 | 1 | 3 | 1 m 10.325 s |
| 7 | | <u>Verify Product Added To Shopping Cart Successfully</u> | 15 | 11 | 1 | 3 | 53.040 s |
| 8 | <u>Laptops And Notebooks Page Test Feature</u> | <u>User should see the Product price display in High to Low order from Sort by</u> | 6 | 6 | 0 | 0 | 7.856 s |
| 9 | | <u>Verify That User Place Order Successfully</u> | 27 | 10 | 1 | 16 | 51.343 s |
| 10 | <u>MyAccount Login Page Test Feature</u> | <u>Verify That User Should Login And Logout Successfully</u> | 11 | 11 | 0 | 0 | 9.500 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|---|----|----|---|---|----------|
| 11 | <u>MyAccount Register Page Test Feature</u> | <u>Verify User Should Navigate To Register Page Successfully</u> | 5 | 5 | 0 | 0 | 25.934 s |
| 12 | | <u>Verify User Should Navigate To Login Page Successfully</u> | 5 | 5 | 0 | 0 | 18.453 s |
| 13 | | <u>Verify That User Register Account Successfully</u> | 19 | 19 | 0 | 0 | 10.780 s |
| 14 | <u>TopMenu Test Feature</u> | <u>Verify User Should Navigate To Desktops Page Successfully</u> | 5 | 5 | 0 | 0 | 7.580 s |
| 15 | | <u>Verify User Should Navigate To Laptops And Notebooks Page Successfully</u> | 5 | 5 | 0 | 0 | 6.838 s |
| 16 | | <u>Verify User Should Navigate To Components Page Successfully</u> | 5 | 5 | 0 | 0 | 17.059 s |

Desktops Page Test Feature



| | | | | | |
|--|-------------------------|--|---|---|---|
| FAILED | DURATION - 7 m 14.212 s | Scenarios Total - 7 Pass - 1 Fail - 6 Skip - 0 |  | Steps Total - 96 Pass - 72 Fail - 6 Skip - 18 |  |
| / 11:58:12.353 am // 12:05:26.565 pm / | | | | | |
| | | | | | |

Verify Product Arrange In Alphabetical Order


| | | | |
|---|---|---|--|
| <div>PASSED</div> <div>DURATION - 12.451 s</div> | <div></div> | <div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 11:58:12.357 am // 11:58:24.808 am /</div> | | | |
| <div>Desktops Page Test Feature</div> | | | |
| <div>@Smoke @Sanity @Asha @Regression</div> | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | When user mouse hover on Currency Dropdown and click on it | PASSED | 0.211 s |
| 2 | And User mouse hover on £Pound Sterling and click on it | PASSED | 0.891 s |
| 3 | When User mouse hover on Desktops tab and click on it | PASSED | 0.160 s |
| 4 | And User click on Show All Desktops Option | PASSED | 1.755 s |
| 5 | And User click on sort By Position Name: Z to A | PASSED | 0.628 s |
| 6 | Then User should see products are arranged in Descending order | PASSED | 0.286 s |



Verify Product Added To Shopping Cart Successfully

| | | | | |
|--|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 1 m 13.007 s</div> | | <div></div> | <div>Steps</div> <div>Total - 15</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 3</div> | <div></div> |
| / 11:58:24.852 am // 11:59:37.859 am / | | | | |
| Desktops Page Test Feature | | | | |
| @Smoke @Asha @Regression | | | | |


| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| 1 | When user mouse hover on Currency Dropdown and click on it | PASSED | 0.190 s |
| 2 | And User mouse hover on £Pound Sterling and click on it | PASSED | 0.866 s |
| 3 | When User mouse hover on Desktops tab and click on it | PASSED | 0.160 s |
| 4 | And User click on Show All Desktops Option | PASSED | 4.953 s |
| 5 | And User click on sort By Position Name: A to Z | PASSED | 0.748 s |
| 6 | And User select the product "HTC Touch HD" | PASSED | 6.285 s |
| 7 | Then User should navigate to the product page and see text for "HTC Touch HD" | PASSED | 0.032 s |
| 8 | And User enter the Qty require as "1" | PASSED | 0.125 s |
| 9 | And User click on Add to cart button | PASSED | 0.062 s |
| 10 | Then User should able to verify the message Success: You have added "HTC Touch HD" to your shopping cart! | PASSED | 0.305 s |
| 11 | And user click on Link Shopping Cart display into success message | PASSED | 0.863 s |
| 12 | Then User should able to verify the text Shopping Cart"Shopping Cart (0.15kg)" | FAILED | 40.061 s |
| | org.openqa.selenium.NoSuchElementException: no such element: {"method":"xpath","selector":"//h1[normalize-space()='Shopping Cart']"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fd5f8c3c186c05b28924d87363f3d265, findElement {using=xpath, value="//h1[normalize-space()='Shopping Cart']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\kakad\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65324}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65324/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: fd5f8c3c186c05b28924d87363f3d265 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.getText(Unknown Source) at com.tutorialninja.demo.utility.Utility.getTextFromElement(Utility.java:63) at com.tutorialninja.demo.pages.ShoppingCartPage.verifyShoppingCartText(ShoppingCartPage.java:59) at com.tutorialninja.demo.steps.ShoppingCartTestSteps.userShouldAbleToVerifyTheTextShoppingCart(ShoppingCartTestSteps.java:17) at ?.User should able to verify the text Shopping Cart "Shopping Cart (0.15kg)"(file:///C:/Users/kakad/IdeaProjects/com-tutorialninja-demo-sw-6/src/test/resources/features/DesktopsTest.feature:45) * Not displayable characters are replaced by '?'. </pre> | | |
| 13 | Then User should able to verify the product name "HTC Touch HD" | SKIPPED | 0.000 s |
| 14 | Then User should able to verify the Model "Product 1" | SKIPPED | 0.001 s |
| 15 | Then User should able to verify the Total "£74.73" | SKIPPED | 0.000 s |
| | AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.400 s |
| | Verify Product Added To Shopping Cart Successfully | | |
| |  | | |

Verify Product Added To Shopping Cart Successfully

| | | | | |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 1 m 9.661 s</div> | |  | <div>Steps</div> <div>Total - 15</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 3</div> |  |
| / 11:59:37.874 am // 12:00:47.535 pm / | | | | |
| Desktops Page Test Feature | | | | |
| @Smoke @Asha @Regression | | | | |


| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| 1 | When user mouse hover on Currency Dropdown and click on it | PASSED | 0.158 s |
| 2 | And User mouse hover on £Pound Sterling and click on it | PASSED | 0.922 s |
| 3 | When User mouse hover on Desktops tab and click on it | PASSED | 0.168 s |
| 4 | And User click on Show All Desktops Option | PASSED | 6.088 s |
| 5 | And User click on sort By Position Name: A to Z | PASSED | 0.589 s |
| 6 | And User select the product "iPhone" | PASSED | 4.181 s |
| 7 | Then User should navigate to the product page and see text for "iPhone" | PASSED | 0.033 s |
| 8 | And User enter the Qty require as "1" | PASSED | 0.126 s |
| 9 | And User click on Add to cart button | PASSED | 0.109 s |
| 10 | Then User should able to verify the message Success: You have added "iPhone" to your shopping cart! | PASSED | 0.298 s |
| 11 | And user click on Link Shopping Cart display into success message | PASSED | 0.635 s |
| 12 | Then User should able to verify the text Shopping Cart"Shopping Cart (10.00kg)" | FAILED | 40.131 s |
| | org.openqa.selenium.NoSuchElementException: no such element: {"method":"xpath","selector":"//h1[normalize-space()='Shopping Cart']} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9be216031d8fc944aef443fb774fef98, findElement {using=xpath, value=//h1[normalize-space()='Shopping Cart']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\kakad\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65401}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65401/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9be216031d8fc944aef443fb774fef98 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.getText(Unknown Source) at com.tutorialninja.demo.utility.Utility.getTextFromElement(Utility.java:63) at com.tutorialninja.demo.pages.ShoppingCartPage.verifyShoppingCartText(ShoppingCartPage.java:59) at com.tutorialninja.demo.steps.ShoppingCartTestSteps.userShouldAbleToVerifyTheTextShoppingCart(ShoppingCartTestSteps.java:17) at ?.User should able to verify the text Shopping Cart "Shopping Cart (10.00kg)"(file:///C:/Users/kakad/IdeaProjects/com-tutorialninja-demo-sw-6/src/test/resources/features/DesktopsTest.feature:45) * Not displayable characters are replaced by '?'. </pre> | | |
| 13 | Then User should able to verify the product name "iPhone" | SKIPPED | 0.000 s |
| 14 | Then User should able to verify the Model "product 11" | SKIPPED | 0.000 s |
| 15 | Then User should able to verify the Total "£75.46" | SKIPPED | 0.000 s |
| | AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.449 s |
| | Verify Product Added To Shopping Cart Successfully | | |
| |  | | |



Verify Product Added To Shopping Cart Successfully

| | | | | |
|--|--------------------------------|--|---|--|
| FAILED | DURATION - 1 m 18.109 s | | Steps Total - 15 Pass - 11 Fail - 1 Skip - 3 | |
| / 12:00:47.554 pm // 12:02:05.663 pm / | | | | |
| Desktops Page Test Feature | | | | |
| @Smoke @Asha @Regression | | | | |


| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| 1 | When user mouse hover on Currency Dropdown and click on it | PASSED | 0.158 s |
| 2 | And User mouse hover on £Pound Sterling and click on it | PASSED | 1.092 s |
| 3 | When User mouse hover on Desktops tab and click on it | PASSED | 0.166 s |
| 4 | And User click on Show All Desktops Option | PASSED | 6.664 s |
| 5 | And User click on sort By Position Name: A to Z | PASSED | 0.543 s |
| 6 | And User select the product "iPod Classic" | PASSED | 6.998 s |
| 7 | Then User should navigate to the product page and see text for "iPod Classic" | PASSED | 0.028 s |
| 8 | And User enter the Qty require as "1" | PASSED | 0.142 s |
| 9 | And User click on Add to cart button | PASSED | 0.071 s |
| 10 | Then User should able to verify the message Success: You have added "iPod Classic" to your shopping cart! | PASSED | 0.326 s |
| 11 | And user click on Link Shopping Cart display into success message | PASSED | 0.754 s |
| 12 | Then User should able to verify the text Shopping Cart"Shopping Cart (1.00kg)" | FAILED | 40.040 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h1[normalize-space()='Shopping Cart']"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5f996dd4f731b2ceb3651740d592cac9, findElement {using=xpath, value=//h1[normalize-space()='Shopping Cart']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\kakad\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65528}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:65528/devtoo..., se.cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5f996dd4f731b2ceb3651740d592cac9 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.getText(Unknown Source) at com.tutorialninja.demo.utility.Utility.getTextFromElement(Utility.java:63) at com.tutorialninja.demo.pages.ShoppingCartPage.verifyShoppingCartText(ShoppingCartPage.java:59) at com.tutorialninja.demo.steps.ShoppingCartTestSteps.userShouldAbleToVerifyTheTextShoppingCart(ShoppingCartTestSteps.java:17) at ?.User should able to verify the text Shopping Cart "Shopping Cart (1.00kg)"(file:///C:/Users/kakad/IdeaProjects/com-tutorialninja-demo-sw-6/src/test/resources/features/DesktopsTest.feature:45) * Not displayable characters are replaced by '?'. </pre> | | |
| 13 | Then User should able to verify the product name "iPod Classic" | SKIPPED | 0.000 s |
| 14 | Then User should able to verify the Model "product 20" | SKIPPED | 0.000 s |
| 15 | Then User should able to verify the Total "£74.73" | SKIPPED | 0.000 s |
| | AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.459 s |
| | Verify Product Added To Shopping Cart Successfully | | |
| |  | | |



Verify Product Added To Shopping Cart Successfully

| | | | | |
|--|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 1 m 17.503 s</div> | |  | <div>Steps</div> <div>Total - 15</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 3</div> |  |
| / 12:02:05.681 pm // 12:03:23.184 pm / | | | | |
| Desktops Page Test Feature | | | | |
| @Smoke @Asha @Regression | | | | |


| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| 1 | When user mouse hover on Currency Dropdown and click on it | PASSED | 0.157 s |
| 2 | And User mouse hover on £Pound Sterling and click on it | PASSED | 0.875 s |
| 3 | When User mouse hover on Desktops tab and click on it | PASSED | 0.174 s |
| 4 | And User click on Show All Desktops Option | PASSED | 5.717 s |
| 5 | And User click on sort By Position Name: A to Z | PASSED | 0.793 s |
| 6 | And User select the product "MacBook" | PASSED | 6.564 s |
| 7 | Then User should navigate to the product page and see text for "MacBook" | PASSED | 0.035 s |
| 8 | And User enter the Qty require as "1" | PASSED | 0.132 s |
| 9 | And User click on Add to cart button | PASSED | 0.099 s |
| 10 | Then User should able to verify the message Success: You have added "MacBook" to your shopping cart! | PASSED | 0.319 s |
| 11 | And user click on Link Shopping Cart display into success message | PASSED | 0.635 s |
| 12 | Then User should able to verify the text Shopping Cart"Shopping Cart (0.00kg)" | FAILED | 40.050 s |
| | org.openqa.selenium.NoSuchElementException: no such element: {"method":"xpath","selector":"//h1[normalize-space()='Shopping Cart']"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5a3c4e612729a0c1ef941bc24dc158dc, findElement {using=xpath, value=//h1[normalize-space()='Shopping Cart']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\kakad\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49252/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5a3c4e612729a0c1ef941bc24dc158dc at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.getText(Unknown Source) at com.tutorialninja.demo.utility.Utility.getTextFromElement(Utility.java:63) at com.tutorialninja.demo.pages.ShoppingCartPage.verifyShoppingCartText(ShoppingCartPage.java:59) at com.tutorialninja.demo.steps.ShoppingCartTestSteps.userShouldAbleToVerifyTheTextShoppingCart(ShoppingCartTestSteps.java:17) at ?.User should able to verify the text Shopping Cart"Shopping Cart (0.00kg)"(file:///C:/Users/kakad/IdeaProjects/com-tutorialninja-demo-sw-6/src/test/resources/features/DesktopsTest.feature:45) * Not displayable characters are replaced by '?'. </pre> | | |
| 13 | Then User should able to verify the product name "MacBook" | SKIPPED | 0.000 s |
| 14 | Then User should able to verify the Model "Product 16" | SKIPPED | 0.000 s |
| 15 | Then User should able to verify the Total "£368.73" | SKIPPED | 0.000 s |
| | AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.421 s |
| | Verify Product Added To Shopping Cart Successfully | | |
| |  | | |



Verify Product Added To Shopping Cart Successfully

| | | | | |
|--|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 1 m 10.325 s</div> | |  | <div>Steps</div> <div>Total - 15</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 3</div> |  |
| / 12:03:23.190 pm // 12:04:33.515 pm / | | | | |
| Desktops Page Test Feature | | | | |
| @Smoke @Asha @Regression | | | | |


| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| 1 | When user mouse hover on Currency Dropdown and click on it | PASSED | 0.173 s |
| 2 | And User mouse hover on £Pound Sterling and click on it | PASSED | 0.832 s |
| 3 | When User mouse hover on Desktops tab and click on it | PASSED | 0.168 s |
| 4 | And User click on Show All Desktops Option | PASSED | 5.133 s |
| 5 | And User click on sort By Position Name: A to Z | PASSED | 0.501 s |
| 6 | And User select the product "MacBook Air" | PASSED | 4.213 s |
| 7 | Then User should navigate to the product page and see text for "MacBook Air" | PASSED | 0.029 s |
| 8 | And User enter the Qty require as "1" | PASSED | 0.143 s |
| 9 | And User click on Add to cart button | PASSED | 0.099 s |
| 10 | Then User should able to verify the message Success: You have added "MacBook Air" to your shopping cart! | PASSED | 0.297 s |
| 11 | And user click on Link Shopping Cart display into success message | PASSED | 0.696 s |
| 12 | Then USer should able to verify the text Shopping Cart"Shopping Cart (0.00kg)" | FAILED | 40.087 s |
| | org.openqa.selenium.NoSuchElementException: no such element: {"method":"xpath","selector":"//h1[normalize-space()='Shopping Cart']"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [44f3d5acd1417031c82631826f5dafb9, findElement {using=xpath, value=//h1[normalize-space()='Shopping Cart']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\kakad\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49347/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 44f3d5acd1417031c82631826f5dafb9 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.getText(Unknown Source) at com.tutorialninja.demo.utility.Utility.getTextFromElement(Utility.java:63) at com.tutorialninja.demo.pages.ShoppingCartPage.verifyShoppingCartText(ShoppingCartPage.java:59) at com.tutorialninja.demo.steps.ShoppingCartTestSteps.userShouldAbleToVerifyTheTextShoppingCart(ShoppingCartTestSteps.java:17) at ?.User should able to verify the text Shopping Cart"Shopping Cart (0.00kg)"(file:///C:/Users/kakad/IdeaProjects/com-tutorialninja-demo-sw-6/src/test/resources/features/DesktopsTest.feature:45) * Not displayable characters are replaced by '?'. </pre> | | |
| 13 | Then User should able to verify the product name "MacBook Air" | SKIPPED | 0.000 s |
| 14 | Then User should able to verify the Model "Product 17" | SKIPPED | 0.000 s |
| 15 | Then User should able to verify the Total "£736.23" | SKIPPED | 0.000 s |
| | AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.426 s |
| | Verify Product Added To Shopping Cart Successfully | | |
| |  | | |



Verify Product Added To Shopping Cart Successfully

| | | | | |
|--|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 53.040 s</div> | |  | <div>Steps</div> <div>Total - 15</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 3</div> |  |
| / 12:04:33.525 pm // 12:05:26.565 pm / | | | | |
| Desktops Page Test Feature | | | | |
| @Smoke @Asha @Regression | | | | |



| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| 1 | When user mouse hover on Currency Dropdown and click on it | PASSED | 0.174 s |
| 2 | And User mouse hover on £Pound Sterling and click on it | PASSED | 0.896 s |
| 3 | When User mouse hover on Desktops tab and click on it | PASSED | 0.160 s |
| 4 | And User click on Show All Desktops Option | PASSED | 1.343 s |
| 5 | And User click on sort By Position Name: A to Z | PASSED | 0.525 s |
| 6 | And User select the product "Sony VAIO" | PASSED | 1.543 s |
| 7 | Then User should navigate to the product page and see text for "Sony VAIO" | PASSED | 0.027 s |
| 8 | And User enter the Qty require as "1" | PASSED | 0.142 s |
| 9 | And User click on Add to cart button | PASSED | 0.063 s |
| 10 | Then User should able to verify the message Success: You have added "Sony VAIO" to your shopping cart! | PASSED | 0.314 s |
| 11 | And user click on Link Shopping Cart display into success message | PASSED | 0.524 s |
| 12 | Then User should able to verify the text Shopping Cart"Shopping Cart (0.00kg)" | FAILED | 40.100 s |
| | org.openqa.selenium.NoSuchElementException: no such element: {"method":"xpath","selector":"//h1[normalize-space()='Shopping Cart']"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0a934647a0f143f65574b41911048b4, findElement {using=xpath, value=//h1[normalize-space()='Shopping Cart']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\kakad\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:49701/devtoo..., se.cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0a934647a0f143f65574b41911048b4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.getText(Unknown Source) at com.tutorialninja.demo.utility.Utility.getTextFromElement(Utility.java:63) at com.tutorialninja.demo.pages.ShoppingCartPage.verifyShoppingCartText(ShoppingCartPage.java:59) at com.tutorialninja.demo.steps.ShoppingCartTestSteps.userShouldAbleToVerifyTheTextShoppingCart(ShoppingCartTestSteps.java:17) at ?.User should able to verify the text Shopping Cart "Shopping Cart (0.00kg)"(file:///C:/Users/kakad/IdeaProjects/com-tutorialninja-demo-sw-6/src/test/resources/features/DesktopsTest.feature:45) * Not displayable characters are replaced by '?'. </pre> | | |
| 13 | Then User should able to verify the product name "Sony VAIO" | SKIPPED | 0.001 s |
| 14 | Then User should able to verify the Model "Product 19" | SKIPPED | 0.000 s |
| 15 | Then User should able to verify the Total "£736.23" | SKIPPED | 0.000 s |
| | AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.375 s |
| | Verify Product Added To Shopping Cart Successfully | | |
| |  | | |

Laptops And Notebooks Page Test Feature



| | | | | | |
|--|----------------------------|--|---|---|---|
| FAILED | DURATION - 59.208 s | Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0 |  | Steps Total - 33 Pass - 16 Fail - 1 Skip - 16 |  |
| / 12:05:26.574 pm // 12:06:25.782 pm / | | | | | |
| | | | | | |

User should see the Product price display in High to Low order from Sort by


| | | | | |
|---|---------------------------|--|--|---|
| PASSED | DURATION - 7.856 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 12:05:26.574 pm // 12:05:34.430 pm / | | | | |
| Laptops And Notebooks Page Test Feature | | | | |
| @Smoke @Sanity @Asha @Regression | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | When user mouse hover on Currency Dropdown and click on it | PASSED | 0.161 s |
| 2 | And User mouse hover on £Pound Sterling and click on it | PASSED | 0.849 s |
| 3 | When User mouse hover on Laptops & Notebooks tab and click on it | PASSED | 0.160 s |
| 4 | And User click on Show All Laptops & Notebooks Option | PASSED | 1.250 s |
| 5 | And User Select Sort By Price (High > Low) | PASSED | 0.685 s |
| 6 | Then User should see Product price is arrange in High to Low order. | PASSED | 0.065 s |



Verify That User Place Order Successfully

| | | | | |
|---|----------------------------|--|---|---|
| FAILED | DURATION - 51.343 s |  | Steps Total - 27 Pass - 10 Fail - 1 Skip - 16 |  |
| / 12:05:34.439 pm // 12:06:25.782 pm / | | | | |
| Laptops And Notebooks Page Test Feature | | | | |
| @Smoke @Asha @Regression | | | | |



| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| 1 | When user mouse hover on Currency Dropdown and click on it | PASSED | 0.158 s |
| 2 | And User mouse hover on £Pound Sterling and click on it | PASSED | 0.836 s |
| 3 | When User mouse hover on Laptops & Notebooks tab and click on it | PASSED | 0.167 s |
| 4 | And User click on Show All Laptops & Notebooks Option | PASSED | 1.617 s |
| 5 | And User Select Sort By Price (High > Low) | PASSED | 0.781 s |
| 6 | And User Select Product MacBook | PASSED | 1.607 s |
| 7 | Then User should able to verify the Product name "MacBook" | PASSED | 0.026 s |
| 8 | And User Click on Add To Cart button | PASSED | 0.074 s |
| 9 | Then User should see the message Success: You have added MacBook to your shopping cart! | PASSED | 0.289 s |
| 10 | And User click on link shopping cart display into success message | PASSED | 0.511 s |
| 11 | Then User should able to see "Shopping Cart" | FAILED | 40.074 s |
| | <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h1[normalize-space()='Shopping Cart']} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [537e01f7f366ad94faecf4e90143fe54, findElement {using=xpath, value="//h1[normalize-space()='Shopping Cart']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\kakad\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49775}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49775/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 537e01f7f366ad94faecf4e90143fe54</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)</p> | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | <pre> at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.getText(Unknown Source) at com.tutorialninja.demo.utility.Utility.getTextFromElement(Utility.java:63) at com.tutorialninja.demo.pages.ShoppingCartPage.verifyShoppingCartText(ShoppingCartPage.java:59) at com.tutorialninja.demo.steps.ShoppingCartTestSteps.userShouldAbleToSee(ShoppingCartTestSteps.java:40) at ?.User should able to see "Shopping Cart"(file:///C:/Users/kakad/IdeaProjects/com-tutorialninja-demo-sw-6/src/test/resources/features/LaptopsAndNotebooksTest.feature:54) * Not displayable characters are replaced by '?'. </pre> | | |
| 12 | And user should able to see Product name is "MacBook" | SKIPPED | 0.000 s |
| 13 | And User Change Quantity to 2 | SKIPPED | 0.001 s |
| 14 | And User click on Update tab | SKIPPED | 0.000 s |
| 15 | Then User should see message "Success: You have modified your shopping cart!" | SKIPPED | 0.000 s |
| 16 | And User should see the updated total price "£737.45" | SKIPPED | 0.000 s |
| 17 | And user click on Checkout button | SKIPPED | 0.000 s |
| 18 | Then User should see checkout text "Checkout" | SKIPPED | 0.000 s |
| 19 | And user should see customer text "New Customer" | SKIPPED | 0.001 s |
| 20 | And User click on Guest Checkout radio button | SKIPPED | 0.000 s |
| 21 | And User click on Continue tab | SKIPPED | 0.000 s |
| 22 | Then user fill all the mandatory fields | SKIPPED | 0.000 s |
| 23 | And User click on Continue | SKIPPED | 0.000 s |
| 24 | And User enter Comments about order into text field | SKIPPED | 0.001 s |
| 25 | And User Click on check the Terms & Conditions check box | SKIPPED | 0.000 s |
| 26 | And User Click on Continues | SKIPPED | 0.000 s |
| 27 | Then User should see warning message "Warning: Payment method required!" | SKIPPED | 0.000 s |
| | AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.517 s |
| | Verify That User Place Order Successfully | | |
| |  | | |

MyAccount Login Page Test Feature



| | | | | | |
|--|---------------------------|--|---|--|---|
| PASSED | DURATION - 9.500 s | Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0 |  | Steps Total - 11 Pass - 11 Fail - 0 Skip - 0 |  |
| / 12:06:25.795 pm // 12:06:35.295 pm / | | | | | |
| | | | | | |

Verify That User Should Login And Logout Successfully



| | | | | |
|---|-------------------------------|---|---|--|
| <div>PASSED</div> | <div>DURATION - 9.500 s</div> | <div></div> | <div>Steps</div> <div>Total - 11</div> <div>Pass - 11</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 12:06:25.795 pm // 12:06:35.295 pm /</div> | | | | |
| <div>MyAccount Login Page Test Feature</div> | | | | |
| <div>@Smoke @Sanity @Asha @Regression</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| 1 | When user mouse hover on Currency Dropdown and click on it | PASSED | 0.154 s |
| 2 | And User mouse hover on £Pound Sterling and click on it | PASSED | 0.900 s |
| 3 | When User click on My Account Link | PASSED | 0.154 s |
| 4 | And User Click on Login link | PASSED | 0.533 s |
| 5 | And User Enter an EmailAddress | PASSED | 0.176 s |
| 6 | And User enter password | PASSED | 0.087 s |
| 7 | And User click on Login button | PASSED | 1.001 s |
| 8 | Then User should be able to login successfully and Verify the text "My Account" | PASSED | 0.031 s |
| 9 | And User click On LogOut link | PASSED | 0.822 s |
| 10 | Then User should be able to logout successfully and Verify the text "Logout" | PASSED | 0.030 s |
| 11 | And User click on continue buttonThree | PASSED | 0.482 s |

MyAccount Register Page Test Feature



| | | | | | |
|--|---------------------|-----------|---|------------|---|
| PASSED | DURATION - 55.176 s | Scenarios |  | Steps |  |
| / 12:06:35.305 pm // 12:07:30.481 pm / | | Total - 3 | | Total - 29 | |
| | | Pass - 3 | | Pass - 29 | |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

Verify User Should Navigate To Register Page Successfully

| | | | |
|--|--|-----------|---|
| <div>PASSED</div> <div>DURATION - 25.934 s</div> |  | Steps |  |
| / 12:06:35.305 pm // 12:07:01.239 pm / | | Total - 5 | |
| MyAccount Register Page Test Feature | | Pass - 5 | |
| @Smoke @Sanity @Asha @Regression | | Fail - 0 | |
| | | Skip - 0 | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | When user mouse hover on Currency Dropdown and click on it | PASSED | 0.173 s |
| 2 | And User mouse hover on £Pound Sterling and click on it | PASSED | 1.757 s |
| 3 | When User click on My Account Link | PASSED | 0.159 s |
| 4 | And User Click on Register link | PASSED | 4.340 s |
| 5 | Then User should verify the text for Register Account "Register Account" | PASSED | 0.027 s |

Verify User Should Navigate To Login Page Successfully

| | | | |
|--|---|-----------|--|
| <div><div>PASSED</div><div>DURATION - 18.453 s</div></div> | <div></div> | Steps | <div></div> |
| / 12:07:01.244 pm // 12:07:19.697 pm / | | Total - 5 | |
| MyAccount Register Page Test Feature | | Pass - 5 | |
| @Smoke @Asha @Regression | | Fail - 0 | |
| | | Skip - 0 | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | When user mouse hover on Currency Dropdown and click on it | PASSED | 0.155 s |
| 2 | And User mouse hover on £Pound Sterling and click on it | PASSED | 1.300 s |
| 3 | When User click on My Account Link | PASSED | 0.159 s |
| 4 | And User Click on Login link | PASSED | 0.490 s |
| 5 | Then User should verify the text for customer "Returning Customer" | PASSED | 0.037 s |

Verify That User Register Account Successfully



| | | | | |
|--|--|---------------------|--|---|
| PASSED | | DURATION - 10.780 s | | <div><div>Steps</div><div>Total - 19</div><div>Pass - 19</div><div>Fail - 0</div><div>Skip - 0</div></div> <div><div>19</div></div> |
| / 12:07:19.701 pm // 12:07:30.481 pm / | | | | |
| MyAccount Register Page Test Feature | | | | |
| @Asha @Regression | | | | |

| | | | | | | | | | | | | | | |
|------|------|------|------|-----|-----|------|-----|------|------|------|------|-----|------|-----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| 0.15 | 0.85 | 0.15 | 1.25 | 0.1 | 0.1 | 0.25 | 0.1 | 0.05 | 0.05 | 0.05 | 0.05 | 0.8 | 0.05 | 0.4 |



| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| 1 | When user mouse hover on Currency Dropdown and click on it | PASSED | 0.137 s |
| 2 | And User mouse hover on £Pound Sterling and click on it | PASSED | 0.835 s |
| 3 | When User click on My Account Link | PASSED | 0.163 s |
| 4 | And User Click on Register link | PASSED | 1.225 s |
| 5 | And User Enter First Name | PASSED | 0.091 s |
| 6 | And User enter Last Name | PASSED | 0.091 s |
| 7 | And User Enter an Email | PASSED | 0.227 s |
| 8 | And User enter Telephone Number | PASSED | 0.092 s |
| 9 | And User enter password | PASSED | 0.065 s |
| 10 | And User enter confirm password | PASSED | 0.061 s |
| 11 | And User Select subscribe radio button as Yes | PASSED | 0.054 s |
| 12 | And User click on privacy policy check box | PASSED | 0.052 s |
| 13 | And User click on continue button | PASSED | 0.792 s |
| 14 | Then User should able to verify the message Your Account Has Been Created! | PASSED | 0.041 s |
| 15 | And User click on continue buttonOne | PASSED | 0.391 s |
| 16 | And User click on My Account Link | PASSED | 0.136 s |
| 17 | And User click on "Logout" button | PASSED | 0.795 s |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| 18 | Then User should able to verify the text "Logout" | PASSED | 0.027 s |
| 19 | And User click on continue buttonTwo | PASSED | 0.497 s |

TopMenu Test Feature



| | | | | | |
|--|---------------------|--|---|--|---|
| PASSED | DURATION - 31.484 s | Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0 |  | Steps Total - 15 Pass - 15 Fail - 0 Skip - 0 |  |
| / 12:07:30.489 pm // 12:08:01.973 pm / | | | | | |
| | | | | | |

Verify User Should Navigate To Desktops Page Successfully

| | | | | |
|--|--------------------|--|--|---|
| PASSED | DURATION - 7.580 s |  | Steps Total - 5 Pass - 5 Fail - 0 Skip - 0 |  |
| / 12:07:30.489 pm // 12:07:38.069 pm / | | | | |
| TopMenu Test Feature | | | | |
| @Smoke @Sanity @Asha @Regression | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | When user mouse hover on Currency Dropdown and click on it | PASSED | 2.619 s |
| 2 | And User mouse hover on £Pound Sterling and click on it | PASSED | 0.875 s |
| 3 | When User mouse hover on Desktops tab and click on it | PASSED | 0.158 s |
| 4 | And User click on Show All Desktops Option | PASSED | 1.338 s |
| 5 | Then User should See "Desktops" text on desktops page | PASSED | 0.029 s |

Verify User Should Navigate To Laptops And Notebooks Page Successfully

| | | | | |
|--|-------------------------------|---|---|--|
| <div>PASSED</div> | <div>DURATION - 6.838 s</div> | <div></div> | <div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| / 12:07:38.072 pm // 12:07:44.910 pm / | | | | |
| TopMenu Test Feature | | | | |
| @Smoke @Asha @Regression | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | When user mouse hover on Currency Dropdown and click on it | PASSED | 0.177 s |
| 2 | And User mouse hover on £Pound Sterling and click on it | PASSED | 0.838 s |
| 3 | When User mouse hover on Laptops & Notebooks tab and click on it | PASSED | 0.149 s |
| 4 | And User click on Show All Laptops & Notebooks Option | PASSED | 1.036 s |
| 5 | Then User should See "Laptops & Notebooks" text on laptops & notebooks page | PASSED | 0.031 s |

Verify User Should Navigate To Components Page Successfully

| | | | |
|---|--|---|---|
| <div>PASSED</div> <div>DURATION - 17.059 s</div> | <div></div> | <div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 12:07:44.914 pm // 12:08:01.973 pm /</div> | | | |
| <div>TopMenu Test Feature</div> | | | |
| <div>@Asha @Regression</div> | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | When user mouse hover on Currency Dropdown and click on it | PASSED | 0.172 s |
| 2 | And User mouse hover on £Pound Sterling and click on it | PASSED | 1.427 s |
| 3 | When User mouse hover on Components tab and click on it | PASSED | 0.173 s |
| 4 | And User click on Show All Components Option | PASSED | 0.772 s |
| 5 | Then User should See "Components" text on components page | PASSED | 0.025 s |