


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Desktops Page Test Feature	26.279 s	1	1	0	0	6	6	0	0	
Laptops And Notebooks Page Test Feature	22.161 s	1	0	1	0	6	4	1	1	
MyAccount Login Page Test Feature	25.536 s	1	0	1	0	11	7	1	3	
MyAccount Register Page Test Feature	14.838 s	1	1	0	0	5	5	0	0	
TopMenu Test Feature	24.951 s	1	1	0	0	5	5	0	0	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Laptops And Notebooks Page Test Feature	User should see the Product price display in High to Low order from Sort by
2	MyAccount Login Page Test Feature	Verify That User Should Login And Logout Successfully


TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Smoke	5	3	2	0	5	3	2	0
@Sanity	5	3	2	0	5	3	2	0
@Asha	5	3	2	0	5	3	2	0
@Regression	5	3	2	0	5	3	2	0

FEATURES SUMMARY -- 5



#	Feature Name	T	P	F	S	Duration
1	Desktops Page Test Feature	1	1	0	0	26.279 s
2	Laptops And Notebooks Page Test Feature	1	0	1	0	22.161 s
3	MyAccount Login Page Test Feature	1	0	1	0	25.536 s
4	MyAccount Register Page Test Feature	1	1	0	0	14.838 s
5	TopMenu Test Feature	1	1	0	0	24.951 s

SCENARIOS SUMMARY -- 6 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Desktops Page Test Feature	Verify Product Arrange In Alphabetical Order	6	6	0	0	26.275 s
2	Laptops And Notebooks Page Test Feature	User should see the Product price display in High to Low order from Sort by	6	4	1	1	22.161 s
3	MyAccount Login Page Test Feature	Verify That User Should Login And Logout Successfully	11	7	1	3	25.536 s
4	MyAccount Register Page Test Feature	Verify User Should Navigate To Register Page Successfully	5	5	0	0	14.838 s
5	TopMenu Test Feature	Verify User Should Navigate To Desktops Page Successfully	5	5	0	0	24.951 s

Desktops Page Test Feature

PASSED	DURATION - 26.279 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 11:41:22.202 am	// 11:41:48.481 am /	Pass - 1	1	Pass - 6	6
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Verify Product Arrange In Alphabetical Order




#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.212 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	1.403 s
3	When User mouse hover on Desktops tab and click on it	PASSED	0.167 s
4	And User click on Show All Desktops Option	PASSED	1.923 s
5	And User click on sort By Position Name: Z to A	PASSED	0.589 s
6	Then User should see products are arranged in Descending order	PASSED	0.265 s

Laptops And Notebooks Page Test Feature

FAILED	DURATION - 22.161 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 11:41:48.510 am //	11:42:10.671 am /	Pass - 0	1	Pass - 4	6
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	


DETAILED SECTION -- 8 --

User should see the Product price display in High to Low order from Sort by




#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.177 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	0.849 s
3	When User mouse hover on Laptops & Notebooks tab and click on it	PASSED	0.165 s
4	And User click on Show All Laptops & Notebooks Option	PASSED	2.806 s
5	And User Select Sort By Price (High > Low)	FAILED	0.605 s
	java.lang.ClassCastException: class jdk.proxy2.\$Proxy28 cannot be cast to class java.util.List (jdk.proxy2.\$Proxy28 is in module jdk.proxy2 of loader 'app'; java.util.List is in module java.base of loader 'bootstrap') at com.tutorialninja.demo.utility.Utility.findElementsList(Utility.java:95) at com.tutorialninja.demo.utility.Utility.getArrayListOfProductsInChoice(Utility.java:524) at com.tutorialninja.demo.pages.LaptopsAndNoteBooksPage.selectSortByPriceHighToLow(LaptopsAndNoteBooksPage.java:47) at com.tutorialninja.demo.steps.LaptopsAndNotebooksSteps.userSelectSortByPriceHighLow(LaptopsAndNotebooksSteps.java:11) at ?.User Select Sort By Price (High > Low)(file:///C:/Users/kakad/IdeaProjects/com-tutorialninja-demo-sw-6/src/test/resources/features/ LaptopsAndNotebooksTest.feature:16) * Not displayable characters are replaced by '?'.		
6	Then User should see Product price is arrange in High to Low order.	SKIPPED	0.000 s
	AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) User should see the Product price display in High to Low order from Sort by	PASSED	0.403 s

MyAccount Login Page Test Feature



Verify That User Should Login And Logout Successfully



#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.164 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	1.708 s
3	When User click on My Account Link	PASSED	0.163 s
4	And User Click on Login link	PASSED	0.941 s
5	And User Enter an Email	PASSED	0.200 s
6	And User enter password	PASSED	0.088 s
7	And User click on Login button	PASSED	0.823 s
8	Then User should be able to login successfully and Verify the text "My Account"	FAILED	0.006 s
	io.cucumber.core.exception.CucumberException: Step [User should be able to login successfully and Verify the text "My Account"] is defined with 1 parameters at 'com.tutorialninja.demo.steps.MyAccountLoginSteps. userShouldBeAbleToLoginSuccessfullyAndVerifyTheTextMyAccount(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User should be able to login successfully and Verify the text "My Account" at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	$at\ io. cucumber. testng. TestNGC ucumber Runner. lambda \$runScenario \$1 (TestNGC ucumber Runner. java: 132)$		
	$at\ io. cucumber. core. runtime. Cucumber Execution Context. lambda \$run Test Case \$5 (Cucumber Execution Context. java: 137)$		
	$at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testing.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testing.TestNG.runSuites(TestNG.java:1210) at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testing.TestNG.run(TestNG.java:1114) at org.testing.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testing.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
9	And User click On LogOut link	SKIPPED	0.000 s
10	Then User should be able to logout successfully and Verify the text "Account Logout"	SKIPPED	0.000 s
11	And User click on continue buttonThree	SKIPPED	0.000 s
	AFTER - com.tutorialninja.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.315 s
	Verify That User Should Login And Logout Successfully		0.013 3
	Verily That Oost Onbaid Logill And Logodt Successibility		


DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
	The state of the s		

MyAccount Register Page Test Feature

PASSED	DURATION - 14.838 s	Scenarios			Steps			
		Total - 1		l	Total - 5			
/ 11:42:36.256 am //	11:42:51.094 am /	Pass - 1	1		Pass - 5		5	
		Fail - 0	· /	,			\	
		Skip - 0			Skip - 0	. .		7
				_				

Verify User Should Navigate To Register Page Successfully




#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.169 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	0.864 s
3	When User click on My Account Link	PASSED	0.162 s
4	And User Click on Register link	PASSED	3.337 s
5	Then User should verify the text for Register Account "Register Account"	PASSED	0.035 s

TopMenu Test Feature

PASSED	DURATION - 24.951 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 11:42:51.101 am //	′ 11:43:16.052 am /	Pass - 1	1	Pass - 5	5
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Verify User Should Navigate To Desktops Page Successfully



#	Step / Hook Details	Status	Duration
1	When user mouse hover on Currency Dropdown and click on it	PASSED	0.167 s
2	And User mouse hover on £Pound Sterling and click on it	PASSED	0.873 s
3	When User mouse hover on Desktops tab and click on it	PASSED	0.166 s
4	And User click on Show All Desktops Option	PASSED	6.251 s
5	Then User should See "Desktops" text on desktops page	PASSED	0.033 s