Cucumber Report

| Start : Dec 18, 10:55:39.319 pm	End : Dec 18, 10:57:15.583 pm	Duration : 1 m 36.264 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 4 SKIPPED - 0	PASSED - 16 FAILED - 4 SKIPPED - 0

1

4

20

40 50 60
Pass %
30 70
20 80
10 90
0 %
0 100

0 %

80 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Login Test Feature	*1 m 36.264 s*	*4*	*0*	*4*	*0*	*20*	*16*	*4*	*0*

#	Feature Name	Scenario Name
1	*Login Test Feature*	*User should get error message with invalid credentials*
2		*User should get error message with invalid credentials*
3		*User should get error message with invalid credentials*
4		*User should get error message with invalid credentials*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Asha	4	0	4	0	1	0	1	0
@Regression	4	0	4	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Login Test Feature	4	0	4	0	1 m 36.264 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Test Feature	User should get error message with invalid credentials	5	4	1	0	24.718 s
2		User should get error message with invalid credentials	5	4	1	0	23.776 s
3		User should get error message with invalid credentials	5	4	1	0	23.671 s
4		User should get error message with invalid credentials	5	4	1	0	24.039 s

Login Test Feature

FAILED	DURATION - 1 m 36.264 s		Scenarios		Steps	
			Total - 4		Total - 20	
/ 10:55:39.319 pm // 10:57:15.583 pm /			Pass - 0	4	Pass - 16	20
			Fail - 4		Fail - 4	
			Skip - 0		Skip - 0	

User should get error message with invalid credentials

FAILED	DURATION - 24.718 s			Steps	
				Total - 5	
/ 10:55:39.326 pm // 10:56:04.044 pm /				Pass - 4	5
				Fail - 1	
Login Test Feature				Skip - 0	
@Asha @Regression					

#	Step / Hook Details	Status	Duration
1	When User Enter Username "Admin"	PASSED	0.429 s
2	And User Enter password "admin123"	PASSED	0.137 s
3	And User click on login button	PASSED	0.061 s
4	When User login to Application successfully	PASSED	0.001 s
5	Then User should get error message "Required" depends on username "" and password ""	FAILED	20.795 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[@class='oxd-text oxd-text--p oxd-alert-content-text']"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www. selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [a7f5c82a0a7282b60c63e7434cf1a396, findElement {using=xpath, value=//p[@class='oxd-text oxd-text--p oxd-alert-content-text']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\kakad\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52732}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52732/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a7f5c82a0a7282b60c63e7434cf1a396 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy28.getText(Unknown Source) at com.orangehrmlive.demo.utility.Utility.getTextFromElement(Utility.java:63) at com.orangehrmlive.demo.pages.LoginPage.getErrorMessage(LoginPage.java:59) at com.orangehrmlive.demo.steps.LoginPageSteps.userShouldGetErrorMessageDependsOnUsernameAndPassword(LoginPageSteps.java:61) at ?.User should get error message "Required" depends on username "" and password ""(file:///C:/Users/kakad/IdeaProjects/orange-hrm-live-sw-6/src/test/resources/features/LoginTest.feature:50) * Not displayable characters are replaced by '?'.		
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) User should get error message with invalid credentials 	PASSED	0.571 s

User should get error message with invalid credentials

FAILED	*DURATION - 23.776 s*		
/ 10:56:04.076 pm // 10:56:27.852 pm /			
Login Test Feature			
@Asha @Regression			

Steps
Total - 5
Pass - 4
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	When User Enter Username "Admin"	PASSED	0.332 s
2	And User Enter password "admin123"	PASSED	0.118 s
3	And User click on login button	PASSED	0.058 s
4	When User login to Application successfully	PASSED	0.000 s
5	Then User should get error message "Required" depends on username "test123@gmail.com" and password ""	FAILED	20.777 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[@class='oxd-text oxd-text--p oxd-alert-content-text']"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [2d3c2f9dde90306cec2c00a0389f8a19, findElement {using=xpath, value=//p[@class='oxd-text oxd-text--p oxd-alert-content-text']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\kakad\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52831}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52831/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2d3c2f9dde90306cec2c00a0389f8a19
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy28.getText(Unknown Source) at com.orangehrmlive.demo.utility.Utility.getTextFromElement(Utility.java:63) at com.orangehrmlive.demo.pages.LoginPage.getErrorMessage(LoginPage.java:59) at com.orangehrmlive.demo.steps.LoginPageSteps.userShouldGetErrorMessageDependsOnUsernameAndPassword(LoginPageSteps.java:61) at ?.User should get error message "Required" depends on username "test123@gmail.com" and password ""(file:///C:/Users/kakad/IdeaProjects/orange-hrm-live-sw-6/src/test/resources/features/LoginTest.feature:50) * Not displayable characters are replaced by '?'.		
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) User should get error message with invalid credentials	PASSED	0.394 s

User should get error message with invalid credentials

FAILED	DURATION - 23.671 s
/ 10:56:27.858 pm // 10:56:51.529 pm /	
Login Test Feature	
@Asha @Regression	

Steps
Total - 5
Pass - 4
Fail - 1
Skip - 0

5

#	Step / Hook Details	Status	Duration
1	When User Enter Username "Admin"	PASSED	0.331 s
2	And User Enter password "admin123"	PASSED	0.134 s
3	And User click on login button	PASSED	0.056 s
4	When User login to Application successfully	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
5	Then User should get error message "Required" depends on username "" and password "test123"	FAILED	20.744 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[@class='oxd-text oxd-text--p oxd-alert-content-text']"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www. selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [5e2c48c1da29f052067fb1d638b65720, findElement {using=xpath, value=//p[@class='oxd-text oxd-text--p oxd-alert-content-text']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\kakad\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52871}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52871/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e2c48c1da29f052067fb1d638b65720
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy28.getText(Unknown Source)
	    at com.orangehrmlive.demo.utility.Utility.getTextFromElement(Utility.java:63)
	    at com.orangehrmlive.demo.pages.LoginPage.getErrorMessage(LoginPage.java:59)
	    at com.orangehrmlive.demo.steps.LoginPageSteps.userShouldGetErrorMessageDependsOnUsernameAndPassword(LoginPageSteps. java:61)
	    at ?.User should get error message "Required" depends on username "" and password "test123"(file:///C:/Users/kakad/IdeaProjects/orange-hrm-live-sw-6/src/test/resources/features/LoginTest.feature:50)
	* Not displayable characters are replaced by '?'.		

	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.503 s
	User should get error message with invalid credentials		

#	Step / Hook Details	Status	Duration

User should get error message with invalid credentials

FAILED	DURATION - 24.039 s		Steps	
/ 10:56:51.544 pm // 10:57:15.583 pm /			Total - 5	
			Pass - 4	
Login Test Feature			Fail - 1	5
			Skip - 0	
@Asha @Regression				

#	Step / Hook Details	Status	Duration
1	When User Enter Username "Admin"	PASSED	0.361 s
2	And User Enter password "admin123"	PASSED	0.135 s
3	And User click on login button	PASSED	0.811 s
4	When User login to Application successfully	PASSED	0.000 s
5	Then User should get error message "Invalid credentials" depends on username "test123@gmail.com" and password "test123"	FAILED	20.031 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[@class='oxd-text oxd-text--p oxd-alert-content-text']"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www. selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [002e78682b8b65a54397ccd4da021a33, findElement {using=xpath, value=//p[@class='oxd-text oxd-text--p oxd-alert-content-text']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\kakad\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52910}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52910/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 002e78682b8b65a54397ccd4da021a33
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy28.getText(Unknown Source) at com.orangehrmlive.demo.utility.Utility.getTextFromElement(Utility.java:63) at com.orangehrmlive.demo.pages.LoginPage.getErrorMessage(LoginPage.java:59) at com.orangehrmlive.demo.steps.LoginPageSteps.userShouldGetErrorMessageDependsOnUsernameAndPassword(LoginPageSteps.java:61) at ?.User should get error message "Invalid credentials" depends on username "test123@gmail.com" and password "test123"(file:///C:/Users/kakad/IdeaProjects/orange-hrm-live-sw-6/src/test/resources/features/LoginTest.feature:50) * Not displayable characters are replaced by '?'.		
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) User should get error message with invalid credentials 	PASSED	0.452 s