Cucumber Report

| Start : Dec 18, 10:12:29.904 pm	End : Dec 18, 10:14:18.868 pm	Duration : 1 m 48.964 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 5 SKIPPED - 0	PASSED - 32 FAILED - 5 SKIPPED - 0

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login Test Feature	*1 m 48.964 s*	*7*	*2*	*5*	*0*	*37*	*32*	*5*	*0*

#	Feature Name	Scenario Name
1	*Login Test Feature*	*Verify That The Logo Display On HomePage*
2		*User should get error message with invalid credentials*
3		*User should get error message with invalid credentials*
4		*User should get error message with invalid credentials*
5		*User should get error message with invalid credentials*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Smoke	2	1	1	0	1	0	1	0
@Sanity	1	1	0	0	1	0	1	0
@Asha	7	2	5	0	1	0	1	0
@Regression	7	2	5	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Login Test Feature	7	2	5	0	1 m 48.964 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Test Feature	Verify User Should Login SuccessFully	5	5	0	0	4.792 s
2		Verify That The Logo Display On HomePage	5	4	1	0	3.819 s
3		Verify User Should LogOut SuccessFully	7	7	0	0	5.297 s
4		User should get error message with invalid credentials	5	4	1	0	23.799 s
5		User should get error message with invalid credentials	5	4	1	0	23.752 s
6		User should get error message with invalid credentials	5	4	1	0	23.776 s
7		User should get error message with invalid credentials	5	4	1	0	23.670 s

Login Test Feature

FAILED	DURATION - 1 m 48.964 s	Scenarios		Steps	
		Total - 7		Total - 37	
/ 10:12:29.904 pm // 10:14:18.868 pm /		Pass - 2	7	Pass - 32	37
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 0	

Verify User Should Login SuccessFully

PASSED	DURATION - 4.792 s		Steps	
/ 10:12:29.909 pm // 10:12:34.701 pm /			Total - 5	
Login Test Feature			Pass - 5	5
			Fail - 0	
@Smoke @Sanity @Asha @Regression			Skip - 0	

#	Step / Hook Details	Status	Duration
1	When User Enter Username "Admin"	PASSED	0.365 s
2	And User Enter password "admin123"	PASSED	0.139 s
3	And User click on login button	PASSED	0.827 s
4	When User login to Application successfully	PASSED	0.000 s
5	Then User Should able to login successfully and verify the text "Dashboard"	PASSED	0.262 s

Verify That The Logo Display On HomePage

| FAILED	DURATION - 3.819 s		Steps	
/ 10:12:34.708 pm // 10:12:38.527 pm /			Total - 5	
Login Test Feature			Pass - 4	5
			Fail - 1	
@Smoke @Asha @Regression			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	When User Enter Username "Admin"	PASSED	0.379 s
2	And User Enter password "admin123"	PASSED	0.138 s
3	And User click on login button	PASSED	0.053 s
4	When User login to Application successfully	PASSED	0.000 s
5	Then User Should able to see the OrangeHRM logo	FAILED	0.004 s

	io.cucumber.core.exception.CucumberException: Step [User Should able to see the OrangeHRM logo] is defined with 1 parameters at 'com. orangehrmlive.demo.steps.LoginPageSteps.userShouldAbleToSeeTheOrangeHRMLogo(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User Should able to see the OrangeHRM logo
	  at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)
	  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)
	  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)
	  at io.cucumber.core.runner.TestStep.run(TestStep.java:56)
	  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
	  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	  at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)
	  at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)
	  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
	  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)
	  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)
	  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)
	  at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)
	  at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)
	  at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)
	  at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)
	  at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)
	  at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)
	  at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)
	  at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
	  at org.testng.TestRunner.privateRun(TestRunner.java:848)
	  at org.testng.TestRunner.run(TestRunner.java:621)
	  at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)
	  at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)
	  at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) Verify That The Logo Display On HomePage	PASSED	1.091 s

Verify User Should LogOut SuccessFully

PASSED	DURATION - 5.297 s		Steps	
/ 10:12:38.538 pm // 10:12:43.835 pm /			Total - 7	
Login Test Feature			Pass - 7 Fail - 0	7
@Asha @Regression			Skip - 0	

#	Step / Hook Details	Status	Duration
1	When User Enter Username "Admin"	PASSED	0.349 s
2	And User Enter password "admin123"	PASSED	0.107 s
3	And User click on login button	PASSED	0.081 s
4	When User login to Application successfully	PASSED	0.000 s
5	And User click on User Profile logo	PASSED	1.398 s
6	And User mouse hover and click on logout button	PASSED	0.841 s
7	Then User should navigate to the login page and verify the text "Login"	PASSED	0.251 s

### User should get error message with invalid credentials

FAILED	DURATION - 23.799 s		Steps

FAILED	*DURATION - 23.799 s*
/ 10:12:43.841 pm // 10:13:07.640 pm /	
Login Test Feature	
@Asha @Regression	

Steps
Total - 5
Pass - 4
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	When User Enter Username "Admin"	PASSED	0.326 s
2	And User Enter password "admin123"	PASSED	0.127 s
3	And User click on login button	PASSED	0.790 s
4	When User login to Application successfully	PASSED	0.001 s
5	Then User should get error message "Required" depends on username "" and password ""	FAILED	20.067 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[@class='oxd-text oxd-text--p oxd-alert-content-text']"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www. selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [8e268b5d89070cddd13691667d6eb66e, findElement {using=xpath, value=//p[@class='oxd-text oxd-text--p oxd-alert-content-text']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\kakad\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50747}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50747/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8e268b5d89070cddd13691667d6eb66e
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy28.getText(Unknown Source)		
	at com.orangehrmlive.demo.utility.Utility.getTextFromElement(Utility.java:63)		
	at com.orangehrmlive.demo.pages.LoginPage.getErrorMessage(LoginPage.java:59)		
	at com.orangehrmlive.demo.steps.LoginPageSteps.userShouldGetErrorMessageDependsOnUsernameAndPassword(LoginPageSteps.java:62)		
	at ?.User should get error message "Required" depends on username "" and password ""(file:///C:/Users/kakad/IdeaProjects/orange-hrm-live-sw-6/src/test/resources/features/LoginTest.feature:50)		
	* Not displayable characters are replaced by '?'.		
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) User should get error message with invalid credentials	PASSED	0.480 s

User should get error message with invalid credentials

FAILED	DURATION - 23.752 s
/ 10:13:07.652 pm // 10:13:31.404 pm /	
Login Test Feature	
@Asha @Regression	

Steps
Total - 5
Pass - 4
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	When User Enter Username "Admin"	PASSED	0.367 s
2	And User Enter password "admin123"	PASSED	0.136 s
3	And User click on login button	PASSED	0.063 s

#	Step / Hook Details	Status	Duration
4	When User login to Application successfully	PASSED	0.001 s
5	Then User should get error message "Required" depends on username "test123@gmail.com" and password ""	FAILED	20.830 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[@class='oxd-text oxd-text--p oxd-alert-content-text']"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www. selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [04e88222b7bd230f76ae4d813f6f5259, findElement {using=xpath, value=//p[@class='oxd-text oxd-text--p oxd-alert-content-text']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\kakad\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50778}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50778/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 04e88222b7bd230f76ae4d813f6f5259
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy28.getText(Unknown Source)
	    at com.orangehrmlive.demo.utility.Utility.getTextFromElement(Utility.java:63)
	    at com.orangehrmlive.demo.pages.LoginPage.getErrorMessage(LoginPage.java:59)
	    at com.orangehrmlive.demo.steps.LoginPageSteps.userShouldGetErrorMessageDependsOnUsernameAndPassword(LoginPageSteps. java:62)
	    at ?.User should get error message "Required" depends on username "test123@gmail.com" and password ""(file:///C:/Users/kakad/ IdeaProjects/orange-hrm-live-sw-6/src/test/resources/features/LoginTest.feature:50)
	* Not displayable characters are replaced by '?'.		

	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.472 s

#	Step / Hook Details	Status	Duration
	User should get error message with invalid credentials 		

User should get error message with invalid credentials

FAILED	DURATION - 23.776 s
/ 10:13:31.417 pm // 10:13:55.193 pm /	
Login Test Feature	
@Asha @Regression	

Steps
Total - 5
Pass - 4
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	When User Enter Username "Admin"	PASSED	0.830 s
2	And User Enter password "admin123"	PASSED	0.120 s
3	And User click on login button	PASSED	0.063 s
4	When User login to Application successfully	PASSED	0.002 s
5	Then User should get error message "Required" depends on username "" and password "test123"	FAILED	20.794 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[@class='oxd-text oxd-text--p oxd-alert-content-text']"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www. selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [c0ce4c89a212d1c189e8e7d270356df4, findElement {using=xpath, value=//p[@class='oxd-text oxd-text--p oxd-alert-content-text']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\kakad\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50809}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50809/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c0ce4c89a212d1c189e8e7d270356df4
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy28.getText(Unknown Source)		
	at com.orangehrmlive.demo.utility.Utility.getTextFromElement(Utility.java:63)		
	at com.orangehrmlive.demo.pages.LoginPage.getErrorMessage(LoginPage.java:59)		
	at com.orangehrmlive.demo.steps.LoginPageSteps.userShouldGetErrorMessageDependsOnUsernameAndPassword(LoginPageSteps.java:62)		
	at ?.User should get error message "Required" depends on username "" and password "test123"(file:///C:/Users/kakad/IdeaProjects/orange-hrm-live-sw-6/src/test/resources/features/LoginTest.feature:50) * Not displayable characters are replaced by '?'.		
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.346 s
	User should get error message with invalid credentials 		

User should get error message with invalid credentials

FAILED	DURATION - 23.670 s

/ 10:13:55.198 pm // 10:14:18.868 pm /

Login Test Feature

@Asha @Regression

Steps
Total - 5
Pass - 4
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	When User Enter Username "Admin"	PASSED	0.352 s
2	And User Enter password "admin123"	PASSED	0.089 s
3	And User click on login button	PASSED	0.819 s
4	When User login to Application successfully	PASSED	0.000 s
5	Then User should get error message "Required" depends on username "test123@gmail.com" and password "test123"	FAILED	20.058 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[@class='oxd-text oxd-text--p oxd-alert-content-text']"}   (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [2a0826e2717aa3471040deb46f2baf35, findElement {using=xpath, value=//p[@class='oxd-text oxd-text--p oxd-alert-content-text']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\kakad\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50839}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50839/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2a0826e2717aa3471040deb46f2baf35
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy28.getText(Unknown Source) at com.orangehrmlive.demo.utility.Utility.getTextFromElement(Utility.java:63) at com.orangehrmlive.demo.pages.LoginPage.getErrorMessage(LoginPage.java:59) at com.orangehrmlive.demo.steps.LoginPageSteps.userShouldGetErrorMessageDependsOnUsernameAndPassword(LoginPageSteps.java:62) at ?.User should get error message "Required" depends on username "test123@gmail.com" and password "test123"(file:///C:/Users/kakad/IdeaProjects/orange-hrm-live-sw-6/src/test/resources/features/LoginTest.feature:50) * Not displayable characters are replaced by '?'.		
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.410 s
	User should get error message with invalid credentials		