Release notes

SWAT+ releases are tagged on the GitHub releases page. Each tag corresponds to a Zenodo DOI under the concept DOI `10.5281/zenodo.14983534`.

Versioning

Releases are identified by a git tag. Tag names look like `61.0` or `61.1` for the current series, and earlier revisions in the reference data appear as `60.5.7`. The tag is read at configure time by `git describe --tags` (see `CMakeLists.txt`) and projected into the executable name and into the banner string in `main.f90`.

The executable name produced by CMake follows the pattern:

`swatplus-<tag>-<compiler>-<arch>[-Rel|-Dbg]`

where `<compiler>` is `gnu`, `ifo` (Intel `ifort`), or `ifx` (Intel LLVM), and `<arch>` is the host architecture. On Windows the executable has a `.exe` extension. This is defined in `CMakeLists.txt` as:

```
set(SWATPLUS_EXE "swatplus-${SWAT_VERSION}-${FFC}-${AR}${TY}")
```

A build between tags resolves to a `git describe` string of the form `<tag>-<n>-g<sha>`, for example `61.1-1-g92b4413`. See `doc/Tagging.md` in the source repository.

Tagging policy

See Tagging and releases in the developer guide for the rules a contributor follows when cutting a new tag.

Where to find what changed

For each release, the GitHub release page lists merged pull requests since the previous tag. The full commit history is available via:

```
git log <previous-tag>..<current-tag> --oneline
```

A change log curated for users (input file changes, output format changes, behaviour changes) is maintained in this section as releases are cut.