Source reference

The authoritative API reference for the SWAT+ Fortran source is generated by FORD and published at:

https://swat-model.github.io/swatplus

That site contains:

- Every module, derived type, subroutine, and function declared in `swatplus/src/`.
- Call and caller graphs.
- Source-listing pages for each `.f90` file.
- The leading comment block of every routine, indexed and searchable.

FORD reads the Fortran source directly. Whatever is in the source is reflected on the site; the docs do not duplicate this information.

How it is built

The FORD configuration lives in `ford.md` in the root of the SWAT+ source repository. Excerpt:

```
project: SWAT+
output_dir: /drive/c/repositories/swatplus/build/doc
src_dir: src
version: <git describe>
graph: true
coloured_edges: true
```

`ford.md.in` is the template; CMake substitutes the version from `git describe` and writes the resolved `ford.md`. The build command is:

```
ford ford.md
```

The resulting HTML tree is published from the `gh-pages` branch by a GitHub Action.

When to use FORD vs this site

- Use **this site** for the input file formats, output file formats, theory, calibration workflow, and how to run the model.
- Use **the FORD site** when you need to know what a specific subroutine does, what types a routine reads and writes, or where in the call tree a given variable is touched. It is the right place to start before modifying SWAT+ source.

Related

- Developer guide: how to clone, build, test, and contribute.
- Coding conventions: the style FORD picks up from comments.