






OUTPUT:




USER GET METHOD:




TOKEN GENERATION:




AUTHORIZATION:




GAMES GET METHOD:




GAMES POST METHOD:




GAMES GET BY ID:




GAMES PUT METHOD:



GAMES FILTER BY ATTENDANCE:



GAMES COUNT BY ATTENDANCE:



GAMES PLAYER BY PERFORMANCE:

Swagger UI interface showing the GET /api/Games/FilterPlayersByPerformance endpoint. The parameters section includes three query parameters: minPoints (Integer (\$int32)), minAssists (Integer (\$int32)), and minRebounds (Integer (\$int32)). The response section is currently empty.

Name	Description
minPoints	Integer (\$int32) (query)
minAssists	Integer (\$int32) (query)
minRebounds	Integer (\$int32) (query)

Buttons: Execute, Clear

PLAYERS GET METHOD:

Swagger UI interface showing the response for the GET /api/Players endpoint. The response body is a JSON array of player objects. The response headers show content-length: 372, content-type: application/json, charset=utf-8, date: Mon, 09 Sep 2024 09:22:41 GMT, and server: Kestrel.

```
{
  "playerId": 1,
  "name": "LeBron",
  "position": "Forward",
  "totalPoints": 10000,
  "totalAssists": 11,
  "totalRebounds": 100,
  "games": null
},
{
  "playerId": 2,
  "name": "Curry",
  "position": "Guard",
  "totalPoints": 10000,
  "totalAssists": 11,
  "totalRebounds": 11,
  "games": null
},
{
  "playerId": 3,
  "name": "Randle",
  "position": "Forward",
  "totalPoints": 10000,
  "totalAssists": 11,
  "totalRebounds": 11,
  "games": null
},
{
  "playerId": 4,
  "name": "Randle",
  "position": "Forward",
  "totalPoints": 10000,
  "totalAssists": 11,
  "totalRebounds": 11,
  "games": null
}
```

Response headers:

```
content-length: 372
content-type: application/json; charset=utf-8
date: Mon, 09 Sep 2024 09:22:41 GMT
server: Kestrel
```

PLAYERS POST METHOD:

Swagger UI interface showing the response for the POST /api/Players endpoint. The request body is a JSON object representing a new player. The response is a 401 Unauthorized status with an error message: "Bearer error='invalid_token'".

```
curl -X 'POST' \
  https://localhost:7058/api/Players \
  -H 'accept: text/plain' \
  -H 'Authorization: Bearer token: ' \
  -H 'Content-Type: application/json-patch+json' \
  -d '{
    "name": "Randle",
    "position": "Backwards",
    "totalPoints": 9453,
    "totalAssists": 4374,
    "totalRebounds": 453
  }'
```

Request URL: https://localhost:7058/api/Players

Server response:


```
401
Unauthorized
Error: response status is 401

Response headers:
content-length: 0
date: Mon, 09 Sep 2024 09:38:34 GMT
server: Kestrel
www-authenticate: Bearer error='invalid_token'
```


Responses:

Code	Description	Links
200	Success	No links


PLAYERS GET BY ID METHOD:




PLAYERS PUT METHOD:



PLAYERS DELETE METHOD:



PLAYERS FILTER BY PERFORMANCE:




Swagger UI interface for the endpoint `GET /api/Players/FilterByPerformance`. The interface shows the following parameters:

Name	Description
<code>minPoints</code> integer(int32) (query)	Default value : 0
<code>minAssists</code> integer(int32) (query)	Default value : 0
<code>minRebounds</code> integer(int32) (query)	Default value : 0

Each parameter has an input field with the value `0`. The `Responses` section is currently empty.

PLAYERS BY SEARCH:




Swagger UI interface for the endpoint `GET /api/Players/Search`. The interface shows the following parameters:

Name	Description
<code>name</code> string (query)	Larens
<code>position</code> string (query)	Backward

Below the parameters are `Execute` and `Clear` buttons. The `Responses` section is currently empty.

PLAYERS BY STATISTICS:



Swagger UI interface for the endpoint `GET /api/Players/Statistics`. The interface shows the following details:

- Request URL:** `https://localhost:7058/swagger/index.html`
- Server response:** 200
- Response body:**

```
{  "totalPlayers": 7,  "averagePoints": 15.0,  "averageAssists": 2.14,  "averageRebounds": 3.6}
```
- Response headers:**

```
content-length: 89  content-type: application/json; charset=utf-8  date: Mon, 09 Sep 2024 09:47:42 GMT  server: Kestrel
```
- Responses:**

Code	Description	Links
200	Success	No links
- Token:** `POST /api/Token`