Quiz 1

Due Sep 15 at 1:05pm **Points** 20 **Questions** 4 **Available** until Sep 15 at 1:10pm **Time Limit** 20 Minutes

This quiz was locked Sep 15 at 1:10pm.

Attempt History

	Attempt	Time	Score
LATEST	Attempt 1	18 minutes	16 out of 20

(!) Correct answers are hidden.

Score for this quiz: 16 out of 20

Submitted Sep 15 at 1pm

This attempt took 18 minutes.

Incorrect

Question 1 2 / 5 pts

Provide 2 of the 4 reasons for designing embedded systems from an Architectural POV (point of view):

understand the flow

Will allow us to ena

Answer 1:

understand the flow of data and will be able to access registers based on need

Answer 2:

Will allow us to enable sleep modes to reduce power consumption

Incorrect

Question 2 5 / 5 pts

Name 2 standards organizations that are concerned with **safety** of electronics products.

- 1. International Electro
- 2. International Organ

Answer 1:


International Electrotechnical Commission


Answer 2:

International Organization for Standardization

Partial

Question 3 Choose only the true statements about ARM Architecture Includes only Harvard Architecture CPU cores Well-known for power efficiency Cortex-M processors run Linux





Quiz Score: 16 out of 20

Quiz 2

Due Oct 6 at 1:05pm **Points** 20 **Questions** 8

Available until Oct 6 at 1:10pm Time Limit 20 Minutes

This quiz was locked Oct 6 at 1:10pm.

Attempt History

	Attempt	Time	Score
LATEST	Attempt 1	20 minutes	17.5 out of 20

(!) Correct answers are hidden.

Score for this quiz: 17.5 out of 20

Submitted Oct 6 at 1:02pm This attempt took 20 minutes.

Incorrect

Question 1 2 / 2 pts

d. Answer the following questions about the ARM programming model:

Where is the program counter kept in the register bank?

Register 15

Incorrect

Question 2 2 / 2 pts

c. Answer the following questions about the ARM programming model:

What is the purpose of the C bit?

That is the 'ALU operation carried out' bit. During arithmetic operations, who

Incorrect

Question 3 2 / 2 pts

b. Answer the following questions about the ARM programming model: What is the purpose of the T bit?

There are 2 states to the processor. One is the ARM state and other is Thun

Incorrect

Question 4 1 / 2 pts

Answer the following questions about the ARM programming model:

a. How many general purpose registers are there?

30

Question 5 2 / 2 pts

c. Your Company has been asked to build an embedded system that controls a dishwashing machine. The customer is most concerned about longevity, reliability over temperature, and design cost. These are not expensive machines, so the unit cost of the embedded system is a major concern. Size, Weight, and Power are not a concern within reason.

Processing speed required is moderate, 30 MIPs s major concern is the ease of bug fixes, these must all the information you have been given.	
Would the Freescale (NXP) KL25Z128M4 be a worfor this product?	kable processor choice
○ No	
Yes	
Question 6	1.5 / 2 pts
b. Your Company has been asked to build an emberontrols a dishwashing machine. The customer is longevity, reliability over temperature, and design of expensive machines, so the unit cost of the emberoncern. Size, Weight, and Power are not a concerner Processing speed required is moderate, 30 MIPs smajor concern is the ease of bug fixes, these must all the information you have been given. Choose 2 of the several standards organizations the need to respond to regarding this product:	most concerned about cost. These are not dded system is a major n within reason. Should be sufficient. At the easy to do. This is
FCC	
UL/CSA	
✓ IEC	
DOD	

Incorrect

Telcordia		
✓ IEEE		

Ouestion 7	2 / 2 pts
CALESTICAL /	_,

2. Your Company has been asked to build an embedded system that controls a dishwashing machine. The customer is most concerned about longevity, reliability over temperature, and design cost. These are not expensive machines, so the unit cost of the embedded system is a major concern. Size, Weight, and Power are not a concern within reason. Processing speed required is moderate, 30 MIPs should be sufficient. A major concern is the ease of bug fixes, these must be easy to do. This is all the information you have been given.

a. Choose which implementation architecture is the most appropriate for this design.

Discrete		
ASIC		

FPGA

MPU		
-----	--	--

MCU

Embedded PC

Partial 5 / 6 pts **Question 8**

Select all that are true about Simulink
Simulink is used to model systems as part of model-based design
Simulink is a language for technical computing based in matrix mathematics
Simulink can be used to simulate sampled-data systems
Simulink does not allow previous designs to be reused
Simulink is powerful but hard to use.

Quiz Score: 17.5 out of 20