


Practical – 1

Aim: print “hello world”.

Practical:

```
<html lang="en">
<head>
  <title>Practical-1</title>
</head>
<body>
<h3>Print item: </h3>
<?php
  echo "Hello World";
?>
</body>
</html>
```

Output:



Print item:

Hello World


Practical – 2

Aim: Local and Global Variable scope.

Practical:

```
<html lang="en">
<head>
  <title>Practical-2</title>
</head>
<body>
<h3>Local and Global Scope of Variables: </h3>
  <?php
    $x=50; //global variable
    function num(){
      global $x; //local variable
      echo "Variable x inside the function is: $x <br>";
    }
    num();
    echo "Variable x outside the function is: $x <br>";
  ?>
</body>
</html>
```

Output:



Local and Global Scope of Variables:

Variable x inside the function is: 50

Variable x outside the function is: 50

Practical – 3


Aim: Loops.

Practical:

(i)for loop --


```
<html lang="en">
<head>
  <title>Practical-3(i)</title>
</head>
<body>
  <?php
    $i = 0;
    for ($i = 0; $i < 10; $i++) {
      echo " $i <br>";
    }
  ?>
</body>
</html>
```

Output:




(ii)while loop --

```
<html lang="en">
<head>
  <title>Practical-3(ii)</title>
</head>
<body>
  <?php
    $num=0;
    while ($num<=10) {
      echo $num . "<br>";
      $num ++;
    }
  ?>
</body>
</html>
```

Output:


(iii)dowhile loop --

```
<html lang="en">
<head>
  <title>Practical-3(iii)</title>
</head>
<body>
<?php
  $i=0;
  do{
    echo "$i <br>";
    $i++;
  }
  while($i<=10);
?>
</body>
</html>
```

Output:

(iv)foreach loop-

```
<html lang="en">
<head>
  <title>Practical-3(iv)</title>
</head>
<body>
  <?php
    $signal= array("Red","Yellow","Green");
    foreach($signal as $value){
      echo "$value <br>";
    }
  ?>
</body>
</html>
```

Output:

Practical – 4


Aim: User-defined and Argument Functions.

Practical:

```
<html lang="en">
<head>
  <title>Practical-4</title>
</head>
<body>
  <h3>User-defined and Argument Function: </h3>
  <?php
    //user-defined function
    function a(){
      echo "Hello.<br>";
    }
    a();

    //argument function
    function b($name){
      echo "Hello $name.<br>";
    }
    b("Fenil");
  ?>
</body>
</html>
```

Output:



User-defined and Argument Function:

Hello.
Hello Fenil.

Practical – 5

Aim: String Functions.

Practical:

```
<html lang="en">
<head>
  <title>Practical-5</title>
</head>
<body>
  <h3>String Functions: </h3>
  <?php
    echo "chr() -- ";
    echo chr(0x52)."<br>"; //hex
    echo "strtolower() -- ";
    echo strtolower("VIRAT <br>");
    echo "strtoupper() -- ";
    echo strtoupper("hello <br>");
    echo "strlen() -- ";
    echo strlen("F E N I L")."<br>";
    echo "substr() -- ";
    echo substr("Hi, How are you?",7)."<br>";
    echo "strcmp() -- ";
    echo strcmp("apple","APPLE")."<br>";
    echo "stristr() -- ";
    echo stristr("This is a phone","a")."<br>";
    echo "str_replace() -- ";
    echo str_replace("Sir","Fenil","I am Sir!")."<br>";
    echo "strev() -- ";
    echo strev("Fenil")."<br>";
  ?>
</body>
</html>
```


Output: localhost/SC23BCCA084/p5.php**String Functions:**

```
chr() -- R
strtolower() -- virat
strtoupper() --HELLO
strlen() --9
substr() -- are you?
strcmp() -- 1
stristr() -- a phone
str_replace() -- I am Fenil!
strrev() -- lineF
```

Practical – 6

Aim: Math Functions.

Practical:

```
<html lang="en">
<head>
  <title>Practical-6</title>
</head>
<body>
<h3>Math Functions: </h3>
  <?php
    echo "abs() -- ";
    echo abs(-45.67)."<br>"; // absolute function
    echo "ceil() -- ";
    echo ceil(0.40)."<br>"; // ceiling function
    echo "floor() -- ";
    echo floor(0.60)."<br>"; // floor function
    echo "round() -- ";
    echo round(1.502)."<br>"; // round off function
    echo "fmod() -- ";
    echo fmod(14,3)."<br>"; // fmod function
    echo "min() -- ";
    echo min(40,12,-4,0,-56)."<br>"; //minimum function
    echo "max() -- ";
    echo max(40,12,-4,0,-56)."<br>"; //maximum function
    echo "pow() -- ";
    echo pow(-2,4.2)."<br>"; // power function
    echo "sqrt() -- ";
    echo sqrt(64)."<br>"; // squareRoot function
    echo "rand() -- ";
    echo rand()."<br>"; // random value function
  ?>
</body>
</html>
```

Output: localhost/SC23BCCA084/p6.php**Math Functions:**

```
abs() -- 45.67
ceil() -- 1
floor() -- 0
round() -- 2
fmod() -- 2
min() -- -56
max() -- 40
pow() -- NAN
sqrt() -- 8
rand() -- 91067529
```

Practical – 7

Aim: Date Functions.

Practical:

```
<html lang="en">
<head>
  <title>Practical-7</title>
</head>
<body>
<h3>Date Functions: </h3>
  <?php
    echo "date() -- ";
    echo date("d/m/y <br>");
    echo "<br><br>getdate() -- ";
    print_r(getdate());
    echo "<br><br>setdate() -- ";
    $date=date_create();
    date_date_set($date,2024,11,22);
    echo date_format($date,"Y/m/d <br>");
    echo "<br><br>checkdate() -- ";
    var_dump(checkdate(2,29,2004));
    echo "<br><br>time() -- ";
    echo(time());
    echo "<br><br>mktime() -- ";
    echo date("M-d-Y",mktime(0,0,0,11,14,2024)) . "<br>";
  ?>
</body>
</html>
```

Output:

Date Functions:

```
date() -- 04/03/25
getdate() -- Array ( [seconds] => 17 [minutes] => 44 [hours] => 18 [mday] => 4 [wday] => 2 [mon] => 3 [year] => 2025 [yday] => 62 [weekday] => Tuesday [month] => March [0] => 1741110257 )
setdate() -- 2024/11/22
checkdate() -- bool(true)
time() -- 1741110257
mktime() -- Nov-14-2024
```

Practical – 8

Aim: Array Functions.

Practical:

```
<html lang="en">
<head>
    <title>Practical-8</title>
</head>
<body>
    <h2>Array Functions: </h2>
    <?php
        echo "implode() -- ";
        $a = array('Fenil','Pastagia');
        print implode(" ",$a). "<br>";

        echo "<br>explode() -- ";
        $b = "Hello Fenil, What's up?";
        print_r (explode(" ",$b)). "<br>";

        echo "<br><br>count() -- ";
        $c=array("Volvo","BMW","Toyota");
        echo count($c). "<br>";

        echo "<br>array_reverse() -- ";
        $d=array("a"=>"Volvo","b"=>"BMW","c"=>"Toyota");
        print_r(array_reverse($d)). "<br>";

        echo "<br><br>in_array() -- ";
        $e = array("Fenil", "Meet", "Virat", "Rohit");

        if (in_array("Glenn", $e)){
            echo "Match found";
        }
        else{
            echo "Match not found"."<br>";
        }


        echo "<br>current() -- ";
        $f = array("Fenil", "Meet", "Virat", "Rohit");
        echo current($f) . "<br>";
```

```

echo "<br>next() -- ";
echo next($f) . "<br>";
echo "<br>prev() -- ";
echo prev($f) . "<br>";
echo "<br>end() -- ";
echo end($f) . "<br>";
?>
</body>
</html>

```

Output:



Array Functions:

`implode()` -- Fenil Pastagia

`explode()` -- Array ([0] => Hello [1] => Fenil, [2] => What's [3] => up?)

`count()` -- 3

`array_reverse()` -- Array ([c] => Toyota [b] => BMW [a] => Volvo)

`in_array()` -- Match not found

`current()` -- Fenil

`next()` -- Meet

`prev()` -- Fenil

`end()` -- Rohit

Practical – 9


Aim: File Handling.

Practical:

fileopen.php –


```
<?php
$file = fopen("one.txt","r");
if($file){
    echo "File Opened Successfully!";
    fclose($file);
}
else{
    echo "Failed to open File!";
}
?>
```

Output:





fileread.php –

```
<?php
    $file = fopen("one.txt","r");
    $content = fread($file,filesize(("one.txt")));
    echo $content;
    fclose($file);
?>
```

Output :**filewrite.php –**

```
<?php
    $file = fopen("one.txt","w");
    if($file){

    echo "Written Successfully to file!";
        $text = "I am writing to a file!";
        fwrite($file, $text);
        fclose($file);
    }
?>
```

Output :

Practical – 10


Aim: Cookies.

Practical:

cookie_retrieve.php –


```
<?php
    $cookie_name = "user";
    $cookie_value = "Fenil Pastagia";
    setcookie($cookie_name, $cookie_value, time() + (86400 * 30), "/");
?>
<html>
<body>
<?php
if(!isset($_COOKIE[$cookie_name])) {
    echo "Cookie named '" . $cookie_name . "' is not set!";
} else {
    echo "Cookie '" . $cookie_name . "' is set!<br>";
    echo "Value is: " . $_COOKIE[$cookie_name];
}
?>
</body>
</html>
```

Output:



cookie_delete.php –

```
<?php
    setcookie("user","",time()-3600);
?>
<?php
    echo "Cookie deleted succesfully!"
?>
```

Output:

Practical – 11


Aim: Sessions.

Practical:

s1.php –


```
<?php
    session_start();
?>
<html>
<body>
<?php
    $_SESSION["user"] = "Fenil";
    echo "Session variables are Completed.<br>";
?>
<a href="s2.php">Next</a>
</body>
</html>
```

Output:




s2.php –

```
<?php
    session_start();
?>
<html>
<body>
<?php
    echo "User is: " .$_SESSION["user"];
    session_destroy();
?>
<br><a href="s3.php">Next</a>
</body>
</html>
```

Output:**s3.php –**

```
<?php
    session_start();
?>
<html>
<body>
<?php
    echo "User is: " .$_SESSION["user"];
?>
</body>
</html>
```

Output:

Practical-12(i)

Aim: Database Connection.

Program:

```
<?php
$conn = mysqli_connect("localhost","root","", "test1");
if($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
echo "<center><h1>Database connected successfully!</h1></center>";
?>
```

Output:



Practical-12(ii)

Aim: Display the Data.

Program:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0 shrink-to-fit=no">

  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/css/bootstrap.min.css"
integrity="sha384-
TX8t27EcRE3e/ihU7zmQxVncDAy5uIKz4rEkgIXeMed4M0jlfIDPvg6uqKI2xXr2"
crossorigin="anonymous">

  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.4.0/css/all.min.css" integrity="sha512-
iecdLmaskl7CVkqkXNQ/ZH/XLlvWZOJyj7Yy7tcenmpD1ypASozpmT/E0iPtmFIB46Zmdt
Ac9eNBvH0H/ZpiBw==" crossorigin="anonymous" referrerpolicy="no-referrer" />

  <title>for Display</title>
</head>
<body>
  <div class="container my-2">
    <div class="float-left">
      <div class="col-12">
        <h1>Client's Details</h1>
      </div>
    </div>
    <div class="float-right">
      <div class="col-12">
        <button class="btn btn-dark my-2"><a href="form.php" class="text-light"><b>+
Add User</b></a></button>
      </div>
    </div>
    <table class="table table-bordered">
      <thead class="table-dark">
        <tr>
```

```

        <th scope="col">I'd</th>
        <th scope="col">Name</th>
        <th scope="col">Email</th>
        <th scope="col">Phone No</th>
        <th scope="col">Password</th>
        <th scope="col">Address</th>
        <th scope="col">Age</th>
        <th scope="col">Gender</th>
        <th scope="col">Operations</th>
    </tr>
</thead>
<tbody>

<?php
    include_once 'connection.php';

    $select = "SELECT * FROM crud";
    $result = mysqli_query($conn, $select);
    if($result)
    {
        while($row = mysqli_fetch_assoc($result)) {
            $id = $row['id'];
            $name = $row['name'];
            $email = $row['email'];
            $phone = $row['phone'];
            $password = $row['password'];
            $address = $row['address'];
            $age = $row['age'];
            $gender = $row['gender'];
            echo '<tr>
                <th scope="row">'. $id. '</th>
                <td>'. $name. '</td>
                <td>'. $email. '</td>
                <td>'. $phone. '</td>
                <td>'. $password. '</td>
                <td>'. $address. '</td>
                <td>'. $age. '</td>
                <td>'. $gender. '</td>
                <td>
                    <center>
                        <a href="update.php?updateid='.$id.'" class="text-success"><i
class="fa-solid fa-pen-to-square fs-5 me-3"></i></a>

```


```

        <a href="delete.php?deleteid='.$id.'" class="text-danger"
onclick="returndelete()"><i class="fa-solid fa-trash fs-5"></i></a>
    </center>
</td>
</tr>';
    }
}
?>

</tbody>
</table>
<script>
function returndelete() {
    alert("Data deleted successfully!");
}
</script>
</div>
</body>
</html>

```

Output:



I'd	Name	Email	Phone No	Password	Address	Age	Gender	Operations
1	Fenil	fenilpastagia17@gmail.com	9924976503	fenil@1708__	Canal road, Surat	19	Male	 
2	Meet	meet@gmail.com	7485968574	meet	Varachha, Surat	21	Male	 
7	Virat	virat@gmail.com	9234567854	virat.18	Delhi	39	Male	 

Practical-12(iii)

Aim: Insert the Data.

Program:

```
<!doctype html>
<html lang="en">
<head>
  <!-- Required meta tags -->
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

  <!-- Bootstrap CSS -->
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/css/bootstrap.min.css"
integrity="sha384-
TX8t27EcRE3e/ihU7zmQxVncDAy5uIKz4rEkgIXeMed4M0jlfIDPvg6uqKI2xXr2"
crossorigin="anonymous">

  <title>Form</title>

  <style>
    body {
      max-width: 600px;
      margin: 40px auto;
      padding: 20px;
      box-shadow: 0px 7px 29px 5px;
    }
  </style>
</head>
<body>
  <br><h2 class="text-primary" align="center"><b>Registration Form</b></h2><br>
<form method="post">
  <div class="container">
    <div class="row">
      <div class="col">
        <div class="mb-3">
          <input type="text" name="name" class="form-control"
id="exampleInputEmail1" aria-describedby="emailHelp" placeholder="Enter name"
Required>
        </div>
```

```

    </div>
    <div class="col">
        <input type="email" style="text-transform: lowercase;" name="email"
class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp"
placeholder="Enter email" Required>
    </div>
</div>
<div>
<div class="container">
    <div class="row">
        <div class="col">
            <div class="mb-3">
                <input type="tel" name="phone" class="form-control"
id="exampleInputEmail1" aria-describedby="emailHelp" placeholder="Enter phone-number"
Required>
            </div>
        </div>
        <div class="col">
            <input type="password" name="password" class="form-control"
id="exampleInputEmail1" aria-describedby="emailHelp" placeholder="Enter password"
Required>
        </div>
    </div>
</div>
<div class="container">
    <div class="mb-3">
        <textarea name="address" class="form-control" id="exampleInputEmail1"
id="floatingTextarea" placeholder="Enter address" Required></textarea>
    </div>
</div>
<div class="container">
    <div class="mb-3">
        <input type="number" name="age" class="form-control"
id="exampleInputEmail1" aria-describedby="emailHelp" placeholder="Enter age" Required>
    </div>
</div>
<div class="container text-center">
    <div class="mb-3">
        <div class="form-check form-check-inline">
            <input class="form-check-input" type="radio" name="gender"
value="Male">Male
        </div>
        <div class="form-check form-check-inline">

```

```

        <input class="form-check-input" type="radio" name="gender"
value="Female">Female
    </div>
</div>
</div>
<div class="container text-center">
    <div class="mb-3">
        <button type="submit" name="submit" class="btn btn-success"
onclick="returninsert()"><b>Submit</b></button>
        <button type="reset" name="reset" class="btn btn-
warning"><b>Reset</b></button>
    </div>
</div>

<?php
    include_once 'connection.php';


    if (isset($_POST['submit'])) {
        $name = $_POST['name'];
        $email = $_POST['email'];
        $phone = $_POST['phone'];
        $password = $_POST['password'];
        $address = $_POST['address'];
        $age = $_POST['age'];
        $gender = $_POST['gender'];
        $insert = "INSERT INTO crud VALUES (NULL, '$name', '$email', '$phone',
'password', '$address', '$age', '$gender')";

        $query = mysqli_query($conn, $insert);
        if ($query) {
            // echo "<script>alert('Data Inserted successfully')</script>";
            header('location:display.php');
        } else {
            die(mysqli_error($conn));
        }
    }
?>
</form>
<script>
    function returninsert() {
        alert("Data inserted successfully!");
    }
</script>

```

</body>

</html>

Output:

Registration Form


Enter name enter email

Enter phone-number Enter password

Enter address

Enter age

☐ Male ☐ Female



localhost says
Data inserted successfully!

Registration Form

Jay jay@gmail.com

9456782345 *****

Surat

21

☒ Male ☐ Female

Practical-12(iv)

Aim: Update the Data.

Program:

```
<!doctype html>
<html lang="en">
<head>
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

    <!-- Bootstrap CSS -->
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/css/bootstrap.min.css"
integrity="sha384-
TX8t27EcRE3e/ihU7zmQxVncDAy5uIKz4rEkgIXeMed4M0jlfIDPvg6uqKI2xXr2"
crossorigin="anonymous">

    <style>
        body {
            max-width: 600px;
            margin: 40px auto;
            padding: 20px;
            box-shadow: 0px 7px 29px 5px;
        }
    </style>

    <title>for Update</title>
</head>
<body>
    <?php
        include_once 'connection.php';

        // Get the ID from the URL
        $id = $_GET['updateid'];

        // Fetch data from the database based on the ID
        $sql = "SELECT * FROM crud WHERE id=$id";
        $result = mysqli_query($conn, $sql);
        $row = mysqli_fetch_assoc($result);
```

```

// Store the fetched data in variables
$name = $row['name'];
$email = $row['email'];
$phone = $row['phone'];
$address = $row['address'];
$age = $row['age'];
$gender = $row['gender'];

// If the form is submitted, update the database
if(isset($_POST['submit'])) {
    // Get the form data
    $name = $_POST['name'];
    $email = $_POST['email'];
    $phone = $_POST['phone'];
    $address = $_POST['address'];
    $age = $_POST['age'];
    $gender = $_POST['gender'];

    // Update the database with the new data
    $insert = "UPDATE crud SET name='$name', email='$email', phone='$phone',
address='$address', age=$age, gender='$gender' WHERE id=$id";
    $query = mysqli_query($conn, $insert);

    if($query) {
        // Redirect after successful update
        header('Location: display.php');
    } else {
        die(mysqli_error($conn));
    }
}
?>

<br><h2 class="text-info" align="center"><b>Registration Form</b></h2><br>
<form method="post">
    <div class="container">
        <div class="row">
            <div class="col">
                <div class="mb-3">
                    <input type="text" value="<?php echo $name; ?>" name="name"
class="form-control" placeholder="Enter name">
                </div>
            </div>
        </div>
    </div>

```

```

        <div class="col">
            <input type="email" name="email" style="text-transform: lowercase;"
value="<?php echo $email; ?>" class="form-control" placeholder="Enter email">
        </div>
    </div>
</div>
<div class="container">
    <div class="row">
        <div class="col">
            <div class="mb-3">
                <input type="tel" name="phone" value="<?php echo $phone; ?>"
class="form-control" placeholder="Enter phone-number">
            </div>
        </div>
    </div>
</div>
<div class="container">
    <div class="mb-3">
        <textarea name="address" class="form-control" placeholder="Enter
address"><?php echo $address; ?></textarea>
    </div>
</div>
<div class="container">
    <div class="mb-3">
        <input type="number" name="age" value="<?php echo $age; ?>" class="form-
control" placeholder="Enter age">
    </div>
</div>
<div class="container text-center">
    <div class="mb-3">
        <div class="form-check form-check-inline">
            <input class="form-check-input" type="radio" name="gender" value="Male"
<?php echo $gender == 'Male' ? 'checked' : ''; ?>>Male
        </div>
        <div class="form-check form-check-inline">
            <input class="form-check-input" type="radio" name="gender" value="Female"
<?php echo $gender == 'Female' ? 'checked' : ''; ?>>Female
        </div>
    </div>
</div>
<div class="container text-center">
    <div class="mb-3">

```

```

<button type="submit" name="submit" class="btn btn-success"
onclick="returnupdate()"><b>Update</b></button>
<a href="display.php" class="btn btn-danger"><b>Cancel</b></a>
</div>
</div>
</form>
<script>
function returnupdate() {
    alert("Data updated successfully!");
}
</script>
</body>
</html>

```

Output:

The first screenshot shows the 'Client's Details' table with 4 users. The second screenshot shows the 'Registration Form' with a success alert 'Data updated successfully!'. The third screenshot shows the updated 'Client's Details' table with 5 users, including the newly added user 'Jay'.

I'd	Name	Email	Phone No	Password	Address	Age	Gender	Operations
1	Fenil	fenilpastagia17@gmail.com	9924976503	fenil@1708__	Canal road, Surat	19	Male	
2	Meet	meet@gmail.com	7485968574	meet	Varachha, Surat	21	Male	
7	Virat	virat@gmail.com	9234567854	virat.18	Delhi	39	Male	
8	Jay	jay@gmail.com	9456782345	jay.006	Surat	21	Male	

I'd	Name	Email	Phone No	Password	Address	Age	Gender	Operations
1	Fenil	fenilpastagia17@gmail.com	9924976503	fenil@1708__	Canal road, Surat	19	Male	
2	Meet	meet@gmail.com	7485968574	meet	Varachha, Surat	21	Male	
7	Virat	virat@gmail.com	9234567854	virat.18	Delhi	39	Male	
8	Jay	jay@gmail.com	9456782345	jay.006	Surat	22	Male	

Practical-12(v)

Aim: Delete the Data.


Program:

```
<?php
    include_once 'connection.php';


    if (isset($_GET['deleteid']))
    {
        $id = $_GET['deleteid'];
        $delete = "DELETE FROM crud WHERE id=$id";
        $query = mysqli_query($conn, $delete);

        if ($query) {
            // echo "<script>alert('Data Deleted successfully')</script>";
            header('location:display.php');
        } else {
            die(mysqli_error($conn));
        }
    }
?>
```

Output:



I'd	Name	Email	Phone No	Password	Address	Age	Gender	Operations
1	Fenil	fenilpastagia17@gmail.com	9924976503	fenil@1708__	Canal road, Surat	19	Male	 
2	Meet	meet@gmail.com	7485968574	meet	Varachha, Surat	21	Male	 
7	Virat	virat@gmail.com	9234567854	virat.18	Delhi	39	Male	 
8	Jay	jay@gmail.com	9456782345	jay.006	Surat	22	Male	 



I'd	Name	Email	Phone No	Password	Address	Age	Gender	Operations
1	Fenil	fenilpastagia17@gmail.com	9924976503	fenil@1708__	Canal road, Surat	19	Male	 
2	Meet	meet@gmail.com	7485968574	meet	Varachha, Surat	21	Male	 
7	Virat	virat@gmail.com	9234567854	virat.18	Delhi	39	Male	 
8	Jay	jay@gmail.com	9456782345	jay.006	Surat	22	Male	 

← → 🔍 localhost/SC23BCCA067/crud/display.php

Client's Details

[+ Add User](#)

I'd	Name	Email	Phone No	Password	Address	Age	Gender	Operations
1	Fenil	fenilpastagia17@gmail.com	9924976503	fenil@1708__	Canal road, Surat	19	Male	 
2	Meet	meet@gmail.com	7485968574	meet	Varachha, Surat	21	Male	 
7	Virat	virat@gmail.com	9234567854	virat.18	Delhi	39	Male	 