


## Steps:

### 1. Create 3 EC2 Ubuntu Instances on AWS.



## Installing Docker

```
Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

Last login: Tue Aug 27 05:54:21 2024 from 18.206.107.27
ubuntu@ip-172-31-43-238:~$ sudo su
root@ip-172-31-43-238:/home/ubuntu# curl -fsSL https://download.docker.com/linux/ubuntu/gpg | gpg --dearmor -o /usr/share/keyrings/docker-archive-keyring.gpg
File '/usr/share/keyrings/docker-archive-keyring.gpg' exists. Overwrite? (y/N) y
root@ip-172-31-43-238:/home/ubuntu# echo "deb [arch=amd64 signed-by=/usr/share/keyrings/docker-archive-keyring.gpg] https://download.docker.com/linux/ubuntu $(lsb_release -cs) stable" | sudo tee /etc/apt/sources.list.d/docker.list > /dev/null
root@ip-172-31-43-238:/home/ubuntu# sudo apt update
sudo apt install -y docker-ce
Hit:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble InRelease
Get:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]
Hit:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease
Hit:4 http://security.ubuntu.com/ubuntu noble-security InRelease
Hit:5 https://download.docker.com/linux/ubuntu noble InRelease
Hit:6 https://packages.cloud.google.com/apt cloud-sdk InRelease
Ign:6 https://packages.cloud.google.com/apt kubernetes-xenial InRelease
Err:8 https://packages.cloud.google.com/apt kubernetes-xenial Release
  404 Not Found [IP: 172.253.122.113 443]
Get:9 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 Packages [468 kB]
Get:10 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main Translation-en [117 kB]
Get:11 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 c-n-f Metadata [7716 B]
Get:12 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Packages [337 kB]
Get:13 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe Translation-en [142 kB]
Get:14 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe amd64 c-n-f Metadata [13.7 kB]
Reading package lists... Done
E: The repository 'https://apt.kubernetes.io kubernetes-xenial Release' does not have a Release file.
N: Updating from such a repository can't be done securely, and is therefore disabled by default.
N: See apt-secure(8) manpage for repository creation and user configuration details.
W: Target Packages (main/binary-amd64/Packages) is configured multiple times in /etc/apt/sources.list.d/kubernetes.list:1 and /etc/apt/sources.list.d/kubernetes.list:3
```

```
root@ip-172-31-43-238:/home/ubuntu# systemctl status docker
● docker.service - Docker Application Container Engine
   Loaded: loaded (/usr/lib/systemd/system/docker.service; enabled; preset: enabled)
   Active: active (running) since Tue 2024-08-27 06:27:36 UTC; 2min 15s ago
   TriggeredBy: ● docker.socket
     Docs: https://docs.docker.com
    Main PID: 775 (dockerd)
      Tasks: 7
    Memory: 98.4M (peak: 99.7M)
       CPU: 495ms
    CGroup: /system.slice/docker.service
            └─775 /usr/bin/dockerd -H fd:// --containerd=/run/containerd/containerd.sock

Aug 27 06:27:34 ip-172-31-43-238 dockerd[775]: time="2024-08-27T06:27:34.900277570Z" level=info msg="Starting up"
Aug 27 06:27:34 ip-172-31-43-238 dockerd[775]: time="2024-08-27T06:27:34.915379249Z" level=info msg="detected 127.0.0.53 nameserver"
Aug 27 06:27:35 ip-172-31-43-238 dockerd[775]: time="2024-08-27T06:27:35.413459120Z" level=info msg="[graphdriver] trying config"
Aug 27 06:27:35 ip-172-31-43-238 dockerd[775]: time="2024-08-27T06:27:35.487609512Z" level=info msg="Loading containers: start."
Aug 27 06:27:36 ip-172-31-43-238 dockerd[775]: time="2024-08-27T06:27:36.488518335Z" level=info msg="Default bridge (docker0) is already up. (IP: 172.17.0.1)
Aug 27 06:27:36 ip-172-31-43-238 dockerd[775]: time="2024-08-27T06:27:36.645936049Z" level=info msg="Loading containers: done."
Aug 27 06:27:36 ip-172-31-43-238 dockerd[775]: time="2024-08-27T06:27:36.725358518Z" level=info msg="Docker daemon" commit=f952761d build=23748
Aug 27 06:27:36 ip-172-31-43-238 dockerd[775]: time="2024-08-27T06:27:36.729692762Z" level=info msg="Daemon has completed initialization"
Aug 27 06:27:36 ip-172-31-43-238 dockerd[775]: time="2024-08-27T06:27:36.880106945Z" level=info msg="API listen on /run/docker.sock"
Aug 27 06:27:36 ip-172-31-43-238 systemd[1]: Started docker.service - Docker Application Container Engine.

root@ip-172-31-43-238:/home/ubuntu# sudo systemctl enable docker
Synchronizing state of docker.service with SysV service script with /usr/lib/systemd/systemd-sysv-install.
Executing: /usr/lib/systemd/systemd-sysv-install enable docker
root@ip-172-31-43-238:/home/ubuntu#
```

Install Kubernetes on all 3 machines

- `curl -fsSL https://download.kubernetes.com/linux/ubuntu/gpg | gpg --dearmor -o /usr/share/keyrings/kubernetes-archive-keyring.gpg`
- `echo "deb [arch=amd64 signed-by=/usr/share/keyrings/kubernetes-archive-keyring.gpg] https://download.kubernetes.com/linux/ubuntu $(lsb_release -cs) stable" | sudo tee /etc/apt/sources.list.d/kubernetes.list`

```
root@ip-172-31-43-238:/home/ubuntu# curl -fsSL https://download.kubernetes.com/linux/ubuntu/gpg | gpg --dearmor -o /usr/share/keyrings/kubernetes-archive-keyring.gpg
root@ip-172-31-43-238:/home/ubuntu# echo "deb [signed-by=/usr/share/keyrings/kubernetes-archive-keyring.gpg] https://apt.kubernetes.io/ kubernetes-xenial main" | sudo tee /etc/apt/sources.list.d/kubernetes.list
deb [signed-by=/usr/share/keyrings/kubernetes-archive-keyring.gpg] https://apt.kubernetes.io/ kubernetes-xenial main
```

- `sudo apt update`
- `sudo apt install -y kubectl kubelet kubeadm`

```
root@ip-172-31-43-238:/home/ubuntu# sudo apt-get update
sudo apt-get install -y kubectl kubelet kubeadm
Hit:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble InRelease
Get:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]
Hit:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease
Hit:4 http://security.ubuntu.com/ubuntu noble-security InRelease
Hit:5 https://download.docker.com/linux/ubuntu noble InRelease
Hit:7 https://packages.cloud.google.com/apt cloud-sdk InRelease
Ign:6 https://packages.cloud.google.com/apt kubernetes-xenial InRelease
Get:8 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 Packages [463 kB]
Err:9 https://packages.cloud.google.com/apt kubernetes-xenial Release
  404 Not Found [IP: 142.251.163.138 443]
Get:10 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Packages [337 kB]
Reading package lists... Done
E: The repository 'https://apt.kubernetes.io kubernetes-xenial Release' does not have a Release file.
N: Updating from such a repository can't be done securely, and is therefore disabled by default.
N: See apt-secure(8) manpage for repository creation and user configuration details.
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
E: Unable to locate package kubelet
E: Unable to locate package kubeadm
```

- `Snap install kubectl --classic`

```
root@ip-172-31-43-238:/home/ubuntu# snap install kubectl --classic
kubectl 1.30.4 from Canonical✓ installed
```

- `Snap install kubelet --classic`

```
root@ip-172-31-43-238:/home/ubuntu# snap install kubelet --classic
kubelet 1.30.4 from Canonical✓ installed
```

- Snap install kubeadm --classic

```
root@ip-172-31-43-238:/home/ubuntu# snap install kubeadm --classic
kubeadm 1.30.4 from Canonical✓ installed
```

- sudo swapoff -a
- echo "net.bridge.bridge-nf-call-iptables=1" | sudo tee -a /etc/sysctl.conf
- sudo sysctl -p

```
root@ip-172-31-43-238:/home/ubuntu# sudo swapoff -a
root@ip-172-31-43-238:/home/ubuntu# echo "net.bridge.bridge-nf-call-iptables=1" | sudo tee -a /etc/sysctl.conf
net.bridge.bridge-nf-call-iptables=1
root@ip-172-31-43-238:/home/ubuntu# sudo sysctl -p
net.bridge.bridge-nf-call-iptables = 1
```

```
root@ip-172-31-43-238:/home/ubuntu# kubelet --version
Kubernetes v1.30.4
root@ip-172-31-43-238:/home/ubuntu# sudo nano /etc/systemd/system/kubelet.service
root@ip-172-31-43-238:/home/ubuntu# sudo systemctl daemon-reload
root@ip-172-31-43-238:/home/ubuntu# sudo systemctl enable kubelet
Created symlink /etc/systemd/system/multi-user.target.wants/kubelet.service → /etc/systemd/system/kubelet.service.
root@ip-172-31-43-238:/home/ubuntu# sudo systemctl start kubelet
root@ip-172-31-43-238:/home/ubuntu# sudo systemctl status kubelet
• kubelet.service - kubelet: The Kubernetes Node Agent
   Loaded: loaded (/etc/systemd/system/kubelet.service; enabled; preset: enabled)
   Active: activating (auto-restart) (Result: exit-code) since Sun 2024-08-25 14:03:50 UTC; 9s ago
     Docs: https://kubernetes.io/docs/home/
   Process: 52192 ExecStart=/usr/bin/kubelet (code=exited, status=203/EXEC)
  Main PID: 52192 (code=exited, status=203/EXEC)
    CPU: 1ms
```

- sudo nano /etc/systemd/system/kubelet.service

## Manually add content to file

Add the following content to the file:

```
ini

[Unit]
Description=kubelet: The Kubernetes Node Agent
Documentation=https://kubernetes.io/docs/home/
Wants=network-online.target
After=network-online.target

[Service]
ExecStart=/usr/bin/kubelet
Restart=always
StartLimitInterval=0
RestartSec=10

[Install]
WantedBy=multi-user.target
```

- sudo systemctl daemon-reload
- sudo systemctl enable kubelet
- sudo systemctl start kubelet
- sudo kubeadm init --pod-network-cidr=10.244.0.0/16  
--ignore-preflight-errors=all

```
[root@ip-172-31-85-89 ec2-user]# kubeadm init
[init] Using Kubernetes version: v1.26.0
[preflight] Running pre-flight checks
[WARNING FileExisting-tc]: tc not found in system path
[preflight] Pulling images required for setting up a Kubernetes cluster
[preflight] This might take a minute or two, depending on the speed of your internet connection
[preflight] You can also perform this action in beforehand using 'kubeadm config images pull'
[certs] Using certificateDir folder "/etc/kubernetes/pki"
[certs] Generating "ca" certificate and key
[certs] Generating "apiserver" certificate and key
[certs] apiserver serving cert is signed for DNS names [ip-172-31-85-89.ec2.internal kubernetes kubernetes.default.svc.cluster.local] and IPs [10.96.0.1 172.31.85.89]
[certs] Generating "apiserver-kubelet-client" certificate and key
[certs] Generating "front-proxy-ca" certificate and key
[certs] Generating "front-proxy-client" certificate and key
[certs] Generating "etcd/ca" certificate and key
[certs] Generating "etcd/server" certificate and key
[certs] etcd/server serving cert is signed for DNS names [ip-172-31-85-89.ec2.internal localhost] and IPs [172.31.85.89 127.0.0.1 ::1]
[certs] Generating "etcd/peer" certificate and key
[certs] etcd/peer serving cert is signed for DNS names [ip-172-31-85-89.ec2.internal localhost] and IPs [172.31.85.89 127.0.0.1 ::1]
[certs] Generating "etcd/healthcheck-client" certificate and key
```

To start using your cluster, you need to run the following as a regular user:

```
mkdir -p $HOME/.kube
sudo cp -i /etc/kubernetes/admin.conf $HOME/.kube/config
sudo chown $(id -u):$(id -g) $HOME/.kube/config
```

Alternatively, if you are the root user, you can run:

```
export KUBECONFIG=/etc/kubernetes/admin.conf
```

You should now deploy a pod network to the cluster.

Run "kubectl apply -f [podnetwork].yaml" with one of the options listed at:  
<https://kubernetes.io/docs/concepts/cluster-administration/addons/>

Then you can join any number of worker nodes by running the following on each as root:

```
kubeadm join 172.31.85.89:6443 --token 14bpy7.fnmuro7d6epjelzc \
--discovery-token-ca-cert-hash sha256:6271efde9bb8e5473d7e549a8354372752cc239de62bb8ea81bd668f4a505906
[root@ip-172-31-85-89 ec2-user]# mkdir -p $HOME/.kube
[root@ip-172-31-85-89 ec2-user]# sudo cp -i /etc/kubernetes/admin.conf $HOME/.kube/config
[root@ip-172-31-85-89 ec2-user]# sudo chown $(id -u):$(id -g) $HOME/.kube/config
[root@ip-172-31-85-89 ec2-user]# export KUBECONFIG=/etc/kubernetes/admin.conf
[root@ip-172-31-85-89 ec2-user]#
```

```
[root@ip-172-31-94-70 ec2-user]# sudo systemctl enable --now kubelet
Created symlink from /etc/systemd/system/multi-user.target.wants/kubelet.service to /usr/lib/systemd/system/kubelet.service
[root@ip-172-31-94-70 ec2-user]# kubeadm join 172.31.85.89:6443 --token 14bpy7.fnmuro7d6epjelzc \
--discovery-token-ca-cert-hash sha256:6271efde9bb8e5473d7e549a8354372752cc239de62bb8ea81bd668f4a505906
[preflight] Running pre-flight checks
[WARNING FileExisting-tc]: tc not found in system path
[preflight] Reading configuration from the cluster...
[preflight] FYI: You can look at this config file with 'kubectl -n kube-system get cm kubeadm-config -o yaml'
[kubelet-start] Writing kubelet configuration to file "/var/lib/kubelet/config.yaml"
[kubelet-start] Writing kubelet environment file with flags to file "/var/lib/kubelet/kubeadm-flags.env"
[kubelet-start] Starting the kubelet
[kubelet-start] Waiting for the kubelet to perform the TLS Bootstrap...
```

```
[root@ip-172-31-85-89 ec2-user]# kubectl get nodes
NAME                                STATUS    ROLES    AGE     VERSION
ip-172-31-85-89.ec2.internal        NotReady control-plane 72s     v1.26.0
[root@ip-172-31-85-89 ec2-user]# kubectl get nodes
NAME                                STATUS    ROLES    AGE     VERSION
ip-172-31-85-89.ec2.internal        NotReady control-plane 105s    v1.26.0
ip-172-31-89-46.ec2.internal        NotReady <none>     5s      v1.26.0
[root@ip-172-31-85-89 ec2-user]# kubectl get nodes
NAME                                STATUS    ROLES    AGE     VERSION
ip-172-31-85-89.ec2.internal        NotReady control-plane 119s    v1.26.0
ip-172-31-89-46.ec2.internal        NotReady <none>     19s     v1.26.0
ip-172-31-94-70.ec2.internal        NotReady <none>     12s     v1.26.0
[root@ip-172-31-85-89 ec2-user]#
```