Markdown

Header

Markdown	HTML	View
`# Text`	`<h1>Text</h1>`	# Text
`## Text`	`<h2>Text</h2>`	## Text
`### Text`	`<h3>Text</h3>`	### Text
`#### Text`	`<h4>Text</h4>`	#### Text
`##### Text`	`<h5>Text</h5>`	##### Text
`###### Text`	`<h6>Text</h6>`	###### Text

Emphasis

Markdown	HTML	View
`*Emphasis*`	`<em>Emphasis</em>`	*Emphasis*

|		
Emphasis	Emphasis	*Emphasis*
Strong	Strong	**Strong**
__Strong__	Strong	**Strong**
*Super*emphasis	Superemphasis	*Super*emphasis
Superstrong	Superstrong	**Super**strong

Links

Markdown	View
[Google](http://google.com)	Google
[Google](http://google.com "Search")	Google
[Google][google]	
[google]: http://google.com "Search"	Google
<http://google.com>	http://google.com

Images

Markdown	View
![Alt text](http://bit.ly/19M10jb)	
![Alt text](http://bit.ly/19M10jb "Title")	
![Alt text][img1]	
[img1]: http://bit.ly/19M10jb "Title"	

Horizontal Rules

Markdown	HTML	View
`***`	`<hr />`	
`* * *`	`<hr />`	
`---`	`<hr />`	
`- - -`	`<hr />`	

Inline Code

Markdown	HTML	View
Use `<div>` tags	Use `<code><div></code> tages`	Use `<div>` tages
`` `echo uname -a ` ``	`<code>echo uname -a </code>`	`echo uname -a`

Code Blocks

Four space indent

```
#include <stdio.h>
```

``` with programming language name

```
```ruby
def test
  puts "Hello"
end
```
```

View

```
def test
    puts "Hello"
end
```

Blockquotes >

Source Text

```
> This is the first class item
> That is the second class item

> These are the
third class items

> Level one
>
> > Level two
> >
> > > Level three
```

View

> Lorem ipsum dolor sit amet
>
> Lorem ipsum dolor sit amet
>
> Level one
>
> > Level two
> >
> > > Level three

Lists

Source Text

```
* Sizes
* Shapes
* Colors
    * Blue
```

```
    * Green

1. First
2. Second
3. Third
   1. Alpha
   2. Bravo
```

View

- Sizes

- Shapes

- Colors

    - Blue

    - Green

1. First

2. Second

3. Third

    1. Alpha

    2. Bravo

Strike

Source Text

```
~~Useless, must be removed~~
```

View

~~Useless, must be removed~~