

```
import pandas as pd
import matplotlib.pyplot as plt
data = pd.read_csv("/content/IPL.csv")
data["season"] = pd.to_numeric(data["season"], errors='coerce').dropna()
matches = data["season"].value_counts().sort_index()
plt.plot(matches.index, matches.values, marker="o")
plt.title("IPL Matches per Season")
plt.xlabel("Season")
plt.ylabel("Number of Matches")
plt.show()
```

```
/tmp/ipykernel_2771/4192220123.py:3: DtypeWarning: Columns (27,28,29,30,42,45,46,47,50) have mixed types. Specify dtype option o
  data = pd.read_csv("/content/IPL.csv")
```





```
import pandas as pd
import matplotlib.pyplot as plt
data = pd.read_csv("/content/IPL.csv")
data["season"] = pd.to_numeric(data["season"], errors='coerce').dropna()
matches = data["season"].value_counts().sort_index()
plt.bar(matches.index, matches.values)
plt.title("IPL Matches per Season")
plt.xlabel("Season")
plt.ylabel("Number of Matches")
plt.show()
```

```
/tmp/ipykernel_2771/1056294440.py:3: DtypeWarning: Columns (27,28,29,30,42,45,46,47,50) have mixed types. Specify dtype option o
  data = pd.read_csv("/content/IPL.csv")
```




```
plt.hist(data["runs_total"], bins=10)
plt.title("Distribution of Total Runs")
plt.xlabel("Runs")
plt.ylabel("Frequency")
plt.show()
```




```
import pandas as pd
import matplotlib.pyplot as plt
data = pd.read_csv("/content/IPL.csv")
data["result"] = (data["toss_winner"] == data["match_won_by"]).astype(int)
percentage = data["result"].mean() * 100
print("Toss winner also won:", percentage, "% of matches")
plt.bar(["Toss Winner Won", "Toss Winner Lost"],
        [data["result"].sum(), len(data) - data["result"].sum()])
plt.title("Toss Winner vs Match Winner")
plt.ylabel("Number of Matches")
plt.show()
```

```
/tmp/ipykernel_2771/2172155055.py:3: DtypeWarning: Columns (27,28,29,30,42,45,46,47,50) have mixed types. Specify dtype option o
  data = pd.read_csv("/content/IPL.csv")
Toss winner also won: 50.23534822068629 % of matches
```

