

NYCU Introduction to Machine Learning, Homework 2


Deadline: Nov. 1, 23:59

Part. 1, Coding (60%):

In this coding assignment, you are required to implement Fisher's linear discriminant by using only [NumPy](#), then train your model on the provided dataset, and evaluate the performance on testing data. Find the sample code and data on the GitHub page https://github.com/NCTU-VRDL/CS_CS20024/tree/main/HW2

Please note that only [NumPy](#) can be used to implement your model, you will get 0 point by calling `sklearn.discriminant_analysis.LinearDiscriminantAnalysis`.

1. (5%) Compute the mean vectors m_i ($i=1, 2$) of each 2 classes on **training data**
2. (5%) Compute the within-class scatter matrix S_W on **training data**
3. (5%) Compute the between-class scatter matrix S_B on **training data**
4. (5%) Compute the Fisher's linear discriminant W on **training data**
5. (20%) Project the **testing data** by Fisher's linear discriminant to get the class prediction by K-Nearest-Neighbor rule and report the accuracy score on **testing data** with K values from 1 to 5 (you should get accuracy over **0.88**)
6. (20%) Plot the **1) best projection line** on the **training data** and **show the slope and intercept on the title** (you can choose any value of ***intercept*** for better visualization) **2) colorize the data** with each class **3) project all data points on your projection line**. Your result should look like the below image (This image is for reference, not the answer)



Part. 2, Questions (40%):

Please write/type by yourself. DO NOT screenshot the solution from others.

(10%) 1. What's the difference between the Principle Component Analysis and Fisher's Linear Discriminant?

(10%) 2. Please explain in detail how to extend the 2-class FLD into multi-class FLD (the number of classes is greater than two).

(6%) 3. By making use of Eq (1) ~ Eq (5), show that the Fisher criterion Eq (6) can be written in the form Eq (7).

$$y = \mathbf{w}^T \mathbf{x} \quad \text{Eq (1)}$$

$$\mathbf{m}_1 = \frac{1}{N_1} \sum_{n \in \mathcal{C}_1} \mathbf{x}_n \quad \mathbf{m}_2 = \frac{1}{N_2} \sum_{n \in \mathcal{C}_2} \mathbf{x}_n \quad \text{Eq (2)}$$

$$m_2 - m_1 = \mathbf{w}^T (\mathbf{m}_2 - \mathbf{m}_1) \quad \text{Eq (3)}$$

$$m_k = \mathbf{w}^T \mathbf{m}_k \quad \text{Eq (4)}$$

$$s_k^2 = \sum_{n \in \mathcal{C}_k} (y_n - m_k)^2 \quad \text{Eq (5)}$$

$$J(\mathbf{w}) = \frac{(m_2 - m_1)^2}{s_1^2 + s_2^2} \quad \text{Eq (6)}$$

$$J(\mathbf{w}) = \frac{\mathbf{w}^T \mathbf{S}_B \mathbf{w}}{\mathbf{w}^T \mathbf{S}_W \mathbf{w}} \quad \text{Eq (7)}$$

(7%) 4. Show the derivative of the error function Eq (8) with respect to the activation a_k for an output unit having a logistic sigmoid activation function satisfies Eq (9).

$$E(\mathbf{w}) = - \sum_{n=1}^N \{t_n \ln y_n + (1 - t_n) \ln(1 - y_n)\} \quad \text{Eq (8)}$$

$$\frac{\partial E}{\partial a_k} = y_k - t_k \quad \text{Eq (9)}$$

(7%) 5. Show that maximizing likelihood for a multiclass neural network model in which the network outputs have the interpretation $y_k(x, \mathbf{w}) = p(t_k = 1 | x)$ is equivalent to the minimization of the cross-entropy error function Eq (10).

$$E(\mathbf{w}) = - \sum_{n=1}^N \sum_{k=1}^K t_{kn} \ln y_k(\mathbf{x}_n, \mathbf{w}) \quad \text{Eq (10)}$$