

API documentation for HFD ERP system

Swagger: <https://api.hfd.co.il/docs>

Redoc documentation: <https://api.hfd.co.il/redoc>

OVERVIEW

All API requests are GET/POST requests to URL with data in body. All production requests are made to a server address of a shipping company. To get access to a sandbox for developing and testing applications, please contact the shipping company.

AUTHORIZATION

Please consult with the shipping company whether authorization is relevant.

In order to get the token for your customer account, please contact the shipping company.
Provided token is valid for **two years** and can be renewed by the shipping company.
During the authorization process the system will validate that the token matches the customer account and respond with **"401: Unauthorized error"** if it does not match.

CREATE A SHIPMENT IN HFD SYSTEM

This API receives JSON by POST in the format specified below.

Production URL: <https://api.hfd.co.il/rest/v2/shipments/create>

Below you can find the JSON structure, detailed explanation of all fields, request and response example and possible error messages with explanations.

JSON structure:

```
{
  "clientNumber": 0,
  "mesiralsuf": "string",
  "shipmentTypeCode": 0,
  "stageCode": 0,
  "ordererName": "string",
  "cargoTypeHaloch": 0,
  "cargoTypeHazor": 0,
  "packsHaloch": "string",
  "packsHazor": 0,
  "nameTo": "string",
  "cityCode": "string",
  "cityName": "string",
  "streetCode": "string",
  "streetName": "string",
  "houseNum": "string",
  "entrance": "string",
  "floor": "string",
  "apartment": "string",
  "telFirst": "string",
  "telSecond": "string",
  "addressRemarks": "string",
  "shipmentRemarks": "string",
  "referenceNum1": "string",
  "referenceNum2": "string",
```

```

    "futureDate": "string",
    "futureTime": "string",
    "pudoCodeOrigin": 0,
    "pudoCodeDestination": 0,
    "autoBindPudo": "string",
    "email": "string",
    "productsPrice": 0,
    "productPriceCurrency": "string",
    "shipmentWeight": 0,
    "govina": {
      "code": 0,
      "sum": 0,
      "date": "string",
      "remarks": "string"
    }
  }
}

```

Request parameters (**mandatory** parameters are highlighted in **red**):

Parameter	Data type	Explanation
clientNumber	Numeric 8	Customer number (get it from HFD)
mesiralsuf	String 6	מסירה – for deliveries איסוף - for returns Please use the word in Hebrew exactly as spelled above.
shipmentTypeCode	Numeric 5	Shipment type - get the code from HFD
stageCode	Numeric 5	Shipment stage Consult with the shipping company which code to send (if any)
ordererName	String 10	Your company name
cargoTypeHaloch	Numeric 5	Shipped cargo type - get the code from HFD
cargoTypeHazor	Numeric 5	Returned cargo type (relevant for returns only) - get the code from HFD
packsHaloch	Numeric 3	Number of packages to be delivered <u>This field is mandatory if there is more than one package in the shipment.</u>
packsHazor	Numeric 3	Number of returned packages (relevant for returns only)

nameTo	String 20	Consignee's name
cityCode	String 10	City/settlement code - optional If you are sending city codes, please use the gov.il database
cityName	String 30	City/settlement name
streetCode	String 10	Street code If you are sending street codes, please use the gov.il database
streetName	String 30	Street name This field can contain street name together with building number, in this case houseNum can be left blank.
houseNum	String 5	Building No.
entrance	String 1	Entrance No.
floor	String 2	Floor No.
apartment	String 4	Apartment No.
telFirst	String 20	Primary phone number (cellular)
telSecond	String 20	Additional phone number
addressRemarks	String 70	Address remarks
shipmentRemarks	String 80	Additional shipment remarks (if any)
<u>referenceNum1</u> <u>not mandatory but recommended</u>	String 12	Your reference number for the shipment You can also send several reference numbers separated by ":"
<u>referenceNum2</u> <u>not mandatory but recommended</u>	String 50	Second reference number for the shipment.
futureDate	String DD/MM/YYYY	Date If you want the shipment to be picked up on a specific date which is more than a day away from the date of

		the request, you can specify a date in this field.												
futureTime	String HH:MM	Time If you want the shipment to be picked up at a specific hour which is more than a day away from the date of the request, you can specify time in this field.												
pudoCodeOrigin	Numeric	Source pickup point – relevant for returns only												
pudoCodeDestination	Numeric	Destination pickup point Relevant only for shipments to pickup points Please fill in if your customer has chosen a pickup point on your website.												
autoBindPudo	String 1	Our system can assign a pickup point for a shipment automatically, based on a consignee's address (the closest working point will be assigned). N = Do not assign (default) Y = Assign any type (store or locker)												
email	String 100	Consignee's email												
productsPrice	Double	Products price												
productPriceCurrency	String	Currency												
shipmentWeight	Float	Parcel weight (in grams)												
govina	<table border="1"> <tr> <td>code</td><td>int</td><td>If the courier needs to collect payment from the consignee, please specify the payment type code in this field - get it from HFD</td></tr> <tr> <td>sum</td><td>double</td><td>The sum to be collected from consignee</td></tr> <tr> <td>date</td><td>string</td><td>The date of payment collection from consignee</td></tr> <tr> <td>remarks</td><td>string</td><td>Notes for payment collection</td></tr> </table>		code	int	If the courier needs to collect payment from the consignee, please specify the payment type code in this field - get it from HFD	sum	double	The sum to be collected from consignee	date	string	The date of payment collection from consignee	remarks	string	Notes for payment collection
code	int	If the courier needs to collect payment from the consignee, please specify the payment type code in this field - get it from HFD												
sum	double	The sum to be collected from consignee												
date	string	The date of payment collection from consignee												
remarks	string	Notes for payment collection												

Request example:

```
{
```

```

"clientNumber": 3399,
"mesiralsuf": "מסירה",
"shipmentTypeCode": 35,
"stageCode": 5,
"ordererName": "string",
"cargoTypeHaloch": 10,
"cargoTypeHazor": 0,
"packsHaloch": "1",
"packsHazor": 0,
"nameTo": "Customer Name",
"cityCode": "string",
"cityName": "תל אביב",
"streetCode": "string",
"streetName": "דיזנגוף",
"houseNum": "114",
"entrance": "string",
"floor": "string",
"apartment": "5",
"telFirst": "0500000000",
"telSecond": "string",
"addressRemarks": "string",
"shipmentRemarks": "string",
"referenceNum1": "000015478",
"referenceNum2": "KB000000001",
"futureDate": "string",
"futureTime": "string",
"pudoCodeOrigin": 0,
"pudoCodeDestination": 0,
"autoBindPudo": "string",
"email": "email@email.com",
"productsPrice": 67,
"productPriceCurrency": "USD",
"shipmentWeight": 500,
"govina": {
  "code": 0,
  "sum": 0,
  "date": "string",
  "remarks": "string"
}
}

```

Response example:

Success:

```

{
  "shipmentNumber": 25284895,
  "randNumber": "8989898989898989",
  "referenceNumber1": "000015478",
  "referenceNumber2": "KB000000001",
  "deliveryLine": 118,
  "deliveryArea": 3,
  "errorCode": "0",
  "errorMessage": "",
  "existingShipmentNumber": 0,
  "sortingCode": 0,
  "pickUpCode": 0
}

```

Failure Responses:

```

{
  "shipmentNumber": 0,

```

```

"referenceNumber1": "000015478",
"referenceNumber2": "KB000000001",
"deliveryLine": 0,
"deliveryArea": 0,
"errorCode": "600",
"errorMessage": "אסמכתא כבר נקלטה במשלוח": KB000000001 : 2 בלקוח קושר 25284895",
"existingShipmentNumber": 25284895
}

```

ERRORS

Key	Value (Hebrew)	Explanation	Argument to check
0	לא נמצא קוד שגיאה	Unknown error	Consult the shipping company
100	ישוב שגוי	Invalid city name	cityName
200	רחוב שגוי	Invalid street name	streetName
300	נקודת חלוקה יעד אינה תקינה	Invalid pickup point number (delivery)	pudoCodeDestination
400	נקודת חלוקה מקור לא תקינה	Invalid pickup point number (return)	pudoCodeOrigin
500	אסמכתא: כבר נקלטה במשלוח	Shipment ID [...] already exists in shipment [...]	referenceNum1
600	אסמכתא 2: כבר נקלטה במשלוח	Shipment ID [...] already exists in shipment [...]	referenceNum2
700	שדה איסוף/מסירה שגוי	Invalid value in mesiralsuf	mesiralsuf
800	חסר שם	Consignee name not specified	nameTo
900	לא נמצאה נקודת חלוקה יעד	Pickup point not found for the specified address	Consult the shipping company
1000	לא נמצאה נקודת - חלוקה טעות ביישוב חוזר מגוגל	Pickup point not found - city name after Google validation does not correspond to the specified value	Consult the shipping company
1200	כמות אריזות הלוך גדולה מהמותר	Specified number of packages in the delivery is not allowed	packsHaloch
1300	כמות אריזות חזור גדולה מהמותר	Specified number of packages in the return is not allowed	packsHazor
1500	לקוח לא רשאי להזמין	Customer account in the shipping company is inactive	clientNum
1600	משך - מחיר - אזור הובלה	No price for specified delivery address in the shipping company system	Consult the shipping company
1700	משך - מחיר	No price for specified shipment/cargo type in the shipping company system	shipmentTypeCode, cargoTypeHaloch Consult the shipping company
1800	קישורי כתובת	Wrong address	Consult the shipping company

GET TRACKING INFORMATION

There are two ways to get tracking information: by PUSH and by PULL.

PUSH (preferred) - you will need to prepare a web service which will receive an XML in the shipping company format (see below). An XML will be sent each time the tracking status is changed.

PULL - send the following GET request:

Production URL: https://api.hfd.co.il/rest/v2/shipments/{SHIP_ID_OR_REF}

Parameters:

SHIP_ID_OR_REF - Shipment number which returned as a response from WS Simple / OR / Your identification letters at the shipping company + your reference number (Please check this option with the shipping company).

Response example

```
{
  "ship_no": "123456789",
  "master_customer_id": "3399",
  "customer_id": "3399",
  "external_customer_no": "011",
  "ref2_with_prefix": "KBTEST1230",
  "shgiya_yn": "ח",
  "message": "",
  "receiver1": "",
  "receiver2": "",
  "shipment_direction": "מסירה",
  "ref1": "951753951753",
  "ref2": "TEST12309284",
  "random_id": "39657115637363",
  "pudo_origin_code": "0",
  "pudo_origin_desc": "",
  "pudo_destination_code": "1016",
  "pudo_destination_desc": "קפה אברבנל",
  "source": {
    "_code": "01",
    "_text": "ממשק פשוט"
  },
  "ship_delivered_yn": "י",
  "ship_delivered_back_yn": "ח",
  "consignee_phone": "0541234567",
  "driver_id": "",
  "driver_name": "",
  "ship_canceled_yn": "ח",
  "unusual_city_yn": "ח",
  "pudo_destination_remarks": "שעות פתיחה: א-ה 10:00-22:30 יום ו' וערבי חג 9:00-15:00 מוצ"ש",
  "pudo_destination_address": "9 פתח תקווה פפר יוסף",
  "destination_city": "פתח תקווה",
  "destination_street": "",
  "destination_home": "9",
  "locker_code": "",
  "driver_phone": "",
  "due_date": "",
  "shipmnet_type": "50",
  "shipment_type_name": "E-post",
  "deliveryLine": "213",
  "deliveryArea": "6",
  "set_miyun": "100",
  "consignee_name": "Test",
  "kod_sibat_sgira": "0",
  "status": [
    {
      "status_code": "5",
      "status_desc": "אינטרנט",
      "status_date": "16/02/2024",
      "status_time": "13:27:59",
      "status_customer_code": "",
      "status_foreign_code": "0",

```



```
        "status_dt": "",
        "status_timezone": "GMT+2",
        "status_location": "",
        "status_country": "IL",
        "status_province": "",
        "status_city": "",
        "status_post_code": ""
    },
    {
        "status_code": "27",
        "status_desc": "ביצוע יעד",
        "status_date": "16/02/2024",
        "status_time": "13:28:33",
        "status_customer_code": "",
        "status_foreign_code": "0",
        "status_dt": "",
        "status_timezone": "GMT+2",
        "status_location": "",
        "status_country": "IL",
        "status_province": "",
        "status_city": "",
        "status_post_code": ""
    }
],
"documentation": [
    {
        "tiud_code": "0",
        "tiud_desc": "",
        "tiud_freetext": "Text",
        "tiud_date": "16/02/2024",
        "tiud_time": "13:30:58"
    }
],
"electronic_message": [
    {
        "draft_code": "000",
        "draft_desc": "",
        "failed": "no",
        "media_type": "sms",
        "message_date": "15/04/2024",
        "message_time": "13:20:08",
        "message_body": "Message text"
    }
]
}
```

PRINT A LABEL FOR THE CREATED SHIPMENT

This API is based on a GET request to URL with a string of arguments. Use it to print a label in the shipping company format. A label sized 10x10 cm will be created as a PDF document.

Production URL: https://api.hfd.co.il/rest/v2/shipments/{SHIP_ID_OR_REF}/label

Parameters:

SHIP_ID_OR_REF - Shipment number which returned as a response from WS Simple / OR / Your identification letters at the shipping company + your reference number (Please check this option with the shipping company).

Response example

PDF file (stream)

100 HFD	 57115637
EPOST :סוג	חב/13
#145 קפה אברבנל 1016	
פפר יוסף 9, שכונה: מרכז העירפתח תקווה, דירה: 3, עבור: Alex Test API	
א1: 951753951753, א2: TEST1230928423407123687623876	
0543176639	EPOST חבילת
16.02.2024	המזמין: כרטיס בדיקות
##213	רחוב גיסין 75 פתח תקווה
	57115637

CANCEL SHIPMENT

You can cancel a created shipment up to the moment the shipping company driver arrives to pick it up. Please consult the shipping company prior to using this API, so that they set up a permission for your customer account in the ERP system.

send the following **DELETE** request:

Production URL: https://api.hfd.co.il/rest/v2/shipments/{RANDOM_ID}

Parameters:

RANDOM_ID - Random number which returned in a response from WS Simple

```
RECEIVED . ,  
"shipment_direction": "מסירה",  
"ref1": "951753951753",  
"ref2": "TEST12309284".  
"random_id": "39657115637363",  
"pudo_origin_code": "0",  
"pudo_origin_desc": "",  
"pudo_destination_code": "1016",  
"pudo_destination_desc": "הפה אברבנל".
```

Response example:

Success:

```
{  
  "status": "OK",  
  "status_kod": "",  
  "status_desc": "",  
  "mishloah": "57115637",  
  "random": "39657115637363"  
}
```

Failure Responses:

```
{  
  "status": "ERROR",  
  "status_kod": "104",  
  "status_desc": "משלוח נמצא בשלב שלא מאפשר ביטול",  
  "mishloah": "57115637",  
  "random": "39657115637363"  
}
```