Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also compare across forks or learn more about diff comparisons.

base repository: Governikus/eidas-middleware · base: master ← head repository: swedenconnect/eidas-middle... · compare: 4.1.0-swedenconnect-hsm

✓ **Able to merge.** These branches can be automatically merged.

Discuss and review the changes in this comparison with others. Learn about pull requests

Create pull request

16 commits · **7** files changed · **1** contributor

Commits on Dec 4, 2020

- **Revert " Release eumw-2.0.1"** … — **Razumain** committed on Dec 4, 2020 — `f18e1a5`
- **Revert "Revert " Release eumw-2.0.1""** … — **Razumain** committed on Dec 4, 2020 — `1b0d5b3`

Commits on Jan 14, 2021

- **Merge remote-tracking branch 'upstream/master'** — **Razumain** committed on Jan 14, 2021 — `1c256fe`

Commits on Nov 19, 2021

- **Merge remote-tracking branch 'upstream/master'** — **Razumain** committed on Nov 19, 2021 — `816617b`

Commits on Dec 19, 2021

- **Merge remote-tracking branch 'upstream/master'** — **Razumain** committed on Dec 19, 2021 — `9ac833b`

Commits on Mar 13, 2022

- **Merge remote-tracking branch 'upstream/master'** — **Razumain** committed on Mar 13, 2022 — `7dfc39e`

Commits on May 26, 2022

- **Merge remote-tracking branch 'upstream/master'** — **Razumain** committed on May 26, 2022 — `c6cbaed`

Commits on Jul 11, 2022

- **Merge remote-tracking branch 'upstream/master'** — **Razumain** committed on Jul 11, 2022 — `9c8e695`

Commits on Apr 18, 2023

- **Merge remote-tracking branch 'upstream/master'** — **Razumain** committed on Apr 18, 2023 — `9c580a3`

Commits on Dec 4, 2023

- **Merge remote-tracking branch 'upstream/master'** — **Razumain** committed on Dec 4, 2023 — `0ab7d2e`

Commits on Jan 11, 2024

- **Merge remote-tracking branch 'upstream/master'** — **Razumain** committed on Jan 11, 2024 — `1d96c0a`

Commits on Jun 17, 2024

- **Merge remote-tracking branch 'upstream/master'** — **Razumain** committed on Jun 17, 2024 — `aea932d`

Commits on Mar 19, 2025

- **Merge remote-tracking branch 'upstream/master'** — **Razumain** committed on Mar 19, 2025 — `0f8c4e7`

Commits on Jan 6, 2026

- **Merge remote-tracking branch 'upstream/master'** — **Razumain** committed on Jan 6 — `8fb7328`

Commits on Oct 20, 2026

- **Merge remote-tracking branch 'upstream/master'** — **Razumain** committed 4 hours ago — `e92d798`
- **4.1.0 Sweden Connect amendments** … — **Razumain** committed 7 minutes ago — `b3abca6`

Showing 7 changed files with **136 additions** and **5 deletions**.

Split · Unified

6 `.gitignore`

```diff
@@ -82,3 +82,9 @@ local.properties
 ##############################
 /helm/**/*.tgz
 /helm/**/Chart.lock
+
+
+##############################
+## Mac
+##############################
+.DS_Store
```

29 `Dockerfile`

```diff
@@ -0,0 +1,29 @@
+FROM eclipse-temurin:25-jre-noble
+
+# Optional SoftHSM installation (enabled via --build-arg SOFTHSM=true)
+ARG SOFTHSM=false
+RUN if [ "$SOFTHSM" = "true" ]; then \
+      apt update \
+      && apt install -y procps softhsm2 opensc \
+      && rm -rf /var/lib/apt/lists/*; \
+    fi
+
+# Define the spring boot configuration directory
+ENV CONFIG_DIR=/opt/eidas-middleware/configuration
+
+# Define the location of the configuration directory inside of the container
+ENV SPRING_CONFIG_ADDITIONAL_LOCATION=file:${CONFIG_DIR}/
+
+# Expose the ports we're interested in
+EXPOSE 8443
+EXPOSE 10000
+
+RUN mkdir -p /opt/eidas-middleware
+WORKDIR /opt/eidas-middleware
+
+# Add built eidas middleware application
+ADD eidas-middleware/target/eidas-middleware.jar eidas-middleware.jar
+RUN mkdir -p ${CONFIG_DIR}
+
+#ENTRYPOINT ["java", "-jar", "./eidas-middleware.jar"]
+ENTRYPOINT ["java","-agentlib:jdwp=transport=dt_socket,server=y,suspend=n,address=*:8218","-jar","eidas-middleware.jar"]
```

2 `...-middleware/src/test/java/de/governikus/eumw/eidasmiddleware/MetadataServiceImplTest.java`

```diff
@@ -92,7 +92,7 @@ public void setUp() throws Exception
     configuration.setXmlConfigBlob(createConfiguration());
     Mockito.when(configurationRepository.findById(1L)).thenReturn(java.util.Optional.of(configuration));
     metadataService = new MetadataServiceImpl(buildProperties, hsmServiceHolder,
-                                              new ConfigurationService(configurationRepository));
+                                              new ConfigurationService(configurationRepository, null, null, null));
   }
 
 
```

59 `poseidas/src/main/java/de/governikus/eumw/pkcs11/RestrictedHSMProvider.java`

```diff
@@ -0,0 +1,59 @@
+package de.governikus.eumw.pkcs11;
+
+import java.security.KeyStore;
+import java.security.Provider;
+import java.security.Security;
+
+import org.springframework.beans.factory.annotation.Value;
+
+import de.governikus.eumw.poseidas.server.idprovider.config.KeyPair;
+import lombok.extern.slf4j.Slf4j;
+
+
+/**
+ * Provides a Restricted HSM bean component for a HSM that is restricted to providing a SAML signing key.
+ */
+@Slf4j
+public class RestrictedHSMProvider
+{
+
+  private KeyPair signingKeyPair = null;
+
+  public RestrictedHSMProvider(@Value("${sc-hsm.p11-config-file:#{null}}") String p11ConfigFile,
+                               @Value("${sc-hsm.p11-pin:#{null}}") String p11Pin,
+                               @Value("${sc-hsm.p11-alias:#{null}}") String p11Alias)
+    throws Exception
+  {
+    if (p11ConfigFile != null)
+    {
+      log.info("Initializing Restricted HSM provider ...");
+      initHSMKey(p11ConfigFile, p11Pin, p11Alias);
+    }
+    else
+    {
+      log.info("No restricted HSM provider configured");
+    }
+  }
+
+  private void initHSMKey(final String pkcs11ConfigFilePath, String password, String alias) throws Exception
+  {
+    Provider createdPkcs11Provider = null;
+    if (pkcs11ConfigFilePath != null)
+    {
+      createdPkcs11Provider = Security.getProvider("SunPKCS11");
+      createdPkcs11Provider = createdPkcs11Provider.configure(pkcs11ConfigFilePath);
+      Security.addProvider(createdPkcs11Provider);
+    }
+
+    KeyStore keyStore = KeyStore.getInstance("PKCS11", createdPkcs11Provider);
+    keyStore.load(null, password.toCharArray());
+    signingKeyPair = new KeyPair(keyStore, alias, password);
+
+  }
+
+  public KeyPair getHSMSigningKeyPair()
+  {
+    return signingKeyPair;
+  }
+
+}
```

39 `.../main/java/de/governikus/eumw/poseidas/server/idprovider/config/ConfigurationService.java`

```diff
@@ -24,6 +24,8 @@
 import org.apache.commons.lang3.StringUtils;
 import org.opensaml.core.config.InitializationException;
 import org.opensaml.core.xml.io.UnmarshallingException;
+import org.springframework.beans.factory.annotation.Autowired;
+import org.springframework.beans.factory.annotation.Value;
 import org.springframework.stereotype.Service;
 import org.springframework.web.util.UriComponentsBuilder;
 
@@ -39,6 +41,7 @@
 import de.governikus.eumw.eidasmiddleware.eid.RequestingServiceProvider;
 import de.governikus.eumw.eidasstarterkit.EidasMetadataNode;
 import de.governikus.eumw.eidasstarterkit.EidasSaml;
+import de.governikus.eumw.pkcs11.RestrictedHSMProvider;
 import de.governikus.eumw.utils.key.KeyReader;
 import de.governikus.eumw.utils.key.KeyStoreSupporter;
 import de.governikus.eumw.utils.xml.XmlException;
@@ -53,7 +56,6 @@
  * This class is a service providing methods to load and save the {@link EidasMiddlewareConfig}
  */
 @Service
-@RequiredArgsConstructor
 @Slf4j
 public class ConfigurationService
 {
@@ -62,6 +64,19 @@ public class ConfigurationService
 
   private final ConfigurationRepository configurationRepository;
 
+  private final RestrictedHSMProvider restrictedHSMProvider;
+
+  @Autowired
+  public ConfigurationService(final ConfigurationRepository configurationRepository,
+                              @Value("${sc-hsm.p11-config-file:#{null}}") String p11ConfigFile,
+                              @Value("${sc-hsm.p11-pin:#{null}}") String p11Pin,
+                              @Value("${sc-hsm.p11-alias:#{null}}") String p11Alias)
+    throws Exception
+  {
+    this.configurationRepository = configurationRepository;
+    this.restrictedHSMProvider = new RestrictedHSMProvider(p11ConfigFile, p11Pin, p11Alias);
+  }
+
   /**
    * Get the current configuration from the database
    *
@@ -183,11 +198,33 @@ public String getServerURLWithEidasContextPath()
   public KeyPair getKeyPair(String keyPairName)
   {
     var configuration = getConfiguration();
+
     if (configuration.isEmpty())
     {
       throw new ConfigurationException("No configuration present");
     }
 
+    /*
+     * Sweden Connect addition for extracting an HSM signing key
+     */
+    var eidasConfiguration = configuration.get().getEidasConfiguration();
+    String signatureKeyPairName = eidasConfiguration != null ? eidasConfiguration.getSignatureKeyPairName() : null;
+
+    if (signatureKeyPairName != null && signatureKeyPairName.equals(keyPairName))
+    {
+      // Get a configured HSM signing key
+      KeyPair hsmSigningKeyPair = restrictedHSMProvider.getHSMSigningKeyPair();
+      if (hsmSigningKeyPair != null)
+      {
+        // return HSM signing key
+        log.debug("Using restricted HSM provider signing key");
+        return hsmSigningKeyPair;
+      }
+    }
+    /*
+     * End Sweden Connect extension
+     */
+
     try
     {
       var keyPairType = configuration.get()
```

4 `...t/java/de/governikus/eumw/poseidas/server/idprovider/config/ConfigurationServiceTest.java`

```diff
@@ -60,9 +60,9 @@ class ConfigurationServiceTest
   private ConfigurationRepository configurationRepository;
 
   @BeforeEach
-  void setUp()
+  void setUp() throws Exception
   {
-    configurationService = new ConfigurationService(configurationRepository);
+    configurationService = new ConfigurationService(configurationRepository, null, null, null);
   }
 
   @AfterEach
```

2 `...s/src/test/java/de/governikus/eumw/poseidas/server/pki/TlsClientRenewalDbServiceTest.java`

```diff
@@ -133,7 +133,7 @@ void testStoreCertificateSuccess() throws Exception
     certificates.add(csrCertificateAsByteArray);
 
     TimerHistoryService timerHistoryServiceMock = Mockito.mock(TimerHistoryService.class);
-    ConfigurationService configurationService = new ConfigurationService(configurationRepository);
+    ConfigurationService configurationService = new ConfigurationService(configurationRepository, null, null, null);
 
     tlsClientRenewalDbService = new TlsClientRenewalDbService(configurationService, requestSignerCertificateService,
                                                               pendingCsrRepository, termAuthServiceBean,
```

© 2026 GitHub, Inc. Terms Privacy Security Status Community Docs Contact Manage cookies Do not share my personal information