

ATM invalid user Test

```
**this.acctId = "B000";  
this.acctPass = "000000";**
```

UI: Please enter account ID:

User: B001

UI: invalid username, please enter again:

User: B000

UI: Please enter account password:

User: 000001

UI: incorrect password, please enter again

User: 000000

UI: You have now been logged in!

UI: Which would you like to do?

- Deposit
- Withdraw
- Transfer
- Log out

ATM Deposit Test Script

User: Deposit

UI: Current Balance: 200.00

Please enter an amount to deposit or cancel:

User: -.01

UI: Invalid. Please enter a positive, non-zero value or cancel.

User: 0.00

UI: Invalid. Please enter a positive, non-zero value or cancel.

User: Cancel

UI: Which would you like to do?

Deposit
Withdraw
Transfer
Log out

User: Deposit

UI: Current Balance: 200.00

Please enter an amount to deposit or cancel:

User: 200.00

UI: Current Balance: 400.00

Which would you like to do?

Deposit
Withdraw
Transfer
Log out

ATM Withdraw Test Script

User: Withdraw

UI: Current Balance: 400.00

Please enter an amount to withdraw or cancel:

User: -.01

UI: Invalid. Please enter a positive, non-zero value or cancel.

User: 0.00

UI: Invalid. Please enter a positive, non-zero value or cancel.

User: 100.00

UI: Current Balance: 300.00

Which would you like to do?

- Deposit
- Withdraw
- Transfer
- Log out

ATM Transfer Test Script

User: Transfer

UI: Current Balance: 200.00

Please enter an accountID to transfer from or cancel:

User: B002

UI: This account doesn't exist, please enter another acctID or cancel.

User: B000

UI: Please enter an amount to withdraw or cancel:

User: 50.00

UI: Please enter an accountID to transfer to or cancel:

User: B001

UI: B000 current balance: 250.00

B001 current balance: 50.00

Which would you like to do?

- Deposit
- Withdraw
- Transfer
- Log out