



The Internet

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM



- In the **1970s**, it would take **weeks or even months** for Charlie's mail to reach his pen pal residing in some faraway country.
- In the **1990s**, international phone calls costing **several dollars** a minute can be made.
- **Today**, Charlie and his pen pal are able to communicate over immense distances, across dozens of national borders, with **near-zero cost**, no human assistance, and **mere seconds** of lag-time between the transmission and receipt of the message.

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

How this is possible?

- An **extensive network** of connected computers
- Every computer on the network must have (**standard protocols**)
 - an **unique address** ("Internet Protocol address," or "IP address")
 - a **common definition of the packets of data**
 - a 24 to 32 byte header and a packet size of up to 576 bytes.
 - The header contains information on the origin and destination address of each packet and the total size of the packet.
 - Example: Voice, Text etc

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

What is the Internet?


- The Internet is the publicly available worldwide system of **interconnected computer networks**.
- It's made up of thousands of smaller commercial, academic, domestic, and government networks.
- It provides an infrastructure for the use of **electronic mail, bulletin boards, file archives, hypertext documents, databases**, and other information resources.
- The Internet is the Information Superhighway.



Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

The Internet

- Web browsers, web servers, firewall & router



Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

What is a Router?

- Is a network device that forwards packets from one network to another.
 - Packets are sent by the fastest route and can move information around broken sections of the Internet. Not all packets are sent by the same route.

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

What is a Firewall?

- The primary method for keeping a computer secure from intruders.
- A firewall allows or blocks traffic into and out of a private network or the user's computer.


Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

Brief History of the Internet

- 1968 - DARPA (Defense Advanced Research Projects Agency) contracts with BBN (Bolt, Beranek & Newman) to create ARPANet
- 1970 - First five nodes:
 - UCLA (University of California, Los Angeles)
 - Stanford
 - UC Santa Barbara (University of California, Santa Barbara)
 - University of Utah, and
 - BBN
- 1974 - Transmission Control Program (TCP)
- 1977 – First internet. E-mail takes off.
- 1979 – News Groups born.
- 1984 – Use TCP/IP. Domain Name Server (DNS) introduced.
- 1991 – WWW is released.

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

Number of Internet Hosts




<https://www.isc.org/solutions/survey/history>

(Internet Systems Consortium, Inc)


Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

Number of Internet Users



Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

Internet Users Distribution



Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM



Internet Architecture

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

What is a Computer Network?

- A computer network is a system consisting of two or more computers *connected* together so that they can *exchange data (or communicate)* with each other.
- A small network can be connected with another to form a larger network.

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

Types of Layout

- Networks are classified according to the geographic layout and how they connect to other networks. (LAN vs MAN vs WAN)
- The largest network is the *Internet*, which is composed of many different networks, both large and small.

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

LAN vs MAN vs WAN

- LAN (**local** area network) – Connected within a building or complex
- MAN (**metropolitan** area network) – Generally covers a city or suburb
- WAN (**wide** area network) – Generally covers a state or country.

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

What is a Communication Protocol?


- Standard protocols allow computers from different manufacturers to **communicate**;
 - A set of rules for how computers will act when talking to each other.
 - The computers can use completely different software, providing that the programs running on both ends agree on what the data mean (protocols).

Remember Charlie?

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

Data Packets Protocol

- The protocol definitions range from how bits are placed on a wire (...to the format of an electronic mail message).



Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

IP Address

- Every resource on the Internet has a unique 32-bit IP address.
- IP numbers include four address blocks (8 bits each) of numbers.
 - The highest IP address is 255.255.255.255
 - This allows about 4,294, 967,200 addresses
- IPv6 has a 128-bit address space.

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

Domain Names

- Domain names help human beings remember IP addresses as names instead of a bunch of numbers.
 - `www.nyp.edu.sg` -> `xxxx.xxxx.xxxx.xxxx`
 - Resources on the WWW are located with the Uniform Resource Locator (URL):

Protocol	Domain	Port	Subdirectory/filename
<code>http://</code>	<code>www.nyp.edu.sg</code>	<code>80 (default)</code>	<code>sidm/sidm.html</code>

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

How does data flow
between these computers?

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

Switching Techniques

- Communication between computers is typically done over a network of switched nodes.
 - Data is transferred from node to node by switching
 - A node could be a network adaptor, a Switch, or a Router
- Switching techniques are used to establish a link between nodes and to transmit data across a shared channel.
- *Nodes do not bother about the content of data.*

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

Circuit vs Packet Switching


- In simplified terms, there are 2 switching techniques
 - Circuit-switching network
 - Packet-switching network

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

Circuit-Switched Networks

- Everything is specified.
- Control is the essence of making signals move reliably, and everything is *designed for reliability*.
- Everything moves by permission.
- When connection breaks, transmission ends.
- Three phases
 - Establish
 - Transfer
 - Disconnect

Eg Making a telephone call




Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

Packet-Switched Networks

- A signal is *broken down* into packets.
- Each packet is *individually addressed and routed* across the network to its destination where the message is *reassembled*.
- Packets are received, stored briefly (buffered) and past on to the next node
- Packets that do not arrive at their destination are automatically retransmitted.

Eg Send large movie over the Internet.



Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM


TCP/IP

Internet Technologies

- Before the Internet (before 1977), there were many different network styles and technologies:
 - Circuit-switched vs. packet-switched, etc
 - Wireless v.s wired vs. optical, etc
- Networks use different type of technology and implemented differently
 - Only nodes on the same type of network could communicate
 - Data could not be sent from one network to different one

Prepared by Mr. Quah Poh Yong | © 2014 NYP SDO

Internet



Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

Communication Problems

- The many different network communication technologies meant that there were various communication problems:
 - How to interconnect a large number of disparate (i.e. separate) networks?
 - How to support a wide variety of network applications (e.g. FTP, e-mail, P2P, etc)?
 - How to handle data transfer from a large number of end-nodes and applications in an interconnected network?


Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

The TCP/IP Protocol Suite

- Often called the Internet architecture
- The basic communication language or protocol of the Internet.
- **TCP/IP consists of 4 layers**, instead of the 7 layers of the ISO-OSI (International Organization for Standardization - Open System Interconnection) Architecture model.

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

The OSI Model vs. TCP/IP Protocol



Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

TCP/IP Protocol Suite Layers

- Application Layer
 - defines TCP/IP application protocols and how host programs interface with **Transport layer** services to use the network.
 - Protocols included are FTP, HTTP and SMTP

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

TCP/IP Protocol Suite Layers

- Transport Layer (How to deliver the packets?)
 - Enable Communication between the source and destination computers
 - defines the level of service and status of the connection used when transporting data.
 - The main protocols are TCP (Transmission Control Protocol) and UDP (User Datagram Protocol).

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

TCP/IP Transport Methods

- Transmission Control Protocol (TCP)
 - Is a reliable transport protocol.
 - TCP ensures that all data arrive accurately and intact at the other end.
 - TCP is "*connection oriented*" and requires a handshake before the session can begin.
- User Datagram Protocol (UDP)
 - Used in place of TCP when a reliable delivery is not required. There is less processing.
 - UDP is widely used for streaming audio and video, voice over IP (VoIP) and videoconferencing
 - UDP is "*connectionless*" and does not use a handshake to start a session. It just sends out packets

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

TCP/IP Protocol Suite Layers

- Internet Layer
 - pack data into data packets (include address)
 - Each gateway computer on the network checks this address to see where to forward the message.
 - Ensure the delivery of packets.
 - Protocols included are IP (Internet Protocol), ICMP (Internet Control Message Protocol), ARP (Address Resolution Protocol)


Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

TCP/IP Protocol Suite Layers

- Network Interface
 - how data is physically sent through the network
 - The hardware and software involved in the interchange of frames between computers.
 - Protocols included are Ethernet, Token Ring

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

How Data is Transferred



Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

World Wide Web (WWW)

- A massive collection of Web Pages (web sites) on the **Internet**.
- Based on
 - Hypertext Markup Language (HTML)
 - HyperText Transport Protocol (HTTP), File Transfer Protocol (FTP)
 - Web servers and Web browser

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

Web Servers

- A web server is a software program that serves web pages to requesting clients via HTTP.

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

Web Browsers

- A software program you use to view pages on and navigate the **World Wide Web**.
- When you request a page on a website, the browser makes a web connection to a web server.
- The web browser processes the web pages that it receives from a web server and displays the pages.
- Most browsers parse (i.e. display) web pages differently.

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

Web Applications

- Run in the web browsers allowing the users to interact with a web server
- Example
 - Gmail
 - Simple Mail Transfer Protocol (SMTP)
 - IMAP Internet Message Access Protocol


Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

Web Development

Client or Browser Side Technologies

- Hypertext Markup Language (HTML)
- JavaScript
- VBScript
- Client Side Components
- Cookies
- Plug-ins

How a Web Page is Fetched?




Server Side Technologies

- Common Gateway Interface (CGI)
 - enables a client web browser to request data from a program executed on the web server. CGI specifies a standard for passing data between the client and the program.
- Servlet
- ASP.NET
- PHP – a server-side HTML-embedded scripting language.
- MySQL – a database management system using SQL

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

How a Dynamic Web Page is Fetched?



Static Or Dynamic Web Sites

Static Web Site

- A "static" site is one built out of *static HTML* pages.
 - Each page is individually coded in HTML

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

Dynamic Web Site

- Web Application?
- An individual page doesn't exist as a finished HTML document.
- When a user requests a page, the system *builds* it from three sets of data:
 - HTML templates (Presentation)
 - The content of the page is retrieved from a database (Model)
 - Any user input required to create the page (Control)

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

Advantages of Dynamic Sites

- It's easier to update and change content.
- The people who create and maintain the content don't need to know anything about HTML.
- Adding user interactivity is much easier.
- Compatibility problems can be resolved.
- It can cater to non-PC devices (e.g. palm, MMS etc)

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

Disadvantages of Dynamic Sites

- More crash-prone than flat sites.
- They cost more to build and maintain.
- The reliance on either open source or proprietary technology (e.g. PHP vs. asp)
 - Reliance on bug fixes
 - Reliance on the software's current ability

Prepared by Mr. Quah Poh Yong | © 2014 NYP SIDM

Online Gaming

Online Games

- Install-able **client application**
 - This type of game usually generates a quite complicated sequence of animations. Virtually all **true/full 3D online games** are usually of this type.
 - e.g. Warcraft.
- Played using a **web browser**.
 - e.g. Internet Explorer

Web Browser Based Game

- plugin **required**.
 - Flash player
 - Java applet plugin
- plugin **not required**.
 - HTML and JavaScript
 - HTML5 <canvas>