Summary

Total Test Objects:	4
Successful:	4
Failed:	0
Not Executed:	0
Date:	2016-05-18
Time:	15:58:44+0530

Overall Test Object Results (including Coverage)



Selected Project Items

Test Collection "UnitTest"

Used Test Environments

TI TMS 570 PLS UDE (Default)

Test Case Results for Each Test Object (without Coverage)



The table above shows each test object on the x axis and the number of test cases of the respective test object on the y axis. Each bar is divided into passed, not executed and failed test cases. The test case results do not take into account any coverage result (i.e. if all test cases of a test object are passed in this table but the coverage is failed, the overall test object result will be failed).

Statement (C0) Coverage: Total Statements for Each Test Object



The table above shows each test object on the x axis and the number of statements of the respective test object on the y axis. Each bar is divided into reached statements (i.e. statements that have been executed during the test) and unreached statements.

Branch (C1) Coverage: Total Branches for Each Test Object



The table above shows each test object on the x axis and the number of branches of the respective test object on the y axis. Each bar is divided into reached branches (i.e. branches that have been executed during the test) and unreached branches.

Decision Coverage: Total Decision Outcomes for Each Test Object



The table above shows test objects on the x axis and the number of possible outcomes of all decisions of the respective test object on the y axis. To achieve full DC coverage, each decision must evaluate to both true and false.

Each bar is divided into reached and unreached decision outcomes.

MC/DC Coverage: Total Condition Combinations for Each Test Object



The table above shows test objects on the x axis and the number of condition combinations of all decisions of the respective test object on the y axis. The number of condition combinations is based on the number of boolean conditions within each decision of the test object. To achieve full MC/DC coverage, each decision requires all contained atomic conditions to evaluate to both true and false independently of all other conditions. The cumulated number of rows within such tables of condition combinations is what is displayed in this table.

Each bar is divided into reached condition combinations (i.e. combinations of boolean condition values that have been executed during the test) and unreached condition combinations.

MCC Coverage: Total Condition Combinations for Each Test Object



The table above shows test objects on the x axis and the number of condition combinations of all decisions of the respective test object on the y axis. The number of condition combinations is based on the number of boolean conditions within each decision of the test object. To achieve full MCC coverage, each decision requires all contained atomic conditions to evaluate to all possible combinations of true and false values. The cumulated number of rows within such tables of condition combinations is what is displayed in this table.

Each bar is divided into reached condition combinations (i.e. combinations of boolean condition values that have been executed during the test) and unreached condition combinations.

Test Object List

The following table lists all test objects with their test case and coverage results. The cumulated results for modules, folders and test collections are also displayed, the indentation within the name column indicates the parent relationship of the elements.

Please note that only test objects are numbered within the first column. This number is referenced on the x axis within the overview charts for test case and coverage results available on previous pages (if included into the report).

No.	Name	C0	C1	DC	MC/DC	MCC	Test Cases	Result
	DemIf	100 %	100 %	100 %	100 %	100 %	6 of 6 passed	✔
	UnitTest	100 %	100 %	100 %	100 %	100 %	6 of 6 passed	✔
	DemIf	100 %	100 %	100 %	100 %	100 %	6 of 6 passed	✔
1	DemIf_DemShutdown	100 %	100 %	-	-	-	1 of 1 passed	✔
2	DemIf_RestartDem	100 %	100 %	-	-	-	1 of 1 passed	✔
3	DemIf_SetEventStatus	100 %	100 %	100 %	100 %	100 %	3 of 3 passed	✔
4	DemIf_SetOperationCycleState	100 %	100 %	-	-	-	1 of 1 passed	✔

TEST DETAILS REPORT

DemIf_RestartDem

2016-05-18, 15:47:21+0530

Project	
Module	
Test Object	

Instrumentation: Test Object Only

Statement (C0) Coverage	
Branch (C1) Coverage	

Statistics

Total Testcases	
Successful	✔
Failed	
Not Executed	

Module Properties

Project Root Directory	
Configuration File	
Target Environment	
Kind of Test	
Linker Options	
Source File(s)	
File	
Compiler Options	

Comments/Description/Specification

Name	Text

Attributes

Name	Value
Compiler Install Path	$(ProgramFiles)\Texas Instruments\ccsv4\tools\compiler\tms470_4.9.5
Float Precision	9
InitObjDir	$(PROJECTROOT)\UnitTestEnv\static_build_files\obj
InitSrcDir	$(PROJECTROOT)\UnitTestEnv\static_build_files\src
Linker File	$(PROJECTROOT)\UnitTestEnv\static_build_files\sys_link.cmd
Makefile Template	$(PROJECTROOT)\UnitTestEnv\config\Nexteer_ts_make_ude_ti_tms570_ps.tpl
Target Install Path	$(ProgramFiles)\pls\UDE 4.4
Time Unit	Cycles
Timer Enabled	false
Timer Prescale	0
Timer Resolution	1
UDE Config File	$(PROJECTROOT)\UnitTestEnv\config\TMS570_UDE_12PIN_JTAG.cfg

TEST DETAILS REPORT

DemIf_RestartDem

2016-05-18, 15:47:21+0530

Attributes

Name	Value
Workspace File	D:\Synergy_Work_Area\FIASA_DemIf_5\UnitTestEnv\config\UDE_TMS570_DEBUG.WSP

TEST DETAILS REPORT

DemIf_RestartDem

2016-05-18, 15:47:21+0530

Test Case 1: Boundary Test ✔

Specification

```
Performance Metrics (With "None" Instrumentation
and WithPS Environment)
CPU Cycles:

TS1.1 509.00 Cycles
```

Description

Test Step 1.1 (Repeat Count = 1) ✔

T ✔

Actual Function	Count	Expected Function	Count	Result
				✔

TEST DETAILS REPORT

DemIf_SetEventStatus

2016-05-18, 15:57:41+0530

Project	DemIf
Module	DemIf
Test Object	DemIf_SetEventStatus

Instrumentation: Test Object Only

Statement (C0) Coverage	100 %
Decision Coverage	100 %
Branch (C1) Coverage	100 %
MCC Coverage	100 %
MC/DC Coverage	100 %

Statistics

Total Testcases	3
Successful	3
Failed	0
Not Executed	0

Module Properties

Project Root Directory	D:\Synergy_Work_Area\FIASA_DemIf_5
Configuration File	D:\Synergy_Work_Area\FIASA_DemIf_5\UnitTestEnv\config\TMS570_GCC_UDE_CCS4_Config.xml
Target Environment	TI TMS 570 PLS UDE (Default)
Kind of Test	Unit Test
Linker Options	
Source File(s)	
File	$(PROJECTROOT)\DemIf\src\Ap_DemIf.c
Compiler Options	-DSKIP_MAGIC_NUMBER -D_DATA_ACCESS= -D__inline= -Dconst= -Dstatic= -I$(PROJECTROOT)\NxtrLib\include -I$(PROJECTROOT)\StdDef\include -I$(PROJECTROOT)\DemIf\utp\contract -I$(Compiler Install Path)\include

Comments/Description/Specification

Name	Text
Module 'DemIf'	**********Unit Test Information********** Name of Tester:Priyanka Bothe Code File(s) Under Test:Ap_DemIf.c Code File(s) Version:5 Module Design Document:NA Module Design Document Version:NA Data Dictionary Version:NA Unit Test Plan Version:1 Optimization Level:Level 2 Compiler (CodeGen) Version:TMS470_4.9.5 Model Type:Excel Macro Model Version:Nexteer EPS Unit Test Tool 2.7d/EPS Library 1.32 Total FLASH Used (Bytes):80 Total RAM Used (Bytes):0 Total CALS Used (Bytes):0 Special Test Requirements:NA Test Date:5/18/2016 Comments: NOTE1: "CBD_Sandbox_dbg.map"map file is embedded for reference. NOTE2: In Function "DemIf_SetEventStatus", for EventId = 0 to 255 & for EventStatus = 0 to 255 ranges are considered. NOTE3: In Function "DemIf_SetOperationCycleState", for NxtrOperationCycleId = 0 & for NxtrCycleState = 1 to 2 ranges are consider **********
Test Object 'DemIf_SetEventStatus'	Description : TS 1.1Check for Stub Call

Attributes

Name	Value
Compiler Install Path	$(ProgramFiles)\Texas Instruments\ccsv4\tools\compiler\tms470_4.9.5
Float Precision	9
InitObjDir	$(PROJECTROOT)\UnitTestEnv\static_build_files\obj
InitSrcDir	$(PROJECTROOT)\UnitTestEnv\static_build_files\src
Linker File	$(PROJECTROOT)\UnitTestEnv\static_build_files\sys_link.cmd
Makefile Template	$(PROJECTROOT)\UnitTestEnv\config\Nexteer_ts_make_ude_ti_tms570_ps.tpl

Attributes

Name	Value
Target Install Path	$(ProgramFiles)\pls\UDE 4.4
Time Unit	Cycles
Timer Enabled	false
Timer Prescale	0
Timer Resolution	1
UDE Config File	$(PROJECTROOT)\UnitTestEnv\config\TMS570_UDE_12PIN_JTAG.cfg
Workspace File	D:\Synergy_Work_Area\FIASA_DemIf_5\UnitTestEnv\config\UDE_TMS570_DEBUG.WSP

TEST DETAILS REPORT

DemIf_SetEventStatus

2016-05-18, 15:57:41+0530

Test Case 1: Metrics Test

Specification

```
Performance Metrics (With "None" Instrumentation
and WithPS Environment)
CPU Cycles:

TS1.1 95.00 Cycles
TS1.2 585.00 Cycles
```

Description

Vector Description:

TS1.1"Shortest Execution Path:
(FALSE == OpModeStsCTCEnableCriteria_Cnt_T_lgc)==>False
(EventStatus == NTC_STATUS_PASSED)==>True"
TS1.2"Longest Execution Path:
(FALSE == OpModeStsCTCEnableCriteria_Cnt_T_lgc)==>True
EventId: DTC_0x500386
(EventStatus == NTC_STATUS_PASSED)==>False
(EventHandled_Cnt_T_lgc == TRUE)==>True"

Test Step 1.1 (Repeat Count = 1)

Name	Input Value
EventId	1
EventStatus	0
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_lgc	1

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	1	1	✔
Dem_SetEventStatus(EventStatus)	0	0	✔

T

Actual Function	Count	Expected Function	Count	Result
Dem_SetEventStatus	1	Dem_SetEventStatus	1	✔

Test Step 1.2 (Repeat Count = 1)

Name	Input Value
EventId	39
EventStatus	22
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_lgc	0

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	1	*none*	✔
Dem_SetEventStatus(EventStatus)	0	*none*	✔

T

Actual Function	Count	Expected Function	Count	Result
none	0	*** No Call Expected ***	0	✔

Test Case 2: Boundary Test

Specification

```
Performance Metrics (With "None" Instrumentation
and WithPS Environment)
CPU Cycles:

TS2.1 578.00 Cycles
TS2.2 1014.00 Cycles
TS2.3 564.00 Cycles
TS2.4 541.00 Cycles
TS2.5 585.00 Cycles
TS2.6 573.00 Cycles
TS2.7 1001.00 Cycles
TS2.8 67.00 Cycles
TS2.9 63.00 Cycles
TS2.10 965.00 Cycles
```

Description

Vector Description :

TS2.1All Min
TS2.2All Max
TS2.3EventId==>Min
TS2.4EventId==>Max
TS2.5EventId==>Pos
TS2.6EventStatus==>Min
TS2.7EventStatus==>Max
TS2.8EventStatus==>Pos
TS2.9OpModeStsCTCEnableCriteria_Cnt_Igc==>Min
TS2.10OpModeStsCTCEnableCriteria_Cnt_Igc==>Max

Test Step 2.1 (Repeat Count = 1)

Name	Input Value
EventId	0
EventStatus	0
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_Igc	0

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	0	0	✔
Dem_SetEventStatus(EventStatus)	0	0	✔

T

Actual Function	Count	Expected Function	Count	Result
Dem_SetEventStatus	1	Dem_SetEventStatus	1	✔

Test Step 2.2 (Repeat Count = 1)

Name	Input Value
EventId	255
EventStatus	255
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_Igc	1

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	255	255	✔
Dem_SetEventStatus(EventStatus)	255	255	✔

T

Actual Function	Count	Expected Function	Count	Result
UpdateFirstDTCDetect	1	UpdateFirstDTCDetect	1	✔
Dem_SetEventStatus	1	Dem_SetEventStatus	1	✔

Test Step 2.3 (Repeat Count = 1)

Name	Input Value
EventId	0
EventStatus	0
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_Igc	0

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	0	0	✔
Dem_SetEventStatus(EventStatus)	0	0	✔

T

Actual Function	Count	Expected Function	Count	Result
Dem_SetEventStatus	1	Dem_SetEventStatus	1	✔

Test Step 2.4 (Repeat Count = 1)

Name	Input Value
EventId	255
EventStatus	0
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_Igc	0

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	255	255	✔
Dem_SetEventStatus(EventStatus)	0	0	✔

T ✔

Actual Function	Count	Expected Function	Count	Result
Dem_SetEventStatus	1	Dem_SetEventStatus	1	✔

Test Step 2.5 (Repeat Count = 1)

Name	Input Value
EventId	39
EventStatus	0
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_Igc	0

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	39	39	✔
Dem_SetEventStatus(EventStatus)	0	0	✔

T ✔

Actual Function	Count	Expected Function	Count	Result
Dem_SetEventStatus	1	Dem_SetEventStatus	1	✔

Test Step 2.6 (Repeat Count = 1)

Name	Input Value
EventId	1
EventStatus	0
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_Igc	1

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	1	1	✔
Dem_SetEventStatus(EventStatus)	0	0	✔

T ✔

Actual Function	Count	Expected Function	Count	Result
Dem_SetEventStatus	1	Dem_SetEventStatus	1	✔

Test Step 2.7 (Repeat Count = 1)

Name	Input Value
EventId	2
EventStatus	255
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_Igc	1

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	2	2	✔
Dem_SetEventStatus(EventStatus)	255	255	✔

T ✔

Actual Function	Count	Expected Function	Count	Result
UpdateFirstDTCDetect	1	UpdateFirstDTCDetect	1	✔
Dem_SetEventStatus	1	Dem_SetEventStatus	1	✔

Test Step 2.8 (Repeat Count = 1)

Name	Input Value
EventId	3
EventStatus	22
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_lgc	0

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	2	*none*	✔
Dem_SetEventStatus(EventStatus)	255	*none*	✔

T ✔

Actual Function	Count	Expected Function	Count	Result
none	0	*** No Call Expected ***	0	✔

Test Step 2.9 (Repeat Count = 1)

Name	Input Value
EventId	4
EventStatus	130
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_lgc	0

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	2	*none*	✔
Dem_SetEventStatus(EventStatus)	255	*none*	✔

T ✔

Actual Function	Count	Expected Function	Count	Result
none	0	*** No Call Expected ***	0	✔

Test Step 2.10 (Repeat Count = 1)

Name	Input Value
EventId	5
EventStatus	26
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_lgc	1

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	5	5	✔
Dem_SetEventStatus(EventStatus)	26	26	✔

T ✔

Actual Function	Count	Expected Function	Count	Result
UpdateFirstDTCDetect	1	UpdateFirstDTCDetect	1	✔
Dem_SetEventStatus	1	Dem_SetEventStatus	1	✔

Test Case 3: Path Test

Specification

```
Performance Metrics (With "None" Instrumentation
and WithPS Environment)
CPU Cycles:

TS3.1 559.00 Cycles
TS3.2 1001.00 Cycles
TS3.3 67.00 Cycles
TS3.4 63.00 Cycles
TS3.5 63.00 Cycles
TS3.6 63.00 Cycles
TS3.7 63.00 Cycles
TS3.8 63.00 Cycles
TS3.9 63.00 Cycles
TS3.10 63.00 Cycles
TS3.11 63.00 Cycles
TS3.12 63.00 Cycles
TS3.13 63.00 Cycles
TS3.14 63.00 Cycles
TS3.15 63.00 Cycles
TS3.16 95.00 Cycles
TS3.17 95.00 Cycles
TS3.18 95.00 Cycles
TS3.19 105.00 Cycles
```

Description

Vector Description:

TS3.1"(FALSE == OpModeStsCTCEnableCriteria_Cnt_T_lgc)==>True
(EventStatus == NTC_STATUS_PASSED)==>True"
TS3.2"(FALSE == OpModeStsCTCEnableCriteria_Cnt_T_lgc)==>False
(EventHandled_Cnt_T_lgc == TRUE)==>True
(EventStatus == NTC_STATUS_PASSED)==>False"
TS3.3"(EventHandled_Cnt_T_lgc == TRUE)==>False
EventId : DTC_0xd01387"
TS3.4EventId : DTC_0xd95283
TS3.5EventId : DTC_0xd93286
TS3.6EventId : DTC_0xd01187
TS3.7EventId : DTC_0xd01087
TS3.8EventId : DTC_0xd00787
TS3.9EventId : DTC_0xd00687
TS3.10EventId : DTC_0xd00587
TS3.11EventId : DTC_0xc4232f
TS3.12EventId : DTC_0xc4222f
TS3.13EventId : DTC_0xc4152f
TS3.14EventId : DTC_0xc4012f
TS3.15EventId : DTC_0xc10087
TS3.16EventId : DTC_0xa1991c
TS3.17EventId : DTC_0xa19917
TS3.18EventId : DTC_0xa19916
TS3.19EventId : DTC_0x500386

Test Step 3.1 (Repeat Count = 1)

Name	Input Value
EventId	0
EventStatus	0
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_lgc	0

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	0	0	✔
Dem_SetEventStatus(EventStatus)	0	0	✔

T

Actual Function	Count	Expected Function	Count	Result
Dem_SetEventStatus	1	Dem_SetEventStatus	1	✔

Test Step 3.2 (Repeat Count = 1)

Name	Input Value
EventId	255
EventStatus	255
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_lgc	1

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	255	255	✔
Dem_SetEventStatus(EventStatus)	255	255	✔

T

Actual Function	Count	Expected Function	Count	Result
UpdateFirstDTCDetect	1	UpdateFirstDTCDetect	1	✔
Dem_SetEventStatus	1	Dem_SetEventStatus	1	✔

Test Step 3.3 (Repeat Count = 1)

Name	Input Value
EventId	3
EventStatus	22
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_lgc	0

Name	Input Value
EventStatus	22
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_lgc	0

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	255	*none*	✔
Dem_SetEventStatus(EventStatus)	255	*none*	✔

T ✔

Actual Function	Count	Expected Function	Count	Result
none	0	*** No Call Expected ***	0	✔

Test Step 3.8 (Repeat Count = 1) ✔

Name	Input Value
EventId	6
EventStatus	22
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_lgc	0

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	255	*none*	✔
Dem_SetEventStatus(EventStatus)	255	*none*	✔

T ✔

Actual Function	Count	Expected Function	Count	Result
none	0	*** No Call Expected ***	0	✔

Test Step 3.9 (Repeat Count = 1) ✔

Name	Input Value
EventId	7
EventStatus	22
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_lgc	0

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	255	*none*	✔
Dem_SetEventStatus(EventStatus)	255	*none*	✔

T ✔

Actual Function	Count	Expected Function	Count	Result
none	0	*** No Call Expected ***	0	✔

Test Step 3.10 (Repeat Count = 1) ✔

Name	Input Value
EventId	8
EventStatus	22
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_lgc	0

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	255	*none*	✔
Dem_SetEventStatus(EventStatus)	255	*none*	✔

T ✔

Actual Function	Count	Expected Function	Count	Result
none	0	*** No Call Expected ***	0	✔

Test Step 3.11 (Repeat Count = 1)

Name	Input Value
EventId	9
EventStatus	22
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_lgc	0

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	255	*none*	✔
Dem_SetEventStatus(EventStatus)	255	*none*	✔

T ✔

Actual Function	Count	Expected Function	Count	Result
none	0	*** No Call Expected ***	0	✔

Test Step 3.12 (Repeat Count = 1)

Name	Input Value
EventId	10
EventStatus	22
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_lgc	0

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	255	*none*	✔
Dem_SetEventStatus(EventStatus)	255	*none*	✔

T ✔

Actual Function	Count	Expected Function	Count	Result
none	0	*** No Call Expected ***	0	✔

Test Step 3.13 (Repeat Count = 1)

Name	Input Value
EventId	11
EventStatus	22
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_lgc	0

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	255	*none*	✔
Dem_SetEventStatus(EventStatus)	255	*none*	✔

T ✔

Actual Function	Count	Expected Function	Count	Result
none	0	*** No Call Expected ***	0	✔

Test Step 3.14 (Repeat Count = 1)

Name	Input Value
EventId	12
EventStatus	22
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_lgc	0

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	255	*none*	✔
Dem_SetEventStatus(EventStatus)	255	*none*	✔

T ✔

Actual Function	Count	Expected Function	Count	Result
none	0	*** No Call Expected ***	0	✔

Test Step 3.15 (Repeat Count = 1)

Name	Input Value
EventId	13

Name	Input Value
EventStatus	22
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_lgc	0

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	255	*none*	✔
Dem_SetEventStatus(EventStatus)	255	*none*	✔

T ✔

Actual Function	Count	Expected Function	Count	Result
none	0	*** No Call Expected ***	0	✔

Test Step 3.16 (Repeat Count = 1) ✔

Name	Input Value
EventId	18
EventStatus	22
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_lgc	0

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	255	*none*	✔
Dem_SetEventStatus(EventStatus)	255	*none*	✔

T ✔

Actual Function	Count	Expected Function	Count	Result
none	0	*** No Call Expected ***	0	✔

Test Step 3.17 (Repeat Count = 1) ✔

Name	Input Value
EventId	19
EventStatus	22
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_lgc	0

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	255	*none*	✔
Dem_SetEventStatus(EventStatus)	255	*none*	✔

T ✔

Actual Function	Count	Expected Function	Count	Result
none	0	*** No Call Expected ***	0	✔

Test Step 3.18 (Repeat Count = 1) ✔

Name	Input Value
EventId	20
EventStatus	22
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_lgc	0

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	255	*none*	✔
Dem_SetEventStatus(EventStatus)	255	*none*	✔

T ✔

Actual Function	Count	Expected Function	Count	Result
none	0	*** No Call Expected ***	0	✔

Test Step 3.19 (Repeat Count = 1)

Name	Input Value
EventId	39
EventStatus	22
Rte_SrlComInput_OpModeStsCTCEnableCriteria_Cnt_lgc	0

Name	Actual Value	Expected Value	Result
DemIf_SetEventStatus()	0	0	✔
Dem_SetEventStatus(EventId)	255	*none*	✔
Dem_SetEventStatus(EventStatus)	255	*none*	✔

T

Actual Function	Count	Expected Function	Count	Result
none	0	*** No Call Expected ***	0	✔

TEST DETAILS REPORT

DemIf_DemShutdown

2016-05-18, 15:45:15+0530

Project	DemIf
Module	DemIf
Test Object	DemIf_DemShutdown

Instrumentation: Test Object Only

Statement (C0) Coverage	100 %
Branch (C1) Coverage	100 %

Statistics

Total Testcases	1
Successful	1
Failed	0
Not Executed	0

Module Properties

Project Root Directory	D:\Synergy_Work_Area\FIASA_DemIf_5
Configuration File	D:\Synergy_Work_Area\FIASA_DemIf_5\UnitTestEnv\config\TMS570_GCC_UDE_CCS4_Config.xml
Target Environment	TI TMS 570 PLS UDE (Default)
Kind of Test	Unit Test
Linker Options	
Source File(s)	
File	$(PROJECTROOT)\DemIf\src\Ap_DemIf.c
Compiler Options	-DSKIP_MAGIC_NUMBER -D_DATA_ACCESS= -D__inline= -Dconst= -Dstatic= -I$(PROJECTROOT)\NxtrLib\include -I$(PROJECTROOT)\StdDef\include -I$(PROJECTROOT)\DemIf\utp\contract -I$(Compiler Install Path)\include

Comments/Description/Specification

Name	Text
Module 'DemIf'	**********Unit Test Information********** Name of Tester:Priyanka Bothe Code File(s) Under Test:Ap_DemIf.c Code File(s) Version:5 Module Design Document:NA Module Design Document Version:NA Data Dictionary Version:NA Unit Test Plan Version:1 Optimization Level:Level 2 Compiler (CodeGen) Version:TMS470_4.9.5 Model Type:Excel Macro Model Version:Nexteer EPS Unit Test Tool 2.7d/EPS Library 1.32 Total FLASH Used (Bytes):80 Total RAM Used (Bytes):0 Total CALS Used (Bytes):0 Special Test Requirements:NA Test Date:5/18/2016 Comments: NOTE1: "CBD_Sandbox_dbg.map"map file is embedded for reference. NOTE2: In Function "DemIf_SetEventStatus", for EventId = 0 to 255 & for EventStatus = 0 to 255 ranges are considered. NOTE3: In Function "DemIf_SetOperationCycleState", for NxtrOperationCycleId = 0 & for NxtrCycleState = 1 to 2 ranges are consider **********

Attributes

Name	Value
Compiler Install Path	$(ProgramFiles)\Texas Instruments\ccsv4\tools\compiler\tms470_4.9.5
Float Precision	9
InitObjDir	$(PROJECTROOT)\UnitTestEnv\static_build_files\obj
InitSrcDir	$(PROJECTROOT)\UnitTestEnv\static_build_files\src
Linker File	$(PROJECTROOT)\UnitTestEnv\static_build_files\sys_link.cmd
Makefile Template	$(PROJECTROOT)\UnitTestEnv\config\Nexteer_ts_make_ude_ti_tms570_ps.tpl
Target Install Path	$(ProgramFiles)\pls\UDE 4.4
Time Unit	Cycles
Timer Enabled	false
Timer Prescale	0
Timer Resolution	1
UDE Config File	$(PROJECTROOT)\UnitTestEnv\config\TMS570_UDE_12PIN_JTAG.cfg

Attributes

Name	Value
Workspace File	D:\Synergy_Work_Area\FIASA_DemIf_5\UnitTestEnv\config\UDE_TMS570_DEBUG.WSP

Test Case 1: Boundary Test ✔

Specification

```
Performance Metrics (With "None" Instrumentation
and WithPS Environment)
CPU Cycles:

TS1.1 508.00 Cycles
```

Description

Vector Description :

TS 1.1 Check for Stub Call

Test Step 1.1 (Repeat Count = 1) ✔

T ✔

Actual Function	Count	Expected Function	Count	Result
Dem_Shutdown	1	Dem_Shutdown	1	✔

TEST DETAILS REPORT

Project	
Module	
Test Object	

Instrumentation: Test Object Only

Statement (C0) Coverage	
Branch (C1) Coverage	

Statistics

Total Testcases	
Successful	
Failed	
Not Executed	

Module Properties

Project Root Directory	
Configuration File	
Target Environment	
Kind of Test	
Linker Options	
Source File(s)	
File	
Compiler Options	

Comments/Description/Specification

Name	Text

Attributes

Name	Value
Compiler Install Path	$(ProgramFiles)\Texas Instruments\ccsv4\tools\compiler\tms470_4.9.5
Float Precision	9
InitObjDir	$(PROJECTROOT)\UnitTestEnv\static_build_files\obj
InitSrcDir	$(PROJECTROOT)\UnitTestEnv\static_build_files\src
Linker File	$(PROJECTROOT)\UnitTestEnv\static_build_files\sys_link.cmd
Makefile Template	$(PROJECTROOT)\UnitTestEnv\config\Nexteer_ts_make_ude_ti_tms570_ps.tpl
Target Install Path	$(ProgramFiles)\pls\UDE 4.4
Time Unit	Cycles
Timer Enabled	false
Timer Prescale	0
Timer Resolution	1
UDE Config File	$(PROJECTROOT)\UnitTestEnv\config\TMS570_UDE_12PIN_JTAG.cfg

TEST DETAILS REPORT

Attributes	
Name	**Value**
Workspace File	D:\Synergy_Work_Area\FIASA_DemIf_5\UnitTestEnv\config\UDE_TMS570_DEBUG.WSP

TEST DETAILS REPORT

Test Case 1: Boundary Test ✔

Specification

```
Performance Metrics (With "None" Instrumentation
and WithPS Environment)
CPU Cycles:

TS1.1 489.00 Cycles
TS1.2 471.00 Cycles
```

Description

Test Step 1.1 (Repeat Count = 1) ✔

Name	Input Value

Name	Actual Value	Expected Value	Result
			✔
			✔

T ✔

Actual Function	Count	Expected Function	Count	Result
				✔

Test Step 1.2 (Repeat Count = 1) ✔

Name	Input Value

Name	Actual Value	Expected Value	Result
			✔
			✔

T ✔

Actual Function	Count	Expected Function	Count	Result
				✔