



Date: 15-May-2018

# Site Survey Summary: Pritesh



# AHA Solar...

# Finding Harmony in Chaos

Powered by : AHA! Rooftop Solar Helper

(Professional Version)

Prepared by : yugtia tech

## **Table of Contents**



- 1. Site Survey Screen 1: Customer
  - Customer Info
  - Contact
  - Project Basic Info
  - Project Name
- 2. Site Survey Screen 2: Roof
  - Site Info
  - Roof Info
  - Roof Type
  - Area
  - Orientation
- 3. Site Survey Screen 3: Interfacing
  - Electrical Interconnection
  - Voltage Level
  - Metering Type
  - Location
- 4. Site Survey Screen 4: Bill and Tariff
  - Bill Details

Customer Details Site Survey Screen 1: Customer



Project Name Pritesh

Building Name test building2
Contact Person TEST demo

Designation

Mobile No. 766768768 Landline Gujarat

Email test@test.com
Address Line 1 test address

Address Line 2 te

Address Line 3

Latitude -Longitude -

Notes Notes1

#### **Roof Details**

Site Survey Screen 2: Roof



#### **Building Name**

test building2

#### Type of Roof



• Tilt Roof

#### Roof Strength

N/A

#### Roof Area

Overall
 Shadow-free
 22 m<sup>2</sup>

Age of Building Years

Azimuth 11degrees

Inclination N/A

Is there any major showdown-casting object on

the roof?

Height of Parapet?

How many floors below the Terrace?

Distance of DC cable?

Place for Inverter?

Place for Battery? Yes

Place for AC Distribution Box?

Place for Metering Point?



#### Photos for Inverter





# Photos for Battery



## Others Photos



Notes Notes2

## Electrical Parameters





Voltage Level

3Ph.

#### **Electrical Parameters**

R-Phase	1	А	RY	11	V	RN	111	V
Y-Phase	2	А	YB	22	V	YN	222	V
B-Phase	3	А	RB	33	V	BN	333	V

R-Phase	10	А	RY	110	V	RN	1100	V
Y-Phase	20	А	YB	220	V	YN	2200	V
B-Phase	30	А	RB	330	V	BN	3300	V

Measured Frequency:

1 Hz

Critical Load:

2 kW

#### **Diesel Genset**

Diesel Genset	-	kVA	Usage	-	Hours/Day
Inverter	1	kVA	Usage	22	Hours/Day
Inverter	2	kVA	Usage	44	Hours/Day
Inverter	3	kVA	Usage	66	Hours/Day

# Photographs



Notes

Notes3



Distribution Company:

Service/ Customer No.:

Meter Type:

N/A

Meter Accuracy Class:

N/A

Type of Customer:

Industrial

Sanctioned Load: 22 - kVA

**Contract Demand:** 

Billing Cycle: Monthly

**Electricity Bill Details:** 

Month	Year	Unit	Amount
January	2018	11	100
February	2018	22	200
March	2018	10	110
April	2018	11	110
May	2018	12	120
June	2018	13	130
July	2018	14	140
August	2018	15	150
September	2018	16	160
October	2018	17	170
November	2018	18	180
December	2018	19	190
Average		14.83	146.67



Notes4