REQUEST FOR QUOTATION

Telecel Global Website Design, Development & Launch

Production implementation of the approved Telecel Global B2B website direction

RFQ field	Requirement
RFQ reference	To be assigned by Procurement
Client	Telecel Global
Issue date	August 2026
Proposal type	Technical and commercial quotation
Preferred delivery	15 working days from formal kickoff and full-input lock
Submission	Supplier to provide earliest credible timeline, fixed-price quotation and assumptions

COMMERCIAL INTENT

Telecel is seeking a capable web development partner to take an already-defined website strategy, sitemap and content base into a premium, production-ready B2B website at the earliest practical date. This is an implementation RFQ, not a strategy-reset exercise.

Confidentiality

All Telecel material supplied for this RFQ is confidential. Suppliers may not publish, reuse, display in portfolios, or share project content, designs, data or brand assets without prior written approval from Telecel.

1. Project Background & Objective:

Telecel Global is developing a premium, sales-led B2B website that clearly presents its international connectivity and digital-service portfolio, supports professional buyer journeys and converts qualified visitors into commercial inquiries.

Telecel has already completed the core website strategy, recommended sitemap, service architecture and customer-facing text pack. The selected supplier is expected to refine the approved visual direction to production quality, build the website, populate the approved content, complete QA, support UAT and launch the site.

PRIMARY OBJECTIVE

Deliver a fast, secure, responsive and easy-to-manage website that feels like a world-class international telecom and digital-services platform - clear within seconds, commercially focused, distinctly Telecel and ready to scale.

2. Client-Provided Inputs:

- Approved / near-final Telecel Global Website Text Pack & Recommended Sitemap, including homepage, platform, five service pillars, solutions, use cases, Why Telecel Global, insights and contact flows.
- Telecel corporate identity assets and brand guidance: Telecel red as recognition anchor, white/grey/black supporting palette, premium spacing, logo discipline and clean geometric typography.
- Existing V11/V11.1 working landing-page direction and hero-film concept as the visual/UX baseline to refine - not restart.
- Approved service structure and product content.
- Final approved copy, legal updates, leadership content, images, videos and selected proof points as they are cleared.
- Access to the existing website/CMS/hosting environment where applicable, subject to Telecel IT approval.

3. Mandatory Website Architecture:

The build must support the following primary navigation and service structure. Detailed sub-services may initially be implemented as sections/modules within the five pillar pages unless separate page copy is supplied; the CMS must allow future conversion into standalone pages without redesign.

Primary section	Required structure
Home	Conversion-led homepage with approved hero film, service pillars, customer outcomes, buyer routes, delivery model, proof placeholders and lead CTAs.
Platform	One Global B2B Platform; Connect / Orchestrate / Deliver / Monitor / Optimize.
Services	Cloud & Data Centre Services; Cybersecurity; IoT & Digital Services; Network & Enterprise Connectivity; Interactions, Voice & Messaging.
Solutions	Mobile Operators; Enterprises; Governments & Institutions; Wholesale & Aggregators.
Use Cases	Grow International Revenue; Modernize Customer Engagement; Secure Messaging Traffic; Scale Across Markets; Build Resilient Infrastructure; Launch New Digital Services.
Why Telecel Global	Our Approach; Leadership; Global Reach; Partners & Ecosystem subject to clearance.
Insights	News; Case Studies when approved.
Contact	Talk to Sales; Request a Demo; routed inquiry form.

4. Scope of Work:

4.1 UX/UI Production Design:

- Translate the Telecel-approved V11/V11.1 direction into a complete production UI system for desktop, tablet and mobile.
- Create/refine reusable components for navigation, hero, service cards, buyer routes, use-case modules, proof modules, CTA blocks, forms, news cards and footers.
- Retain the approved hero-film direction and integrate it with performance-safe video handling, poster/fallback imagery and responsive behavior.
- Apply a premium international B2B telecom visual language: red-led Telecel identity, white-dominant interface, black/grey support, strong hierarchy, clean product/dashboard visuals and generous whitespace.
- Use subtle, purposeful micro-interactions only where they improve comprehension. Avoid heavy motion, generic SaaS treatment, clutter, random AI imagery or decorative effects without a business role.
- Provide final editable design source files (Figma preferred, or equivalent) and a documented component/design system.

4.2 Front-End & CMS Development:

- Build a responsive, mobile-first website on a secure, maintainable CMS. Use the existing approved CMS where practical; any proposed migration must be justified and separately identified in the quotation.
- Create reusable page templates/modules so Telecel MarCom can add, edit and reorder content without routine developer dependency.
- Implement the approved sitemap, content hierarchy, CTAs and buyer journeys without introducing unapproved strategic changes.
- Build staging, UAT and production deployment environments/processes appropriate to the proposed technical stack.
- Support current major versions of Chrome, Edge, Safari and Firefox across desktop and mobile.
- Ensure clean URL structure and scalable architecture for future service pages, case studies, product launches and additional content.

4.3 Content Population:

- Populate the Telecel-provided final English copy and approved assets into all agreed Phase 1 pages/templates.
- Format long-form content into web-native modules without changing approved meaning or introducing unsupported claims.
- Migrate up to 15 approved existing news/insight items if requested; quote a unit rate for additional migrated items.
- No lorem ipsum, fake logos, invented proof points, fake dashboards, fabricated customer references or unsupported performance claims may appear in the final site.

4.4 Lead Generation & Forms:

- Implement Talk to Sales and Request a Demo CTAs throughout the website with consistent conversion logic.
- Build a routed inquiry form capturing: name, company, role, email, country, area of interest, business need and preferred contact method.
- Allow routing by service area and/or designated Telecel recipient groups without code changes where feasible.
- Include validation, spam protection, consent language, confirmation messaging and secure submission handling.
- Ensure form events can be tracked through Telecel-approved analytics/tagging tools.

5. Technical & Quality Requirements:

Area	Mandatory requirement
Performance	Optimized assets, caching and code delivery; strong Core Web Vitals on key pages. Supplier to state measurable performance target and dependencies.
Responsive design	Mobile-first behavior across common desktop, tablet and smartphone breakpoints; no loss of functionality or hierarchy.
Accessibility	Good-practice accessibility aligned to WCAG 2.1 AA principles, including semantic headings, keyboard usability, contrast, labels and image alt-text capability.
SEO	Editable meta titles/descriptions, canonical tags, XML sitemap, robots control, clean heading structure, Open Graph/social metadata and structured data where relevant.
Analytics	Integration with Telecel-approved analytics/tag manager tools; track CTA clicks, forms, key navigation and conversion events.
Security	HTTPS/SSL, secure admin access, role-based permissions, updates/patching approach, backup/recovery process, spam protection and no hard-coded credentials.
CMS governance	Named admin/editor roles; easy updates to pages, services, news, leadership, CTAs and forms; no unnecessary vendor lock-in.
Hosting/deployment	Supplier to state hosting assumptions. If hosting is not included, provide exact infrastructure requirements and deployment support.
Privacy/cookies	Implement Telecel-provided privacy/cookie wording and consent tooling where required.
Source ownership	All final design files, source code, configuration, documentation and credentials must be handed over to Telecel upon completion/payment.

6. Design Standard - Non-Negotiables:

Do	Do not
Lead with services, customer outcomes and commercial value.	Do not build a generic corporate "About us" brochure.
Make the site feel international, premium, telecom-grade and conversion-led.	Do not make the site feel Africa-only, local, or visually dated.
Use Telecel red as the recognition anchor with disciplined white/grey/black support.	Do not overload pages with red blocks, decorative gradients or excessive visual noise.
Use designed interface/product visuals and clean diagrams where useful.	Do not use generic handshake/tower stock photos, random AI people, robots or fake dashboards.
Keep voice and messaging at the end of customer-facing service sequences where relevant.	Do not reorder approved content priorities without Telecel approval.
Use only validated claims, names, logos and proof points.	Do not invent customer names, partner claims, metrics, route counts, delivery rates or certifications.

APPROVAL DISCIPLINE

Supplier is responsible for implementation quality, not for reopening approved strategy. Any recommended change that affects sitemap, service taxonomy, customer proposition, brand positioning or approved copy must be flagged to Telecel before implementation.

7. Required Deliverables:

#	Deliverable	Acceptance expectation
1	Kickoff & technical plan	Confirmed team, stack, dependencies, access list, milestone plan and risk register.
2	Production design system	Desktop/mobile UI components, navigation, typography, spacing, buttons, forms, cards and responsive rules.
3	Homepage production design	Final homepage based on approved V11/V11.1 direction and hero film.
4	Core page templates	Platform, services overview, service pillar, solutions, use cases, Why Telecel Global, insights/article, leadership and contact templates.
5	Functional staging website	Full Phase 1 site on staging with approved content, responsive behavior, forms and navigation.
6	Lead-capture implementation	Talk to Sales / Request Demo flows, routing, validation, spam controls and tracking.
7	SEO & analytics setup	Technical SEO baseline, metadata capability, sitemap, analytics/tagging and conversion events.
8	QA & UAT closeout	Cross-browser/device QA, accessibility checks, broken-link review, form testing and UAT fixes.
9	Production launch	Deployment, redirect handling where required, smoke test and launch checklist.
10	Handover	Editable design files, source code, CMS/admin credentials, plugin/license inventory, deployment notes and backup.
11	Training & documentation	Minimum one remote admin training session and concise CMS user guide.
12	Warranty support	Minimum 60 calendar days post-launch bug-fix warranty for defects within delivered scope.

8. Preferred Delivery Plan:

Telecel's preferred target is a launch-ready website within 15 working days from formal kickoff, full content/design lock and receipt of required accesses. Suppliers must confirm whether this is achievable and submit the earliest credible schedule with dependencies.

Indicative milestone	Target timing
Kickoff, access confirmation and technical audit	Day 1
Production UI system + homepage refinement	Days 2-4
CMS setup + core templates + homepage staging	Days 3-6
Service / solution / use-case build and content population	Days 6-10
Forms, analytics, SEO and responsive optimization	Days 9-11
QA, content verification and internal review	Days 11-13
UAT fixes and launch readiness	Days 14-15
Production launch	Immediately after Telecel final approval

The supplier must identify any dependency that can affect this timing before award. Silence on a dependency will be treated as confirmation that it is included in the proposed schedule and price.

9. Supplier Quotation Requirements

To allow fair comparison, quotations must respond in the following structure and clearly separate mandatory scope from optional items.

Response section	Supplier must provide
Company & team	Legal company name, location, project lead, UX/UI lead, developer(s), QA resource and availability.
Relevant experience	Up to three comparable B2B telecom, technology, SaaS, enterprise or lead-generation websites with live links.
Proposed approach	Short implementation plan showing how the supplier will use the Telecel-approved direction without restarting strategy.
Technology	Proposed CMS/stack, hosting assumptions, required licenses/plugins and reasons for the choice.
Timeline	Earliest kickoff, detailed working-day schedule, dependencies and confirmed launch-ready date.
Fixed price	All-in price for mandatory Phase 1 scope, with taxes/VAT clearly stated.
Optional prices	Hosting, ongoing maintenance, additional standalone service page, additional migrated article, advanced animation, multilingual support or other optional items.
Support	Warranty period, response times during warranty and optional monthly/annual maintenance pricing.
Assumptions/exclusions	Every assumption, dependency, excluded cost, third-party fee or client responsibility.
Proposal validity	Minimum 30 days preferred.

10. Pricing Schedule:

Line item	Qty / basis	Supplier price
A. UX/UI production refinement and design system	Fixed	
B. CMS/front-end development and core templates	Fixed	
C. Content population for Phase 1 site	Fixed	
D. Lead forms, routing and tracking	Fixed	
E. SEO, analytics and launch configuration	Fixed	
F. QA, UAT fixes, launch and handover	Fixed	
G. 60-day post-launch bug-fix warranty	Included / state	
TOTAL MANDATORY SCOPE	Fixed total	
Optional: additional standalone service/product page	Per page	
Optional: additional news/insight migration	Per item	
Optional: hosting	Monthly / annual	
Optional: ongoing maintenance/support	Monthly / annual	
Third-party licenses/plugins	Itemized	

11. Evaluation Considerations:

- Demonstrated quality of comparable digital work and ability to deliver a premium B2B experience.
- Understanding of the approved Telecel direction and discipline not to reopen settled strategy.
- Technical feasibility, CMS maintainability, security, performance and clean handover.

- Credible delivery speed and available team capacity.
- Commercial competitiveness and transparency of assumptions, licenses and optional costs.
- Ability to support fast feedback cycles and implement consolidated Telecel comments accurately.

12. Acceptance Criteria:

- Website matches approved production designs and Telecel brand direction across desktop and mobile.
- All agreed Phase 1 pages/templates are complete, populated and free of placeholder content.
- Navigation, forms, CTAs, routing, links and interactive elements function correctly.
- No material cross-browser/responsive defects remain at launch.
- Key pages are performance-optimized and supplier-agreed performance targets are met under the agreed environment.
- Technical SEO baseline, analytics/tagging and conversion tracking are implemented and tested.
- No unapproved names, logos, claims, proof points or third-party assets are published.
- Telecel receives all final editable design files, source code, credentials, documentation and license information.
- Critical and high-severity UAT issues are closed before launch; remaining minor items, if any, have an agreed closeout date.

13. Commercial, Confidentiality & IP Conditions:

- Quotation must be fixed-price for the defined mandatory scope unless a clearly stated alternative is approved by Telecel.
- No paid plugin, stock asset, font, hosting, API or third-party service may be introduced without prior approval and disclosed cost/renewal terms.
- All project material is confidential and may not be published, shared, reused or referenced publicly without written Telecel approval.
- All project-specific designs, source files, code, documentation and deliverables created for Telecel will transfer to Telecel upon agreed payment, subject only to disclosed third-party license terms.
- Supplier must not create vendor lock-in. Telecel must retain administrator access and the practical ability to maintain or transfer the website.
- Telecel may accept, reject or negotiate any quotation and may adjust final scope before purchase order/contract award.

14. Supplier Submission Checklist:

Required item	Included
Signed / dated technical-commercial quotation	☐
Fixed total price and detailed cost breakdown	☐
Earliest confirmed start date and working-day timeline	☐
Named delivery team and availability	☐
Three relevant project examples / live URLs	☐
Proposed CMS / technical stack and hosting assumptions	☐
Third-party license/plugin schedule	☐
Assumptions, exclusions and client dependencies	☐
Warranty and optional support terms	☐
Confirmation of confidentiality and full source-file handover	☐

PROCUREMENT INSTRUCTION

Suppliers should quote strictly against this RFQ and the Telecel Global Website Text Pack & Recommended Sitemap supplied separately. Any deviation from scope, proposed alternative architecture or material technical assumption must be highlighted in the quotation, not introduced after award.

END OF RFQ