u2d_msa_sdk Module

.db.crud.utils

Attributes

```
__version__ (module-attribute)
```

```
__version__ = '0.0.8'
```

Classes

Functions

paginator_factory

```
paginator_factory(
    perPage_max: Optional[int] = None,
) -> Type[MSACRUDPaginator]
```

parser_item_id

```
parser_item_id(
   item_id: str = Path(
       Ellipsis,
       min_length=1,
       title="pk",
       example="1,2,3",
       description="Primary key or list of primary keys",
   )
) -> List[str]
```

parser_str_set_list

```
parser_str_set_list(set_str: Union[int, str]) -> List[str]
```

schema_create_by_modelfield

```
schema_create_by_modelfield(
    schema_name: str,
    modelfields: Iterable[ModelField],
    *,
    set_none: bool = False,
    namespaces: Dict[str, Any] = None,
    extra: Extra = Extra.ignore,
    **kwargs
) -> Type[BaseModel]
```

schema_create_by_schema

```
schema_create_by_schema(
    schema_cls: Type[BaseModel],
    schema_name: str,
    *,
    include: Set[str] = None,
    exclude: Set[str] = None,
    set_none: bool = False,
    **kwargs
) -> Type[BaseModel]
```

validator_skip_blank

```
validator_skip_blank(
    cls,
    v,
    config: BaseConfig,
    field: ModelField,
    *args,
    **kwargs
)
```

Last update: September 13, 2022 Created: September 13, 2022