## msaSDK Module

## .auth.app

## Classes

## **UserAuthApp**

```
Bases: AdminApp , AuthRouter
Attributes
GroupAdmin class-attribute
  GroupAdmin: Type[ModelAdmin] = GroupAdmin
Permission Admin {\tiny \texttt{class-attribute}}
  PermissionAdmin: Type[ModelAdmin] = PermissionAdmin
RoleAdmin class-attribute
  RoleAdmin: Type[ModelAdmin] = RoleAdmin
UserAdmin class-attribute
  UserAdmin: Type[UserAdmin] = UserAdmin
UserInfoFormAdmin Class-attribute
  UserInfoFormAdmin: Type[
      UserInfoFormAdmin
  ] = UserInfoFormAdmin
UserLoginFormAdmin class-attribute
```

```
UserLoginFormAdmin: Type[
      UserLoginFormAdmin
  ] = UserLoginFormAdmin
UserRegFormAdmin Class-attribute
  UserRegFormAdmin: Type[UserRegFormAdmin] = UserRegFormAdmin
msa_app [instance-attribute]
 msa_app = msa_app
page_schema class-attribute
  page_schema = PageSchema(
      label=_("User Authentication"),
      icon="fa fa-lock",
      sort=99,
router_prefix class-attribute
  router_prefix = '/auth'
Functions
__init__
  __init__(app: AdminApp, msa_app = None)
has_page_permission async
  has_page_permission(request: Request) -> bool
```

Last update: September 13, 2022 Created: September 13, 2022