MSASDK - Included Libraries

General Dependencies

aiomultiprocess `~=0.9.0`

`pypi package` `0.9.0`

Running a full asyncio event loop on each child process

```
Name: aiomultiprocess
Version: 0.9.0
Summary: AsyncIO version of the standard multiprocessing module
Home-page: https://aiomultiprocess.omnilib.dev
Author: John Reese
Author-email: john@noswap.com
License: UNKNOWN
Requires:
Required-by:
```

aiofiles `~=22.1.0`

`pypi package` `22.1.0`

Handling local disk files in asyncio applications

```
Name: aiofiles
Version: 22.1.0
Summary: File support for asyncio.
Home-page: https://github.com/Tinche/aiofiles
Author: Tin Tvrtkovic
Author-email: tinchester@gmail.com
License: Apache-2.0
Requires:
Required-by:
```

aiosqlite `~=0.17.0`

`pypi package` `0.17.0`

Asyncio bridge to the standard sqlite3 module

```
Name: aiosqlite
Version: 0.17.0
Summary: asyncio bridge to the standard sqlite3 module
Home-page: https://aiosqlite.omnilib.dev
Author: John Reese
Author-email: john@noswap.com
License: UNKNOWN
Requires: typing_extensions
Required-by:
```

aioredis ~=2.0.1

pypi package 2.0.1

Asyncio (pep 3156) redis support

```
Name: aioredis
Version: 2.0.1
Summary: asyncio (PEP 3156) Redis support
Home-page: https://github.com/aio-libs/aioredis-py
Author:
Author-email:
License: MIT
Requires: async-timeout, typing-extensions
Required-by:
```

Babel ~=2.10.3

pypi package 2.10.3

Collection of tools for internationalizing python applications

```
Name: Babel
Version: 2.10.3
Summary: Internationalization utilities
Home-page: https://babel.pocoo.org/
Author: Armin Ronacher
Author-email: armin.ronacher@active-4.com
License: BSD
Requires: pytz
Required-by: mkdocs-git-revision-date-localized-plugin
```

charset_normalizer ~=2.1.1

pypi package 2.1.1

Read text from an unknown charset encoding

```
Name: charset-normalizer
Version: 2.1.1
Summary: The Real First Universal Charset Detector. Open, modern and actively maintained
alternative to Chardet.
Home-page: https://github.com/ousret/charset_normalizer
Author: Ahmed TAHRI @Ousret
Author-email: ahmed.tahri@cloudnursery.dev
License: MIT
Requires:
Required-by: aiohttp, requests
```

country_list ~=1.0.0

pypi package `1.0.0`

List of all countries with names and iso 3166-1 codes in all languages and all data formats

```
Name: country-list
Version: 1.0.0
Summary: List of all countries with names and ISO 3166-1 codes in all languages
Home-page: https://github.com/bulv1ne/country_list
Author: Niels Lemmens
Author-email: draso.odin@gmail.com
License: MIT license
Requires:
Required-by:
```

dateparser ~=1.1.1

pypi package `1.1.1`

Generic parsing of dates in over 200 language locales plus numerous formats in a language agnostic
fashion

```
Name: dateparser
Version: 1.1.1
Summary: Date parsing library designed to parse dates from HTML pages
Home-page: https://github.com/scrapinghub/dateparser
Author: Scrapinghub
Author-email: info@scrapinghub.com
License: BSD
Requires: python-dateutil, pytz, regex, tzlocal
Required-by:
```

date-parser-sari ~=0.8.11

pypi package `0.8.11`

A parser for recognising free-text dates

```
Name: date-parser-sari
Version: 0.8.11
Summary: A parser for recognising free-text dates
Home-page: https://github.com/swiss-art-research-net/bso-date-parser.git
Author: Florian Kräutli
Author-email: florian.kraeutli@uzh.ch
License: UNKNOWN
Requires:
Required-by:
```

dapr ~=1.7.0

`pypi package` `1.7.0`

Dapr is a portable, serverless, event-driven runtime that makes it easy for developers to build resilient, stateless and stateful microservices that run on the cloud and edge

```
Name: dapr
Version: 1.7.0
Summary: The official release of Dapr Python SDK.
Home-page: https://dapr.io/
Author: Dapr Authors
Author-email: daprweb@microsoft.com
License: Apache
Requires: aiohttp, grpcio, protobuf, python-dateutil
Required-by: dapr-ext-fastapi, dapr-ext-grpc
```

dapr-ext-grpc ~=1.7.0

`pypi package` `1.7.0`

Grpc extension for dapr.

```
Name: dapr-ext-grpc
Version: 1.7.0
Summary: The official release of Dapr Python SDK gRPC Extension.
Home-page: https://dapr.io/
Author: Dapr Authors
Author-email: daprweb@microsoft.com
License: Apache
Requires: cloudevents, dapr
Required-by:
```

dapr-ext-fastapi ~=1.7.0

`pypi package` `1.7.0`

Dapr is a portable, serverless, event-driven runtime

```
Name: dapr-ext-fastapi
Version: 1.7.0
Summary: The official release of Dapr FastAPI extension.
Home-page: https://dapr.io/
Author: Dapr Authors
Author-email: daprweb@microsoft.com
License: Apache
Requires: dapr, fastapi, uvicorn
Required-by:
```

dynaconf `~=3.1.9`

`pypi package` `3.1.9`

The dynamic configurator for your python project

```
Name: dynaconf
Version: 3.1.9
Summary: The dynamic configurator for your Python Project
Home-page: https://github.com/rochacbruno/dynaconf
Author: Bruno Rocha
Author-email: rochacbruno@gmail.com
License: MIT
Requires:
Required-by:
```

FastAPI related Dependencies

fastapi `~=0.83.0`

`pypi package` `0.83.0`

Fastapi framework, high performance, easy to learn, fast to code, ready for production

```
Name: fastapi
Version: 0.83.0
Summary: FastAPI framework, high performance, easy to learn, fast to code, ready for
production
Home-page: https://github.com/tiangolo/fastapi
Author: Sebastián Ramírez
Author-email: tiangolo@gmail.com
License:
Requires: pydantic, starlette
Required-by: dapr-ext-fastapi, fastapi-pagination, fastapi-sessions, fastapi-users,
fastapi-utils, prometheus-fastapi-instrumentator
```

fastapi_utils ~=0.2.1

`pypi package` `0.2.1`

Reusable utilities for fastapi, repeated tasks, apimodel, apisettings

```
Name: fastapi-utils
Version: 0.2.1
Summary: Reusable utilities for FastAPI
Home-page: https://fastapi-utils.davidmontague.xyz
Author: David Montague
Author-email: davwmont@gmail.com
License: MIT
Requires: fastapi, pydantic, sqlalchemy
Required-by:
```

fastapi_sessions ~=0.3.2

`pypi package` `0.3.2`

Add session authentication to your fastapi project

```
Name: fastapi-sessions
Version: 0.3.2
Summary: Ready-to-use session library for FastAPI
Home-page: https://github.com/jordanisaacs/fastapi-sessions
Author: Jordan Isaacs
Author-email:
License: MIT
Requires: fastapi, itsdangerous
Required-by:
```

pyinstrument ~=4.3.0

`pypi package` `4.3.0`

Pyinstrument to check service performance.

```
Name: pyinstrument
Version: 4.3.0
Summary: Call stack profiler for Python. Shows you why your code is slow!
Home-page: https://github.com/joerick/pyinstrument
Author: Joe Rickerby
Author-email: joerick@mac.com
License:
Requires:
Required-by:
```

fastapi-users `~=10.1.5`

`pypi package` `10.1.5`

Ready-to-use and customizable users management for fastapi

```
Name: fastapi-users
Version: 10.1.5
Summary: Ready-to-use and customizable users management for FastAPI
Home-page:
Author:
Author-email: François Voron <fvoron@gmail.com>
License:
Requires: email-validator, fastapi, makefun, passlib, pyjwt, python-multipart
Required-by: fastapi-users-db-sqlalchemy
```

fastapi-pagination `~=0.10.0`

`pypi package` `0.10.0`

Library that provides pagination feature

```
Name: fastapi-pagination
Version: 0.10.0
Summary: FastAPI pagination
Home-page: https://github.com/uriyyo/fastapi-pagination
Author: Yurii Karabas
Author-email: 1998uriyyo@gmail.com
License: MIT
Requires: fastapi, pydantic
Required-by:
```

gunicorn `~=20.1.0`

`pypi package` `20.1.0`

```
Name: gunicorn
Version: 20.1.0
Summary: WSGI HTTP Server for UNIX
Home-page: https://gunicorn.org
Author: Benoit Chesneau
Author-email: benoitc@e-engura.com
License: MIT
Requires: setuptools
Required-by:
```

Other Dependencies

httpx `~=0.23.0`

`pypi package` `0.23.0`

The next generation http client.

```
Name: httpx
Version: 0.23.0
Summary: The next generation HTTP client.
Home-page: https://github.com/encode/httpx
Author: Tom Christie
Author-email: tom@tomchristie.com
License: BSD
Requires: certifi, httpcore, rfc3986, sniffio
Required-by: httpx-oauth
```

JPype1 `~=1.4.0`

`pypi package` `1.4.0`

A python to java bridge.

```
Name: JPype1
Version: 1.4.0
Summary: A Python to Java bridge.
Home-page: https://github.com/jpype-project/jpype
Author: Steve Menard
Author-email: devilwolf@users.sourceforge.net
License: License :: OSI Approved :: Apache Software License
Requires:
Required-by:
```

loguru `~=0.6.0`

`pypi package` `0.6.0`

Python logging made (stupidly) simple

```
Name: loguru
Version: 0.6.0
Summary: Python logging made (stupidly) simple
Home-page: https://github.com/Delgan/loguru
Author: Delgan
Author-email: delgan.py@gmail.com
License: MIT license
Requires:
Required-by:
```

lxml ~=4.9.1

`pypi package` `4.9.1`

Powerful and pythonic xml processing library combining libxml2/libxslt with the elementtree api.

```
Name: lxml
Version: 4.9.1
Summary: Powerful and Pythonic XML processing library combining libxml2/libxslt with the
ElementTree API.
Home-page: https://lxml.de/
Author: lxml dev team
Author-email: lxml-dev@lxml.de
License: BSD
Requires:
Required-by:
```

multidict ~=6.0.2

`pypi package` `6.0.2`

Multidict is dict-like collection of key-value pairs where key might be occurred more than once in the container.

```
Name: multidict
Version: 6.0.2
Summary: multidict implementation
Home-page: https://github.com/aio-libs/multidict
Author: Andrew Svetlov
Author-email: andrew.svetlov@gmail.com
License: Apache 2
Requires:
Required-by: aiohttp, yarl
```

msgpack-asgi ~=1.1.0

`pypi package` `1.1.0`

Drop-in messagepack support for asgi applications and frameworks

```
Name: msgpack-asgi
Version: 1.1.0
Summary: Drop-in MessagePack support for ASGI applications and frameworks
Home-page: http://github.com/florimondmanca/msgpack-asgi
Author: Florimond Manca
Author-email: florimond.manca@gmail.com
License: MIT
Requires: msgpack, starlette
Required-by:
```

parsedatetime ~=2.6

`pypi package` `2.6`

Parse human-readable date/time text.

```
Name: parsedatetime
Version: 2.6
Summary: Parse human-readable date/time text.
Home-page: https://github.com/bear/parsedatetime
Author: Mike Taylor
Author-email: bear@bear.im
License: Apache License 2.0
Requires:
Required-by:
```

passlib ~=1.7.4

`pypi package` `1.7.4`

Comprehensive password hashing framework supporting over 30 schemes

```
Name: passlib
Version: 1.7.4
Summary: comprehensive password hashing framework supporting over 30 schemes
Home-page: https://passlib.readthedocs.io
Author: Eli Collins
Author-email: elic@assurancetechnologies.com
License: BSD
Requires:
Required-by: fastapi-users
```

PGPy ~=0.5.4

`pypi package` `0.5.4`

Pretty good privacy for python

```
Name: PGPy
Version: 0.5.4
Summary: Pretty Good Privacy for Python
Home-page: https://github.com/SecurityInnovation/PGPy
Author: Michael Greene
Author-email: mgreene@securityinnovation.com
License: BSD
Requires: cryptography, pyasn1, six
Required-by:
```

prometheus_fastapi_instrumentator `~=5.9.0`

`pypi package` `5.9.1`

Instrument your fastapi with prometheus metrics

```
Name: prometheus-fastapi-instrumentator
Version: 5.9.0
Summary: Instrument your FastAPI with Prometheus metrics
Home-page: https://github.com/trallnag/prometheus-fastapi-instrumentator
Author: Tim Schwenke
Author-email: tim.schwenke@trallnag.com
License: ISC
Requires: fastapi, prometheus-client
Required-by:
```

psutil `~=5.9.2`

`pypi package` `5.9.2`

Cross-platform lib for process and system monitoring in python.

```
Name: psutil
Version: 5.9.2
Summary: Cross-platform lib for process and system monitoring in Python.
Home-page: https://github.com/giampaolo/psutil
Author: Giampaolo Rodola
Author-email: g.rodola@gmail.com
License: BSD
Requires:
Required-by:
```

python_magic `~=0.4.27`

`pypi package` `0.4.27`

Filetype and metadata detection

```
Name: python-magic
Version: 0.4.27
Summary: File type identification using libmagic
Home-page: http://github.com/ahupp/python-magic
Author: Adam Hupp
Author-email: adam@hupp.org
License: MIT
Requires:
Required-by:
```

pydantic `~=1.9.2`

`pypi package` `1.10.2`

Data validation and settings management using python type hints

```
Name: pydantic
Version: 1.9.2
Summary: Data validation and settings management using python type hints
Home-page: https://github.com/samuelcolvin/pydantic
Author: Samuel Colvin
Author-email: s@muelcolvin.com
License: MIT
Requires: typing-extensions
Required-by: fastapi, fastapi-pagination, fastapi-utils, pandas-profiling, sqlmodel
```

python_dateutil `~=2.8.2`

`pypi package` `2.8.2`

Extensions to the standard python datetime module

```
Name: python-dateutil
Version: 2.8.2
Summary: Extensions to the standard Python datetime module
Home-page: https://github.com/dateutil/dateutil
Author: Gustavo Niemeyer
Author-email: gustavo@niemeyer.net
License: Dual License
Requires: six
Required-by: dapr, dateparser, ghp-import, matplotlib, pandas, strawberry-graphql
```

python-dotenv `~=0.20.0`

`pypi package` `0.21.0`

Reads key-value pairs from a .env file and can set them as environment variables.

```
Name: python-dotenv
Version: 0.20.0
Summary: Read key-value pairs from a .env file and set them as environment variables
Home-page: https://github.com/theskumar/python-dotenv
Author: Saurabh Kumar
Author-email: me+github@saurabh-kumar.com
License: BSD-3-Clause
Requires:
Required-by:
```

python-jose `~=3.3.0`

`pypi package` `3.3.0`

Son web signature (jws), json web encryption (jwe), json web key (jwk), and json web algorithms (jwa)

```
Name: python-jose
Version: 3.3.0
Summary: JOSE implementation in Python
Home-page: http://github.com/mpdavis/python-jose
Author: Michael Davis
Author-email: mike.philip.davis@gmail.com
License: MIT
Requires: ecdsa, pyasn1, rsa
Required-by:
```

regex `~=2022.3.2`

`pypi package` `2022.9.13`

Alternative regular expression module, to replace re.

```
Name: regex
Version: 2022.3.2
Summary: Alternative regular expression module, to replace re.
Home-page: https://github.com/mrabarnett/mrab-regex
Author: Matthew Barnett
Author-email: regex@mrabarnett.plus.com
License: Apache Software License
Requires:
Required-by: dateparser
```

setuptools `~=65.2.0`

`pypi package` `65.3.0`

Easily download, build, install, upgrade, and uninstall python packages

```
Name: setuptools
Version: 65.2.0
Summary: Easily download, build, install, upgrade, and uninstall Python packages
Home-page: https://github.com/pypa/setuptools
Author: Python Packaging Authority
Author-email: distutils-sig@python.org
License:
Requires:
Required-by: gunicorn, zope.interface
```

slowapi `~=0.1.6`

`pypi package` `0.1.6`

A rate limiting extension for starlette and fastapi

```
Name: slowapi
Version: 0.1.6
Summary: A rate limiting extension for Starlette and Fastapi
Home-page: https://github.com/laurents/slowapi
Author: Laurent Savaete
Author-email: laurent@where.tf
License: MIT
Requires: limits
Required-by:
```

Starlette related Dependencies

sse_starlette `~=1.1.6`

`pypi package` `1.1.6`

Server sent events for starlette and fastapi

```
Name: sse-starlette
Version: 1.1.6
Summary: "SSE plugin for Starlette"
Home-page: https://github.com/sysid/sse-starlette
Author: sysid
Author-email: sysid@gmx.de
License:
Requires: starlette
Required-by:
```

starlette `~=0.19.1`

`pypi package` `0.20.4`

```
Name: starlette
Version: 0.19.1
Summary: The little ASGI library that shines.
Home-page: https://github.com/encode/starlette
Author: Tom Christie
Author-email: tom@tomchristie.com
License: BSD
Requires: anyio, typing-extensions
Required-by: fastapi, msgpack-asgi, sse-starlette, starception, starlette-context,
```

```
Starlette-WTF
```

Starlette-WTF `~=0.4.3`

`pypi package` `0.4.3`

```
Name: Starlette-WTF
Version: 0.4.3
Summary: Simple integration of Starlette and WTForms.
Home-page: https://github.com/muicss/starlette-wtf
Author: Andres Morey
Author-email:
License: MIT
Requires: itsdangerous, python-multipart, starlette, WTForms
Required-by:
```

starlette-context `~=0.3.4`

`pypi package` `0.3.4`

Access context in starlette

```
Name: starlette-context
Version: 0.3.4
Summary: Access context in Starlette
Home-page: https://github.com/tomwojcik/starlette-context
Author: Tomasz Wojcik
Author-email:
License: MIT
Requires: starlette
Required-by:
```

starception `~=0.4.0`

`pypi package` `0.4.0`

Beautiful debugging page for starlette apps.

```
Name: starception
Version: 0.4.0
Summary: Beautiful debugging page for Starlette apps.
Home-page: https://github.com/alex-oleshkevich/starception
Author: Alex Oleshkevich
Author-email: alex.oleshkevich@gmail.com
License: MIT
Requires: Jinja2, MarkupSafe, starlette
Required-by:
```

GraphQL related Dependencies

strawberry-graphql `~=0.130.1`

`pypi package` `0.130.3`

A library for creating graphql apis

Check Version: 0.129.0 vs 0.130.1

```
Name: strawberry-graphql
Version: 0.129.0
Summary: A library for creating GraphQL APIs
Home-page: https://strawberry.rocks/
Author: Patrick Arminio
Author-email: patrick.arminio@gmail.com
License: MIT
Requires: click, graphql-core, pygments, python-dateutil, python-multipart,
typing_extensions
Required-by:
```

strawberry-graphql `~=0.130.1`

`pypi package` `0.130.3`

Strawberry provides support for fastapi with a custom apirouter called graphqlrouter.

Check Version: 0.129.0 vs 0.130.1

```
Name: strawberry-graphql
Version: 0.129.0
Summary: A library for creating GraphQL APIs
Home-page: https://strawberry.rocks/
Author: Patrick Arminio
Author-email: patrick.arminio@gmail.com
License: MIT
Requires: click, graphql-core, pygments, python-dateutil, python-multipart,
typing_extensions
Required-by:
```

SQL/DB related Dependencies

sqlmodel `~=0.0.8`

`pypi package` `0.0.8`

Sqlmodel, sql databases in python, designed for simplicity, compatibility, and robustness.

```
Name: sqlmodel
Version: 0.0.8
Summary: SQLModel, SQL databases in Python, designed for simplicity, compatibility, and
robustness.
Home-page: https://github.com/tiangolo/sqlmodel
Author: Sebastián Ramírez
Author-email: tiangolo@gmail.com
License: MIT
Requires: pydantic, SQLAlchemy, sqlalchemy2-stubs
Required-by:
```

sqlalchemy `~=1.4.41`

`pypi package` `1.4.41`

Database abstraction library

```
Name: SQLAlchemy
Version: 1.4.41
Summary: Database Abstraction Library
Home-page: https://www.sqlalchemy.org
Author: Mike Bayer
Author-email: mike_mp@zzzcomputing.com
License: MIT
Requires: greenlet
Required-by: fastapi-users-db-sqlalchemy, fastapi-utils, sqlalchemy_database, sqlmodel
```

sqlalchemy_database `~=0.0.7`

`pypi package` `0.0.7`

Sqlalchemy-database provides shortcut functions to common database operations for sqlalchemy orm

```
Name: sqlalchemy_database
Version: 0.0.7
Summary: SQLAlchemy-Database provides shortcut functions to common database operations
for SQLAlchemy ORM.
Home-page:
Author:
Author-email: Atomi <1456417373@qq.com>
License:
Requires: sqlalchemy
Required-by:
```

Uvicorn related Dependencies

uvicorn ~=0.17.6

`pypi package` `0.18.3`

```
Name: uvicorn
Version: 0.17.6
Summary: The lightning-fast ASGI server.
Home-page: https://www.uvicorn.org/
Author: Tom Christie
Author-email: tom@tomchristie.com
License: BSD
Requires: asgiref, click, h11
Required-by: dapr-ext-fastapi
```

uvloop ~=0.16.0

`pypi package` `0.16.0`

Fast implementation of asyncio event loop on top of libuv

```
Name: uvloop
Version: 0.16.0
Summary: Fast implementation of asyncio event loop on top of libuv
Home-page: http://github.com/MagicStack/uvloop
Author: Yury Selivanov
Author-email: yury@magic.io
License: MIT
Requires:
Required-by:
```

General Dependencies

fonttools ~=4.37.1

`pypi package` `4.37.1`

Tools to manipulate font files

```
Name: fonttools
Version: 4.37.1
Summary: Tools to manipulate font files
Home-page: http://github.com/fonttools/fonttools
```

```
Author: Just van Rossum
Author-email: just@letterror.com
License: MIT
Requires:
Required-by: matplotlib
```

gputil ~=1.4.0

pypi package 1.4.0

```
Name: GPUtil
Version: 1.4.0
Summary: GPUtil is a Python module for getting the GPU status from NVIDA GPUs using
nvidia-smi.
Home-page: https://github.com/anderskm/gputil
Author: Anders Krogh Mortensen
Author-email: anderskroghm@gmail.com
License: MIT
Requires:
Required-by:
```

Jinja2 ~=3.1.2

pypi package 3.1.2

```
Name: Jinja2
Version: 3.1.2
Summary: A very fast and expressive template engine.
Home-page: https://palletsprojects.com/p/jinja/
Author: Armin Ronacher
Author-email: armin.ronacher@active-4.com
License: BSD-3-Clause
Requires: MarkupSafe
Required-by: Flask, mkdocs, mkdocs-material, mkdocstrings, myst-parser, pandas-
profiling, starception
```

matplotlib ~=3.5.3

pypi package 3.5.3

```
Name: matplotlib
Version: 3.5.3
Summary: Python plotting package
Home-page: https://matplotlib.org
Author: John D. Hunter, Michael Droettboom
Author-email: matplotlib-users@python.org
License: PSF
Requires: cycler, fonttools, kiwisolver, numpy, packaging, pillow, pyparsing, python-
```

```
dateutil
Required-by: missingno, pandas-profiling, phik, seaborn
```

numpy ~=1.23.3

`pypi package` `1.23.3`

Numpy is the fundamental package for array computing with python.

```
Name: numpy
Version: 1.23.3
Summary: NumPy is the fundamental package for array computing with Python.
Home-page: https://www.numpy.org
Author: Travis E. Oliphant et al.
Author-email:
License: BSD
Requires:
Required-by: ImageHash, matplotlib, missingno, pandas, pandas-profiling, patsy, phik,
PyWavelets, scipy, seaborn, statsmodels, visions
```

orjson ~=3.8.0

`pypi package` `3.8.0`

```
Name: orjson
Version: 3.8.0
Summary: Fast, correct Python JSON library supporting dataclasses, datetimes, and numpy
Home-page: https://github.com/ijl/orjson
Author: ijl <ijl@mailbox.org>
Author-email: ijl <ijl@mailbox.org>
License: Apache-2.0 OR MIT
Requires:
Required-by:
```

pandas ~=1.4.4

`pypi package` `1.4.4`

Powerful data structures for data analysis, time series, and statistics

```
Name: pandas
Version: 1.4.4
Summary: Powerful data structures for data analysis, time series, and statistics
Home-page: https://pandas.pydata.org
Author: The Pandas Development Team
Author-email: pandas-dev@python.org
License: BSD-3-Clause
Requires: numpy, python-dateutil, pytz
Required-by: pandas-profiling, phik, seaborn, statsmodels, visions
```

pandas-profiling `~=3.3.0`

`pypi package` `3.3.0`

Generate profile report for pandas dataframe

```
Name: pandas-profiling
Version: 3.3.0
Summary: Generate profile report for pandas DataFrame
Home-page: https://github.com/ydataai/pandas-profiling
Author: YData Labs Inc
Author-email: opensource@ydata.ai
License: MIT
Requires: htmlmin, jinja2, joblib, matplotlib, missingno, multimethod, numpy, pandas,
phik, pydantic, PyYAML, requests, scipy, seaborn, statsmodels, tangled-up-in-unicode,
tqdm, visions
Required-by:
```

pillow `~=9.2.0`

`pypi package` `9.2.0`

Python imaging library (fork)

```
Name: Pillow
Version: 9.2.0
Summary: Python Imaging Library (Fork)
Home-page: https://python-pillow.org
Author: Alex Clark (PIL Fork Author)
Author-email: aclark@python-pillow.org
License: HPND
Requires:
Required-by: ImageHash, matplotlib
```

python-magic `~=0.4.27`

`pypi package` `0.4.27`

```
Name: python-magic
Version: 0.4.27
Summary: File type identification using libmagic
Home-page: http://github.com/ahupp/python-magic
Author: Adam Hupp
Author-email: adam@hupp.org
License: MIT
Requires:
Required-by:
```

python-multipart `~=0.0.5`

`pypi package` `0.0.5`

```
Name: python-multipart
Version: 0.0.5
Summary: A streaming multipart parser for Python
Home-page: http://github.com/andrew-d/python-multipart
Author: Andrew Dunham
Author-email:
License: Apache
Requires: six
Required-by: fastapi-users, Starlette-WTF, strawberry-graphql
```

pytz `~=2022.2.1`

`pypi package` `2022.2.1`

```
Name: pytz
Version: 2022.2.1
Summary: World timezone definitions, modern and historical
Home-page: http://pythonhosted.org/pytz
Author: Stuart Bishop
Author-email: stuart@stuartbishop.net
License: MIT
Requires:
Required-by: Babel, dateparser, pandas
```

Documentation related Libraries

black `~=22.8.0`

`pypi package` `22.8.0`

Code formatter.

```
Name: black
Version: 22.8.0
Summary: The uncompromising code formatter.
Home-page: https://github.com/psf/black
Author: Łukasz Langa
Author-email: lukasz@langa.pl
License: MIT
Requires: click, mypy-extensions, pathspec, platformdirs, tomli, typing-extensions
Required-by:
```

mkdocs `~=1.3.1`

`pypi package` `1.3.1`

Project documentation with markdown.

```
Name: mkdocs
Version: 1.3.1
Summary: Project documentation with Markdown.
Home-page: https://www.mkdocs.org
Author: Tom Christie
Author-email: tom@tomchristie.com
License: BSD
Requires: click, ghp-import, importlib-metadata, Jinja2, Markdown, mergedeep, packaging,
PyYAML, pyyaml-env-tag, watchdog
Required-by: mkdocs-autorefs, mkdocs-gen-files, mkdocs-git-revision-date-localized-
plugin, mkdocs-literate-nav, mkdocs-material, mkdocs-section-index, mkdocstrings
```

mkdocstrings `~=0.19.0`

`pypi package` `0.19.0`

Automatic documentation from sources, for mkdocs.

```
Name: mkdocstrings
Version: 0.19.0
Summary: Automatic documentation from sources, for MkDocs.
Home-page:
Author:
Author-email: Timothée Mazzucotelli <pawamoy@pm.me>
License: UNKNOWN
Requires: Jinja2, Markdown, MarkupSafe, mkdocs, mkdocs-autorefs, pymdown-extensions
Required-by: mkdocstrings-python
```

mkdocstrings-python `~=0.7.1`

`pypi package` `0.7.1`

A python handler for mkdocstrings.

```
Name: mkdocstrings-python
Version: 0.7.1
Summary: A Python handler for mkdocstrings.
Home-page:
Author:
Author-email: Timothée Mazzucotelli <pawamoy@pm.me>
License: ISC
Requires: griffe, mkdocstrings
Required-by:
```

mkdocs-material `~=8.4.3`

`pypi package` `8.5.0`

Material design theme for mkdocs

```
Name: mkdocs-material
Version: 8.4.3
Summary: Documentation that simply works
Home-page: https://squidfunk.github.io/mkdocs-material/
Author: Martin Donath
Author-email: martin.donath@squidfunk.com
License: MIT
Requires: jinja2, markdown, mkdocs, mkdocs-material-extensions, pygments, pymdown-
extensions
Required-by:
```

mkdocs-gen-files `~=0.4.0`

`pypi package` `0.4.0`

Mkdocs plugin to programmatically generate documentation pages during the build

```
Name: mkdocs-gen-files
Version: 0.4.0
Summary: MkDocs plugin to programmatically generate documentation pages during the build
Home-page: https://github.com/oprypin/mkdocs-gen-files
Author: Oleh Prypin
Author-email: oleh@pryp.in
License: MIT
Requires: mkdocs
Required-by:
```

mkdocs-literate-nav `~=0.4.1`

`pypi package` `0.4.1`

Mkdocs plugin to specify the navigation in markdown instead of yaml

```
Name: mkdocs-literate-nav
Version: 0.4.1
Summary: MkDocs plugin to specify the navigation in Markdown instead of YAML
Home-page: https://github.com/oprypin/mkdocs-literate-nav
Author: Oleh Prypin
Author-email: oleh@pryp.in
License: MIT
Requires: mkdocs
Required-by:
```

mkdocs-section-index ~=0.3.4

`pypi package` `0.3.4`

Mkdocs plugin to allow clickable sections that lead to an index page

```
Name: mkdocs-section-index
Version: 0.3.4
Summary: MkDocs plugin to allow clickable sections that lead to an index page
Home-page: https://github.com/oprypin/mkdocs-section-index
Author: Oleh Prypin
Author-email: oleh@pryp.in
License: MIT
Requires: mkdocs
Required-by:
```

mkdocs-page-pdf ~=0.1.0

`pypi package` `0.1.0`

Generate a pdf file for each mkdocs page and adds a download button

```
Name: mkdocs-page-pdf
Version: 0.1.0
Summary: Generate a PDF file for each MkDocs page
Home-page: https://github.com/brospars/mkdocs-page-pdf
Author: brospars
Author-email:
License: MIT
Requires: asyncio, mkdocs, nest-asyncio, pyppeteer
Required-by:
```

mkdocs-git-revision-date-localized-plugin ~=1.1.0

`pypi package` `1.1.0`

```
Name: mkdocs-git-revision-date-localized-plugin
Version: 1.1.0
Summary: Mkdocs plugin that enables displaying the localized date of the last git
modification of a markdown file.
Home-page: https://github.com/timvink/mkdocs-git-revision-date-localized-plugin
Author: Tim Vink
Author-email: vinktim@gmail.com
License: MIT
Requires: babel, GitPython, mkdocs
Required-by:
```

Pygments ~=2.13.0

`pypi package` `2.13.0`

Generic syntax highlighter

```
Name: Pygments
Version: 2.13.0
Summary: Pygments is a syntax highlighting package written in Python.
Home-page: https://pygments.org/
Author: Georg Brandl
Author-email: georg@python.org
License: BSD License
Requires:
Required-by: mkdocs-material, strawberry-graphql
```

Last update: September 13, 2022

Created: September 13, 2022