

msaSDK - FastAPI based Microservice Architecture Development Kit

To build PoC's, MVP's, API's with CRUD and Dashboards fast and consistent.

Build on top of FastAPI, SQLModel, SQLAlchemy, Amis and many other bullet proofed libraries.

pypi package v0.1.2 python 3.7 | 3.8 | 3.9 | 3.10

## **Features**

- Build connected distributed applications faster: Ready for Dapr...
- **Consistency**: With sometimes 10s or 100s of Micro Services, the SDK helps to easy version control and provides a stable Dapr Basis.
- High performance: Based on FastAPI. Enjoy all the benefits.
- **High efficiency**: Perfect code type hints. Higher code reusability.
- Support asynchronous and synchronous hybrid writing: ORM is based on SQLModel & Sqlalchemy. Freely customize database type. Asynchronous mode. Strong scalability.
- Front-end separation: The front-end is rendered by Amis, the back-end interface is automatically generated by msaSDK Admin. The interface is reusable.
- **Strong scalability**: The background page supports Amis pages and ordinary html pages. Easily customize the interface freely.
- **Automatic api documentation**: Automatically generate Interface documentation by FastAPI. Easily debug and share interfaces.
- Integrated Scheduler: Define Scheduler Tasks with natural language timings and dependencies.
- Dashboard UI: Admin and Optional Auth enabled Dashboard with CRUD Forms.

 Integrated CRUD: Generates CRUD Router and Admin Dashboard Forms based on SQLModel and SQLAlchemy.

# Dependencies

- FastAPI
- SQLModel combined with SQLAlchemy and Pydantic, with all their features.
- · Amis: Vue Frontend

#### Usage example is in the app module \_\_init\_\_.py

```
# -*- encoding: utf-8 -*-
from typing import Optional, List
from sqlmodel import SQLModel
from msaSDK.admin.utils.fields import Field
from msaSDK.models.service import get_msa_app_settings
from msaSDK.service import MSAApp
async def test_timer_min():
    app.logger.info("msaSDK Test Timer Async Every Minute")
def test_timer_five_sec():
    app.logger.info("msaSDK Test Timer Sync 5 Second")
class TestArticle(SQLModel, table=True):
    __table_args__ = {'extend_existing': True}
    id: Optional[int] = Field(default=None, primary_key=True, nullable=False)
   title: str = Field(title='ArticleTitle', max_length=200)
    description: Optional[str] = Field(default='', title='ArticleDescription',
max_length=400)
    status: bool = Field(None, title='status')
    content: str = Field(title='ArticleContent')
class TestCategory(SQLModel, table=True):
    __table_args__ = {'extend_existing': True}
   id: Optional[int] = Field(default=None, primary_key=True, nullable=False)
   title: str = Field(title='ArticleTitle', max_length=200)
    description: Optional[str] = Field(default='', title='ArticleDescription',
max_length=400)
    status: bool = Field(None, title='status')
    content: str = Field(title='ArticleContent')
get_msa_app_settings.cache_clear()
settings = get_msa_app_settings()
settings.title = "u2d.ai - MSA/SDK MVP"
```

```
settings.version = "0.0.1"
settings.debug = True
app = MSAApp(settings=settings, auto_mount_site=True,
             sql_models=[TestArticle, TestCategory],
             contact={"name": "msaSDK", "url": "http://u2d.ai", "email":
"stefan@u2d.ai"},
             license_info={"name": "MIT", "url": "https://opensource.org/licenses/MIT",
app.scheduler.task("every 1 min", func=test_timer_min )
app.scheduler.task("every 5 sec", func=test_timer_five_sec )
app.logger.info("Initialized " + settings.title + " " + settings.version)
@app.on_event("startup")
async def startup():
   app.logger.info("msaSDK Own Startup MSAUIEvent")
    #app.mount_site()
@app.on_event("shutdown")
async def shutdown():
    app.logger.info("msaSDK Own Shutdown MSAUIEvent")
if __name__ == '__main__':
   pass
```


# Typical Run Log

```
.
me/swelcker/U2D_MSA_SDK/venv/bin/python /home/swelcker/U2D_MSA_SDK/u2d_msa_sdk/run.py
                  2022-09-09 15:34:34.072 | INFO
2022-09-09 15:34:35.924 | INFO
                                                                                                      | __main__:<module>:10 - Starting MSA SDK Services...
| u2d_msa_sdk.service:__init__:195 - Enable UVLoop
| u2d_msa_sdk.service:__init__:203 - Add Handler ValidationError
                                                                                                     | u2d_msa_sdk.service:__init__:209 - Add Handler HTTPException
| u2d_msa_sdk.service:__init__:216 - Add Middleware Starception
                  2022-09-09 15:34:35.924 | INFO
2022-09-09 15:34:35.924 | INFO
==
                                                                                                     | U2d_msa_sdk.service:__init__:227 - DB - Init: sqlite+aiosqlite:///msa_sdk.db?check_same_thread=True | U2d_msa_sdk.service:__init__:231 - DB - Register/CRUD SQL Models: [<class 'app.TestArticle'>, <class 'app.TestCategory'>] | U2d_msa_sdk.service:__init__:247 - Excluded Graphql | U2d_msa_sdk.service:__init__:250 - Init Healthcheck | U2d_msa_sdk.service:__init__:250 - Start Healthcheck Thread | U2d_msa_sdk.service:__init__:250 - Start Healthcheck Thread
                  2022-09-09 15:34:35.925 | INFO 2022-09-09 15:34:35.933 | INFO
                   2022-09-09 15:34:36.049 | INFO
2022-09-09 15:34:36.049 | INFO
                   2022-09-09 15:34:36.091 | INFO
2022-09-09 15:34:36.090 | INFO
2022-09-09 15:34:36.090 | INFO
                                                                                                      | u2d_msa_sdk.service:__init__:283 - Excluded Middleware HTTPSRedirect
| u2d_msa_sdk.service:__init__:289 - Excluded Middleware GZip
                                                                                                      | u2d_msa_sdk.service:__init__:295 - Excluded Middleware Session
| u2d_msa_sdk.service:__init__:298 - Add Middleware CSRF
                   2022-09-09 15:34:36.090 | INFO
2022-09-09 15:34:36.090 | INFO
                                                                                                      | u2d_msa_sdk.service:__init__:316 - Excluded Middleware Context
| u2d_msa_sdk.service:__init__:325 - Excluded Middleware Profiler
                                                                                                     2022-09-09 15:34:36.115 | IMFO 2022-09-09 15:34:36.115 | IMFO 2022-09-09 15:34:36.115 | IMFO 2022-09-09 15:34:36.115 | IMFO
                                                                                                     | u2d_msa_sdk.service:__init__:369 - Init Jinja Template Engine
| u2d_msa_sdk.service:__init__:375 - Add Pages Router
| u2d_msa_sdk.service:__init__:386 - Prometheus Instrument and Expose App
| u2d_msa_sdk.service:__init__:392 - Events - Add Internal Handlers
                     2022-09-09 15:34:36.117 | INFO
2022-09-09 15:34:36.117 | INFO
                                                                                                     | app:app:
| app:apodule>:57 - Initialized SPk.ai - MSA/SDK MVP SPK.0.0.1
| uvicorn.server:serve:75 - Started server process [150540]
| uvicorn.lifespan.on:startup:45 - Waiting for application startup.
| u2d_msa_sdk.service:startup_event:417 - MSA SDK Internal Startup Event
| u2d_msa_sdk.service:startup_event:425 - DB - Create Meta All: sqlite+aiosqlite:///msa_sdk.db?check_same_thread=True
                   2022-09-09 15:34:36.117 | INFO
2022-09-09 15:34:36.117 | INFO
                   2022-09-09 15:34:38.209 | INFO
2022-09-09 15:34:38.209 | INFO
                                                                                                     | u2d_msa_sdk.service:startup_event:451 - Scheduler - Start All
| app:startup:62 - MSA SDK Own Startup Event
| uvicorn.lifespan.on:startup:59 - Application startup complete.
                                                                                                                                                                             _event:451 - Scheduler - Start All Timers
                                                                                                      | uvicorn.server:_log_started_message:206 - Uvicorn running on
| app:test_timer_five_sec:22 - MSA SDK Test Timer Sync 5 Second
                     2022-09-09 15:34:38.224 | INFO
2022-09-09 15:34:40.533 | INFO
                   2022-09-09 15:34:42.135 | INFO
2022-09-09 15:34:42.236 | INFO
                                                                                                      | u2d_msa_sdk.service:shutdown_event:462 - MSA SDK Internal Shutdown Event
| u2d_msa_sdk.service:shutdown_event:464 - Stop Scheduler Timers: 11
| u2d_msa_sdk.service:shutdown_event:466 - Cancel Scheduler Timers: 11
                                                                                                      | u2d_msa_sdk.service:shutdown_event:480 - Stopping Site |
| u2d_msa_sdk.service:shutdown_event:480 - Stopping Site |
| u2d_msa_sdk.service:shutdown_event:484 - Stopping Healthcheck Thread |
| u2d_msa_sdk.service:shutdown_event:489 - DB - Dispose Connections: sqlite+aiosqlite:///msa_sdk.db?check_same_thread=True |
| app:shutdown:86 - MSA SDK Own Shutdown Event |
| uvicorn.lifespan.on:shutdown:75 - Application shutdown complete.
                     2022-09-09 15:34:43.238 | INFO
2022-09-09 15:34:43.239 | INFO
```


# Interface Preview

**Home Screen with System Info** 

• Open http://127.0.0.1:8090/admin/ in your browser:




#### **CRUD of SQLModels Screen**




**Login Screen** 

• Open http://127.0.0.1:8090/admin/auth/form/login in your browser: User Login



OpenAPI Interactive Documentation (Swagger) Screen

• Open http://127.0.0.1:8090/#/admin/docs in your browser:



**Profiler Screen** 

Open http://127.0.0.1:8090/#/admin/profiler in your browser: O RECORDED: 6.9.2022 19: MSA SDK Profiler

\_\_catt\_\_ startette\_context, midd 2 frames hidden (startette\_context, startette\_wtf, starlette...)
527 run\_endpoint\_function 84 system\_gpu\_info 1,484 get\_sysgpuinfo 1,480 get\_gpus 1,479 getGPU getGPUs 0,031 TemplateResponse 0,030 get\_template 0 \_load\_template d compile 0,024 \_parse 0,024 \_init\_ 0,024 \_tokenize 0,024 \_tokenize 0,024 \_\_in

0.030 compile

0,019 Pattern.match

# License Agreement

msaSDK Based on MIT open source and free to use, it is free for commercial use, but please clearly show the copyright information about msaSDK - Auth Admin in the display interface.

#### How to create the documentation

We use mkdocs and mkdocsstring. The code reference and nav entry get's created virtually by the triggered python script /docs/gen\_ref\_pages.py while mkdocs serve or build is executed.

## Requirements Install for the PDF creation option:

PDF Export is using mainly weasyprint, if you get some errors here pls. check there documentation. Installation is part of the msaSDK, so this should be fine.

We can now test and view our documentation using:

mkdocs serve

**Build static Site:** 

mkdocs build