

Session 5

1.

In a MongoDB collection named `playlists` (think Spotify), use the `$set` operator to update the 'genre' field to 'Chill' for the playlist with name 'Evening Vibes'.

```
    }  
  }  
spotifyDB> db.playlists.updateOne(  
    { name: "Evening Vibes" },  
    { $set: { genre: "Chill" } }  
);
```

```
_id: 101  
name: "Evening Vibes"  
genre: "Chill"  
likes: 1200  
followers: 3500  
▶ songs: Array (2)
```

id: 101

2.

For a collection called `restaurants` (Zomato-style), remove the 'temporaryOffer' field from all documents where the offer has expired using the `$unset` operator.

```
> db.restodb.updateMany(  
  { offerExpired: true },  
  { $unset: { temporaryOffer: "" } }  
);  
< {  
  acknowledged: true,  
  insertedId: null,  
  matchedCount: 2,  
  modifiedCount: 2,  
  upsertedCount: 0  
}
```

```
_id: ObjectId('6a3cccb7fc9abc54bc8b74a2')
name : "Spice Garden"
temporaryOffer : "20% OFF"
offerExpired : true
```

```
_id: ObjectId('6a3cccb7fc9abc54bc8b74a3')
name : "Pizza Hub"
temporaryOffer : "Buy 1 Get 1"
offerExpired : false
```



```
_id: ObjectId('6a3cccb7fc9abc54bc8b74a4')
name : "Food Corner"
temporaryOffer : "Free Dessert"
offerExpired : true
```

3.

Using the \$push operator, add a new song 'Calm Waters' to the 'songs' array of the playlist document with _id: 101 in your playlists collection.
Hint: Use \$push to add the song to the existing array without replacing it.

```
upsertedCount: 0
}
> db.playlists.updateOne(
  { _id: 101 },
  { $push: { songs: "Calm Waters" } }
);
< {
  acknowledged: true,
  insertedId: null,
  matchedCount: 0,
  modifiedCount: 0,
  upsertedCount: 0
}
```

4.

In a Flipkart-like products collection, use the \$addToSet operator to ensure the tag 'trending' is added only once to the 'tags' array for the product with SKU 'F12345', even if you run the update multiple times.

```

> db.products.updateOne(
  { SKU: "F12345" },
  { $addToSet: { tags: "trending" } }
);
< {
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}

```

```

▶ {
  _id: ObjectId('6a3ccdfcfc9abc54bc8b74a5')
  SKU : "F12345"
  name : "Wireless Earbuds"
  stock : 50
  tags : Array (3)
    0: "electronics"
    1: "audio"
    2: "trending"
}

```

5.

Simulate a flash sale: in your products collection, use the \$inc operator to decrease the 'stock' field by 1 for the product with name 'Wireless Earbuds' every time a purchase is made.

Constraint: Do not allow stock to go below zero.

```

> db.products.updateOne(
  {
    name: "Wireless Earbuds",
    stock: { $gt: 0 }
  },
  {
    $inc: { stock: -1 }
  }
);
< {

```

```
_id: ObjectId('6a3ccdfcfc9abc54bc8b74a5')
SKU : "F12345"
name : "Wireless Earbuds"
stock : 49
▸ tags : Array (3)
```

```
▸ ) _id: ObjectId('6a3ccdfcfc9abc54bc8b74a6')
    SKU : "F67890"
    name : "Smart Watch"
    stock : 25
    ▸ tags : Array (2)
```
