


MongoDB Session1

1.


Install MongoDB Community Edition on your system and use the mongo shell to create a new database named 'foodieApp'.

2.

Inside the 'foodieApp' database, create a collection named 'restaurants' and insert a document for a Zomato-style restaurant with fields: name, cuisine, rating, and location.




```
>_MONGOSH
> use foodieApp
< switched to db foodieApp
> db.resturant
< foodieApp.resturant
> db.resturant.insertOne({name:"joy", cuisine:"indian", rating:5, Location:"gujarat"})
< {
  acknowledged: true,
  insertedId: ObjectId('6a3a3af19b0d2d35f5a5c315')
}
> db.resturant.find()
< {
  _id: ObjectId('6a3a3af19b0d2d35f5a5c315'),
  name: 'joy',
  cuisine: 'indian',
  rating: 5,
  Location: 'gujarat'
}
foodieApp> |
```



3.

Insert three more restaurant documents into the 'restaurants' collection, making sure to use at least one field with an array data type (for example, a 'menu' array listing popular dishes).



```

_id: ObjectId('6a3a3af19b0d2d35f5a5c315')
name: "joy"
cuisine: "indian"
rating: 5
Location: "gujarat"
▼ menu: Array (3)
  0: "Dosa"
  1: "Paneer Tikka"
  2: "Biryani"


```

4.

Retrieve all documents from the 'restaurants' collection and display them in the mongo shell. Identify which BSON types are used for each field.

Hint: Look for String, Number, Array, and Object types in your documents.


Tabular form:



Compass interface showing the 'restaurant' collection in the 'foodieApp' database. The table displays 5 documents with the following data:

	_id	name	cuisine	rating	Location
1	Id('6a3a3af19b0d2d35f5a5c315')	joy	indian	5	gujarat
2	Id('6a3a3da79b0d2d35f5a5c316')	ChaiKapi	multi	3	Ahmedabad
3	Id('6a3a3df69b0d2d35f5a5c317')	firewok	Chinese	4	surat
4	Id('6a3a3f370105ad8...')	Imperial	Multi	5	ahmedabad
5	Id('6a3a3f370105ad8...')	wokonfire	Chinese	3	Rajkot

Json Format



BSON Types Used

Field	Example Value	BSON Type
_id	ObjectId("6859abcd...")	ObjectId (Object)
name	"Spice Garden"	String
cuisine	"Indian"	String
rating	4.5	Number (Double)
location	"Rajkot"	String
menu	["Noodles", "Fried Rice"]	Array