

payment_id	customer_id	order_id	payment_date	amount	method	status
501	1	1001	2024-01-16	61.98	Credit Card	Paid
502	2	1002	2024-02-11	35.75	PayPal	Pending
503	1	1003	2024-03-06	149.99	Credit Card	Paid
504	3	1004	2024-04-02	65.50	Debit Card	Paid

4 rows in set (0.00 sec)

```
mysql> SELECT*FROM payments WHERE status=pending;
ERROR 1054 (42S22): Unknown column 'pending' in 'where clause'
```

```
mysql> SELECT*FROM payments WHERE status= 'Pending';
```

payment_id	customer_id	order_id	payment_date	amount	method	status
502	2	1002	2024-02-11	35.75	PayPal	Pending

1 row in set (0.01 sec)

```
mysql> SELECT * FROM orders ORDER BY order_date DESC;
```

order_id	customer_id	order_date	status
1004	3	2024-04-01	Delivered
1003	1	2024-03-05	Shipped
1002	2	2024-02-10	Pending
1001	1	2024-01-15	Delivered

4 rows in set (0.01 sec)

```
mysql> SELECT country, COUNT(*) AS total_customers
-> FROM customers
-> GROUP BY country
-> ORDER BY total_customers DESC;
```

country	total_customers
USA	3

1 row in set (0.02 sec)

```
mysql> -- INNER JOIN: Orders with Product Info
```

Query OK, 0 rows affected (0.00 sec)

```
mysql> SELECT o.order_id, p.product_name, od.quantity
-> FROM orders o
-> INNER JOIN order_details od ON o.order_id = od.order_id
-> INNER JOIN products p ON od.product_id = p.product_id;
```

order_id	product_name	quantity
1001	Wireless Mouse	2
1001	USB-C Cable	1
1003	Monitor 24"	1
1002	Laptop Stand	1
1004	Keyboard	1
1004	USB-C Cable	2

6 rows in set (0.01 sec)

```
mysql> -- LEFT JOIN: All products even if not sold
Query OK, 0 rows affected (0.00 sec)
```

```
mysql> SELECT p.product_name, od.quantity
-> FROM products p
-> LEFT JOIN order_details od ON p.product_id = od.product_id;
```

product_name	quantity
Wireless Mouse	2
Keyboard	1
USB-C Cable	1
USB-C Cable	2
Laptop Stand	1
Monitor 24"	1

6 rows in set (0.00 sec)

```
mysql> -- Customers who placed more than 3 orders
Query OK, 0 rows affected (0.00 sec)
```

```
mysql> SELECT customer_id, COUNT(*) AS order_count
-> FROM orders
-> GROUP BY customer_id
-> HAVING COUNT(*) > 3;
```

Empty set (0.00 sec)

```
mysql> use ecommerce_db;
Database changed
mysql> SELECT*FROM customers;
```

customer_id	first_name	last_name	email	phone	address	city	country	registration_date
1	Alice	Johnson	alice.johnson@example.com	1234567890	123 Maple St	New York	USA	2023-01-10
2	Bob	Smith	bob.smith@example.com	2345678901	456 Oak St	Los Angeles	USA	2023-03-15
3	Charlie	Brown	charlie.brown@example.com	3456789012	789 Pine St	Chicago	USA	2023-06-20

3 rows in set (0.00 sec)

```
mysql> SELECT*FROM products;
```

product_id	product_name	category	price	stock_quantity
101	Wireless Mouse	Electronics	25.99	100
102	Keyboard	Electronics	45.50	80
103	USB-C Cable	Accessories	10.00	150
104	Laptop Stand	Accessories	35.75	60
105	Monitor 24"	Electronics	149.99	40

5 rows in set (0.00 sec)

```
mysql> SELECT*FROM orders;
```

order_id	customer_id	order_date	status
1001	1	2024-01-15	Delivered
1002	2	2024-02-10	Pending
1003	1	2024-03-05	Shipped
1004	3	2024-04-01	Delivered

4 rows in set (0.00 sec)

```
mysql> SELECT*FROM order_details;
```

order_detail_id	order_id	product_id	quantity	price_each
1	1001	101	2	25.99
2	1001	103	1	10.00
3	1002	104	1	35.75
4	1003	105	1	149.99
5	1004	102	1	45.50
6	1004	103	2	10.00

6 rows in set (0.00 sec)