Suppandi is trying to take part in the local village math quiz. In the first round, he is asked about shapes and areas. Suppandi, is confused, he was never any good at math. And also, he is bad at remembering the names of shapes. Instead, you will be helping him calculate the area of shapes.

- When he says rectangle he is actually referring to a square.
- When he says square, he is actually referring to a triangle.
- When he says triangle he is referring to a rectangle
- And when he is confused, he just says something random. At this point, all you can do is say 0.

8:45 60%

```c
#include<stdio.h>
int main()
{
    int a,b;
    char c;
    scanf("%c%d%d",&c,&a,&b);
    switch(c)
    {
        case'R':
        printf("%d",a*b);
        break;
        case 'S':
        printf("%.0f",(0.5)*(a*b));
        break;
        case'T':
        printf("%d",a*b);
        break;
```

8:45 60%

Week-03-03-Practice Session-Coding: Attempt review | REC-CIS
rajalakshmicolleges.org

```
        break;
        case'T':
        printf("%d",a*b);
        break;
        default:
        printf("0");
    }
}
```

	Input	Expected	Got	

8:46 60%

	Input	Expected	Got	
✓	T 10 20	200	200	✓
✓	S 30 40	600	600	✓
✓	B 2 11	0	0	✓
✓	R 10 30	300	300	✓

Flag question

Superman is planning a journey to his home planet. It is very important for him to know which day he arrives there. They don't follow the 7-day week like us. Instead, they follow a 10-day week with the following days: Day Number Name of Day 1 Sunday 2 Monday 3 Tuesday 4 Wednesday 5 Thursday 6 Friday 7 Saturday 8 Kryptonday 9 Coluday 10 Daxamday Here are the rules of the calendar: • The calendar starts with Sunday always. • It has only 296 days. After the 296th day, it goes back to Sunday. You begin your journey on a Sunday and will reach after n. You have to tell on which day you will arrive when you reach there.

Input format: •

Contain a number n (0 < n)

Output format: Print the name of the day you are arriving on

8:46 61%

```c
#include<stdio.h>
int main()
{
    int n,day;
    scanf("%d",&n);
    if(n<296)
    day=n;
    else
    day=n-296;
    day%=10;
    day=day+1;
    day%=10;
    switch(day)
    {
        case 1:
        printf("Sunday");
        break;
```

```
    {
        case 1:
        printf("Sunday");
        break;
        case 2:
        printf("Monday");
        break;
        case 3:
        printf("Tuesday");
        break;
        case 4:
        printf("Wednesday");
        break;
        case 5:
        printf("Thursday");
        break;
        case 6:
        printf("Friday");
```

```
        printf("Friday");
        break;
        case 7:
        printf("Saturday");
        break;
        case 8:
        printf("Kryptonday");
        break;
        case 9:
        printf("Coluday");
        break;
        case 10:
        printf("Daxamday");
        break;
    }
}
```

8:46 61%

	Input	Expected	Got	
✓	7	Kryptonday	Kryptonday	✓
✓	1	Monday	Monday	✓

Passed all tests! ✓

Finish review

Alice and Bob are playing a game called "Stone Game". Stone game is a two-player game. Let N be the total number of stones. In each turn, a player can remove either one stone or four stones. The player who picks the last stone, wins. They follow the "Ladies First" norm. Hence Alice is always the one to make the first move. Your task is to find out whether Alice can win, if both play the game optimally.

Input Format

8:48 62%

Week-04-01-Practice Session-Coding: Attempt review | REC-CIS
rajalakshmicolleges.org

Answer: (penalty regime: 0 %)

```
#include<stdio.h>
int main()
{
    int T,i=0,n,t;
    scanf("%d",&T);
    while(i<T)
    {
        scanf("%d",&n);
        t=n/4;
        if(t%2==0&&n%2==0)
        {
```

```c
        if(t%2==0&&n%2==0)
    {
        printf("No\n");
    }
    else if (t%2==1&&n%2==1)
    {
        printf("No\n");
    }
    else
    {
        printf("Yes\n");
    }
    i++;
   }
}
```

8:48 62%

	Input	Expected	Got	
✓	3 1 6 7	Yes Yes No	Yes Yes No	✓

Passed all tests! ✓

Question **2**

Correct

Marked out of 5.00

You are designing a poster which prints out numbers with a unique style applied to each of them. The styling is based on the number of closed paths or holes present in a given number.

The number of holes that each of the digits from 0 to 9 have are equal to the number of closed paths in the digit. Their values are:

1, 2, 3, 5, and 7 = 0 holes.

0, 4, 6, and 9 = 1 hole.

8:48 62%

```
#include<stdio.h>
int main()
{
    int num,digit,holes=0;
    int holecounts[]={1,0,0,0,1,0,1,0,2,1};
    scanf("%d%d",&num,&digit);
    while(num>0)
    {
        digit=num%10;
        holes+=holecounts[digit];
        num/=10;
    }
    printf("%d\n",holes);
    return 0;
}
```

	Input	Expected	Got	
✓	630	2	2	✓
✓	1288	4	4	✓

Passed all tests! ✓

Question **3**

8:48 62%

The problem solvers have found a new Island for coding and named it as Philaland. These smart people were given a task to make a purchase of items at the Island easier by distributing various coins with different values. Manish has come up with a solution that if we make coins category starting from $1 till the maximum price of the item present on Island, then we can purchase any item easily. He added the following example to prove his point.

Let’s suppose the maximum price of an item is 5$ then we can make coins of {$1, $2, $3, $4, $5}to purchase any item ranging from $1 till $5.

Now Manisha, being a keen observer suggested that we could actually minimize the number of coins

8:48

62%

Answer: (penalty regime: 0 %)

```
#include<stdio.h>
int main()
{
    int sum,count,value;
    scanf("%d",&value);
    sum=1;
    while(sum<=value)
    {
        sum*=2;
        count++;
    }
    printf("%d",count);
    return 0;
}
```

8:49 62%

	Input	Expected	Got	
✓	10	4	4	✓
✓	5	3	3	✓
✓	20	5	5	✓
✓	500	9	9	✓
✓	1000	10	10	✓

Passed all tests! ✓