1. Database & Collection Setup


Command

```
use studentDB

db.createCollection('students')

show collections
```

Example




2. Insert One Document

Command

```
db.students.insertOne({name:'swetha',age:24,course:'MERN Stack',status:'Almost done'})
```

Example




3. Read Operations – Fetch All Documents

Command

```
db.students.find()
```

Example




4. Insert Multiple Documents

Command

```
db.students.insertMany([{name:'priyanka',age:23,course:'python',status:'completed'},
  {name:'kaviya',age:20,course:'MERN Stack',status:'completed'},
  {name:'Geetha',age:22,course:'java',status:'currently doing'}])
```

Example




5. Find Particular Data

Command

```
db.students.find({course:'MERN Stack'})
```

Example




6. Update One Document

Command

```
db.students.updateOne({name:'Sathish'}, {$set:{status:'Almost done'}})
```

Example




7. Update Multiple Documents

Command

```
db.students.updateMany({course:'MERN Stack'}, {$set:{status:'completed'}})
```

Example




8. Delete One Document

Command

```
db.students.deleteOne({name:'Gokul'})
```

Example




9. Query Operator – $gt

Command

```
db.students.find({age:{$gt:20}})
```

Example




10. Query Operator – $lt

Command

```
db.students.find({age:{$lt:24}})
```

Example




11. Query Operator – $in

Command

```
db.students.find({course:{$in:['MERN Stack','Java']}})
```

Example




12. Query Operator – $and

Command

```
db.students.find({$and:[{age:{$gt:20}},{status:'completed'}]})
```

Example




13. Query Operator – $or

Command

```
db.students.find({$or:[{age:{$lt:20}},{course:'python'}]})
```

Example




14. Exists Operator

Command

```
db.students.find({status:{$exists:true}})
```

Example




15. Delete Many Documents

Command

```
db.students.deleteMany({})
```

Example



16. Verify Collection After Deletion

Command

```
db.students.find()
```

Example

