MongoDB Learning Notes

ShoppingDB • Dresses Collection


Concept-wise Screenshot Workbook

Includes database setup, insert and find operations, query operators, and delete examples.

Screenshots are arranged into a learning sequence. Original terminal screenshots are preserved.

MongoDB Shell and Database Setup

Starting the shell and working in shoppingDB.


mongosh mongodb://127.0.0.1:27017/?directConnection=true&serverSelectionTimeoutMS=2000
Microsoft Windows [Version 10.0.19045.3930]
Ankh Tech - (c) Microsoft Corporation. All rights reserved.
C:\Users\SWETHA>mongosh
Current Mongosh Log ID: 6ac912af80336e3518dab897
Connecting to: mongodb://127.0.0.1:27017/?directConnection=true&serverSelectionTimeoutMS=2000&appName=mongosh+2.12.0
Using MongoDB: 9.0.2
Using Mongosh: 2.12.0
mongosh 2.13.0 is available for download: https://www.mongodb.com/try/download/shell
For mongosh info see: https://www.mongodb.com/docs/mongodb-shell/
The server generated these startup warnings when booting
2026-10-09T21:07:22.969+05:30: Access control is not enabled for the database. Read and write access to data and configuration is unrestricted
test> use shoppingDB
switched to db shoppingDB
shoppingDB> db.createCollection('dresses')
{ ok: 1 }
shoppingDB> show collections
dresses
shoppingDB>

Insert Operations

Screenshots showing inserted dress documents and results.


mongosh mongodb://127.0.0.1:27017/?directConnection=true&serverSelectionTimeoutMS=2000
shoppingDB> db.dresses.insertMany([{name:"Frock",category:"Frock",color:"Red",price:"2500"},{name:"sharara",category:"Meddy",color:"purple",price:"3000"},{name:"Madhubala",
category:"Chudidhar",color:"pink",price:"850"},{name:"choli",category:"Meddy",color:"Yellow",price:"1500"},{name:"Banaras",category:"saree",color:"green",price:"4000"}])
{
acknowledged: true,
insertedIds: {
'0': ObjectId('6ac9153680336e3518dab898'),
'1': ObjectId('6ac9153680336e3518dab899'),
'2': ObjectId('6ac9153680336e3518dab89a'),
'3': ObjectId('6ac9153680336e3518dab89b'),
'4': ObjectId('6ac9153680336e3518dab89c')
}
}
shoppingDB>

Insert Operations — Continued

More insert examples and inserted document output.

```
mongosh mongodb://127.0.0.1:27017/?directConnection=true&serverSelectionTimeoutMS=2000
  }
]
shoppingDB> db.dresses.find({color:{$exists:true}})
[
  {
    _id: ObjectId('6ac9153680336e3518dab898'),
    name: 'Frock',
    category: 'Frock',
    color: 'Red',
    price: '2500'
  },
  {
    _id: ObjectId('6ac9153680336e3518dab899'),
    name: 'sharara',
    category: 'Meddy',
    color: 'purple',
    price: '3000'
  },
  {
    _id: ObjectId('6ac9153680336e3518dab89a'),
    name: 'Madhubala',
    category: 'Chudidhar',
    color: 'pink',
    price: '850'
  },
  {
    _id: ObjectId('6ac9153680336e3518dab89b'),
    name: 'choli',
    category: 'Meddy',
    color: 'Yellow',
    price: '1500'
  },
  {
    _id: ObjectId('6ac9153680336e3518dab89c'),
    name: 'Banaras',
    category: 'saree',
    color: 'green',
    price: '4000'
  }
]
shoppingDB>
```

Read Operations: find()

Viewing documents in the dresses collection.

```
mongosh mongodb://127.0.0.1:27017/?directConnection=true&serverSelectionTimeoutMS=2000
    _id: ObjectId('6ac9153680336e3518dab89c'),
    name: 'Banaras',
    category: 'saree',
    color: 'green',
    price: '4000'
  }
]
shoppingDB> db.dresse.updateOne({name:'Lehenka'},{$set:{color:'Navy Blue'}})
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 0,
  modifiedCount: 0,
  upsertedCount: 0
}
shoppingDB> db.dresses.updateMany({category:'Meddy'},{$set:{color:'Sky Blue'}})
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 2,
  modifiedCount: 2,
  upsertedCount: 0
}
shoppingDB> db.dresses.find({category:'Meddy'})
[
  {
    _id: ObjectId('6ac9153680336e3518dab899'),
    name: 'sharara',
    category: 'Meddy',
    color: 'Sky Blue',
    price: '3000'
  },
  {
    _id: ObjectId('6ac9153680336e3518dab89b'),
    name: 'choli',
    category: 'Meddy',
    color: 'Sky Blue',
    price: '1500'
  }
]
shoppingDB>
```

Read Operations: Filtering Documents

Filtering dresses by category and other fields.

```
shoppingDB> db.dresses.find({category:{$in:['Meddy','Frock']}})
[
  {
    _id: ObjectId('6ac9153680336e3518dab898'),
    name: 'Frock',
    category: 'Frock',
    color: 'Red',
    price: '2500'
  },
  {
    _id: ObjectId('6ac9153680336e3518dab899'),
    name: 'sharara',
    category: 'Meddy',
    color: 'purple',
    price: '3000'
  },
  {
    _id: ObjectId('6ac9153680336e3518dab89b'),
    name: 'choli',
    category: 'Meddy',
    color: 'Yellow',
    price: '1500'
  }
]
shoppingDB>
```

Comparison Operator: $gt

Filtering by price greater than a value.

```
shoppingDB> db.dresses.find({price:{$gt:'2500'}})
[
  {
    _id: ObjectId('6ac9153680336e3518dab899'),
    name: 'sharara',
    category: 'Meddy',
    color: 'purple',
    price: '3000'
  },
  {
    _id: ObjectId('6ac9153680336e3518dab89a'),
    name: 'Madhubala',
    category: 'Chudidhar',
    color: 'pink',
    price: '850'
  },
  {
    _id: ObjectId('6ac9153680336e3518dab89c'),
    name: 'Banaras',
    category: 'saree',
    color: 'green',
    price: '4000'
  }
]
shoppingDB>
```

Logical Operator: $and

Matching documents that satisfy both conditions.

```
shoppingDB> db.dresses.find({$and:[{color:'Red'},{price:{$gt:'1500'}}]})
[
  {
    _id: ObjectId('6ac9153680336e3518dab898'),
    name: 'Frock',
    category: 'Frock',
    color: 'Red',
    price: '2500'
  }
]
shoppingDB>
```

Logical Operator: $or

Matching documents that satisfy either condition.

```
shoppingDB> db.dresses.find({$or:[{color:'purple'},{color:'Yellow'}]})
[
  {
    _id: ObjectId('6ac9153680336e3518dab899'),
    name: 'sharara',
    category: 'Meddy',
    color: 'purple',
    price: '3000'
  },
  {
    _id: ObjectId('6ac9153680336e3518dab89b'),
    name: 'choli',
    category: 'Meddy',
    color: 'Yellow',
    price: '1500'
  }
]
shoppingDB>
```

Read Operations — Results

Additional query output from the dresses collection.

```
mongosh mongodb://127.0.0.1:27017/?directConnection=true&serverSelec
shoppingDB> db.dresses.find()
[
  {
    _id: ObjectId('6ac9153680336e3518dab898'),
    name: 'Frock',
    category: 'Frock',
    color: 'Red',
    price: '2500'
  },
  {
    _id: ObjectId('6ac9153680336e3518dab899'),
    name: 'sharara',
    category: 'Meddy',
    color: 'purple',
    price: '3000'
  },
  {
    _id: ObjectId('6ac9153680336e3518dab89a'),
    name: 'Madhubala',
    category: 'Chudidhar',
    color: 'pink',
    price: '850'
  },
  {
    _id: ObjectId('6ac9153680336e3518dab89b'),
    name: 'choli',
    category: 'Meddy',
    color: 'Yellow',
    price: '1500'
  },
  {
    _id: ObjectId('6ac9153680336e3518dab89c'),
    name: 'Banaras',
    category: 'saree',
    color: 'green',
    price: '4000'
  }
]
shoppingDB>
```

Read Operations — Continued

Additional query output from the dresses collection.

```
mongosh mongodb://127.0.0.1:27017/?directConnection=true&serverSelectionTimeoutMS=2000
shoppingDB> db.dresses.find({category:"Meddy"})
[
  {
    _id: ObjectId('6ac9153680336e3518dab899'),
    name: 'sharara',
    category: 'Meddy',
    color: 'purple',
    price: '3000'
  },
  {
    _id: ObjectId('6ac9153680336e3518dab89b'),
    name: 'choli',
    category: 'Meddy',
    color: 'Yellow',
    price: '1500'
  }
]
shoppingDB> db.dresses.find({name:"sharara"})
[
  {
    _id: ObjectId('6ac9153680336e3518dab899'),
    name: 'sharara',
    category: 'Meddy',
    color: 'purple',
    price: '3000'
  }
]
shoppingDB>
```


Read Operations — Continued

Additional query output from the dresses collection.

```
mongosh mongodb://127.0.0.1:27017/?directConnection=true&serverSelectionTimeoutMS=2000
[
  {
    _id: ObjectId('6ac9153680336e3518dab899'),
    name: 'sharara',
    category: 'Meddy',
    color: 'purple',
    price: '3000'
  },
  {
    _id: ObjectId('6ac9153680336e3518dab89a'),
    name: 'Madhubala',
    category: 'Chudidhar',
    color: 'pink',
    price: '850'
  },
  {
    _id: ObjectId('6ac9153680336e3518dab89c'),
    name: 'Banaras',
    category: 'saree',
    color: 'green',
    price: '4000'
  }
]
shoppingDB> db.dresses.find({price:{$lt:'3000'}})
[
  {
    _id: ObjectId('6ac9153680336e3518dab898'),
    name: 'Frock',
    category: 'Frock',
    color: 'Red',
    price: '2500'
  },
  {
    _id: ObjectId('6ac9153680336e3518dab89b'),
    name: 'choli',
    category: 'Meddy',
    color: 'Yellow',
    price: '1500'
  }
]
shoppingDB>
```

Delete Operation: deleteOne()

Deleting one matching document.


shoppingDB> db.dresses.deleteOne({name:'Banaras'})
{ acknowledged: true, deletedCount: 1 }

Delete Operation: deleteMany()

Deleting multiple documents.

```
shoppingDB> db.dresses.deleteMany({})
{ acknowledged: true, deletedCount: 4 }
shoppingDB>
```