Status	Finished
Started	Monday, 17 August 2026, 1:26 PM
Completed	Monday, 17 August 2026, 1:39 PM
Duration	13 mins 16 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Complete

Mark 1.00 out of 1.00

What is the output of the given below program?

```
a = 25
if a > 15:
    print("Hi")
if a <= 30:
    print("Hello")
else:
    print("Know Program")
```

a. Hello

b. Hello
Know Program

c. Hi
Know Program

d. Hi
Hello

Question **2**

Complete

Mark 1.00 out of 1.00

Write the output of the following code :

```
x="Joy"
if(x=="John"):
    print("Aero")
elif(x=="Joy"):
    pass
else:
    print("REC")
print("REC-AERO")
```

a. Aero
REC
REC-Aero

b. REC
REC-AERO

c. REC-AERO

d. All the Above

Question **3**

Complete

Mark 1.00 out of 1.00

What will be the output of the given code?

```
x,y=1,1
if(x ==y):
    print("equal")
if(x>y):
    print("1")
else:
    print("0")
```

a. 1

b. 0

c. equal
0

d. equal

Question **4**

Complete

Mark 1.00 out of 1.00

What is the output of the given below program?

```
if 1 + 3 == 7:
    print("Hello")
else:
    print("Know Program")
```

a. Hello

b. Compiled Successfully, No Output.

c. Know Program

d. Error

Question **5**

Complete

Mark 1.00 out of 1.00

What will be the output for the following code?

```
if  1-1:
    print("python")
else:
    print("0 is false")
```

- a. 0 is false
- b. Error
- c. python

Question **6**

Complete

Mark 1.00 out of 1.00

Number of elif in a program is dependent on the _____

- a. **number of loops in a program**
- b. **number of variables in a program**
- c. **number of conditions to be checked**
- d. All the Above

Question **7**

Complete

Mark 1.00 out of 1.00

What is the output of the code given below?

```
a = -10
b = -200
c = 2000
d = 4000
if( a*b >=d):
    if(d>c):
        if(d%c!=0):
            print(11)
        else:
            print(22)
else:
    if(b/a >0):
        if(a<b or d%c!=0):
          print(33)
        else:
          print(44)
```

a. 33

b. 22

c. 44

d. 11

Question **8**

Complete

Mark 1.00 out of 1.00

```
x,y=1,2
if(x or y):
   print("1")
else:
   print("0")
```

a. Compile time error

b. 1

c. Runtime error

d. 0

Question **9**

Complete

Mark 1.00 out of 1.00

Can we write if/else into one line in python?

- a. No
- b. Yes

Question **10**

Complete

Mark 1.00 out of 1.00

____ is an empty statement in Python.

- a. Jump
- b. Empty
- c. None
- d. pass

Question **11**

Complete

Mark 1.00 out of 1.00

selection is implemented with the help of _____ statement

- a. if..else
- b. while loop
- c. for loop

Question **12**

Complete

Mark 1.00 out of 1.00

Which among the following codes have equivalent logic?

Code 1:

```
if(value3>1000 and value3<1006):
  if(value1=="ABC"):
    if(value2=="A"):
      value4=10
    else:
      value4=8
  elif(value1=="XYZ"):
    if(value2=="A"):
      value4=8
    else:
      value4=6
print(value4)
```

Code 2:

```
if(value3>=1001 and value3<=1005 and value1=="ABC"):
    if(value2=="A"):
        value4=10
    else:
        value4=8
elif(value3>1000 and value3<1006 and value1=="XYZ"):
     if(value2=="A"):
        value4=8
     else:
        value4=6
print(value4)
```

Code 3:

```
if(value3>1000 and value3<1006 or value1=="ABC"):
   if(value2=="A"):
      value4=10
   else:
      value4=8
elif(value3>1000 and value3<1006 or  value1=="XYZ"):
   if(value2=="A"):
      value4=8
   else:
      value4=6
print(value4)
```

a. Code 1, Code 2

b. Code 2, Code 3

c. Code 1, Code 3

Question **13**

Complete

Mark 1.00 out of 1.00

What is the value of x at the end of the following sequence of instructions?

```
x = 10
x = x * 3
x = x + 5
```

- a. 30
- b. 45
- c. 35
- d. 15

Question **14**

Complete

Mark 1.00 out of 1.00

choose a valid Python if statement :

- a. if (a >= 2)
- b. if a>=2 :
- c. if (a => 22)

Question **15**

Complete

Mark 1.00 out of 1.00

Given the nested `if-else` below, what will be the value `x` when the code executed successfully

```
x = 0
a = 5
b = 5
if a > 0:
    if b < 0:
        x = x + 5
    elif a > 5:
        x = x + 4
    else:
        x = x + 3
else:
    x = x + 2
print(x)
```

a. 0

b. 2

c. 4

d. 3