



General Safety Instruction PEM

Stand: V4 04/2023 Freigabe: Mario Kehrner 26.04.2023



The central point of contact at RWTH is the AST staff unit

Support is provided for the following topics:

- Advice in the field of occupational safety
- Accident investigation
- Personal protective equipment
- Training/instruction
- Measurements
- First aid
- Visual display goggles
- Advice on radiation protection
- Handling radioactive materials
- Operation of X-ray equipment

PEM Safety Officers:

- Tim Louis
- Alfred Frauenrath
- Jörg Peters
- Daniel Pelzer
- Felix Blasum
- Erich Friedrich

Stabstelle Arbeits- und Strahlenschutz (AST)

Ms. Dr. Wolf

occupational safety	radiation protection
Mr. Altmann Mr. Christoph Ms. Delavarian Mr. Nickel Ms. Höffkes Mr. Kortz Mr. Pfeifer Ms. Vehres	Ms. Derichs Mr. Haberhauer Ms. Kern Mr. Mennicken Mr. Tekolf

Responsibility in occupational safety

- Laws, regulations and ordinances oblige employers to comply with occupational safety and health
- Employees also have a vested interest in occupational safety and health in order to prevent hazards to themselves and their colleagues
- Responsible for the implementation of and compliance with the measures:

→ALL employees

- The employer is responsible for the organisation of occupational health and safety
- The employer at the university is the chancellor
- Chancellor transfers responsibility for occupational health and safety to the head of institute
 - Supported by:
 - Tim, Felix und Erich



Duties of the employees

General duty to work

- Compliance with the employer's instructions for the purpose of accident prevention
- Use of facilities, work equipment, working materials as well as protective equipment and PPE within the scope of the assigned work tasks
- Break times must be observed (from 6 hours working time min. 30 min break)

General duty of assistance

- Ensure safety and health protection for themselves and others
- Support occupational health and safety measures

Special duty to support




- Immediate reporting of defects
- Remedy deficiencies as far as they are part of the work task

Secondary duties

- Duty of confidentiality: prohibition of disclosure of business and trade secrets to unauthorized third parties
- Duty to report imminent damage

Order, cleanliness, safety

- Keep the workplace clean
- Dispose of waste in designated containers
- Do not use socket strips plugged in one after the other
- Do not use and report appliances with damaged cables / housings
- Only use tested electrical appliances → **Private appliances with 230V plug must be checked by Werkstatt before use**
- No unauthorized use of work equipment
- Keep traffic and escape routes clear at all times and do not obstruct them
- Do not wedge or lock fire doors and keep them closed
- Handrails on stairs must be used
- Watch out for wet spots in the entrance area or in front of the main entrance, especially in winter



Hall Rules - Basic Rules of Conduct

- Before taking up activities, all persons must register with the hall master (T. Louis)
- The hall master is authorized to give instructions to all persons
- The **wearing of safety shoes is obligatory for all persons in the area of the work surfaces (see solid line on photos)**
- If necessary, overshoes can be borrowed from the hall master
- All work, environmental and fire protection regulations must be observed and complied with
- Depending on the activity, the required personal protective equipment (PPE), e.g. hearing protection, safety goggles, protective gloves, must be used as intended (provided by the employer)
- All crane systems, industrial trucks, lifting platforms may only be used by trained persons authorized in writing
- A certificate must be submitted to the employer before the first start of work
- Eating, drinking and smoking is strictly prohibited in the hall
- Exceptions are made for drinks in sealable containers (with screw tops)
- The consumption of alcohol and intoxicants is prohibited
- Photography/filming is prohibited without written permission
- All escape and rescue routes as well as all fire protection facilities must be kept clear at all times
- Any accident must be reported to the hall master
- Separate instruction in the workshop area is obligatory



Personal protective equipment (PPE)

- If contact with hazards cannot be avoided, personal protective equipment must be worn
- This must be suitable and must not be damaged
- PPE includes:
 - Eye protection; e.g. when handling corrosive substances, or grinding
 - Hearing protection, e.g. when grinding
 - Respiratory protection, e.g. when handling hazardous substances or dusts.
 - Protective gloves
 - Safety shoes
 - Head and face protection
 - Protective clothing
- PPE is provided by the chair
- If something is missing or damaged, this must be reported to the hall master (T. Louis)



Consumption of alcohol and intoxicants


- Employees may not put themselves in a condition through the consumption of alcohol or intoxicants which could endanger themselves or others
- If the employee is no longer able to perform his/her work without danger to him/herself or others, the employee must not be employed any longer

The manager must:

- prohibit intoxicated employees from continuing to work,
- remove them from the operational danger zone,
- ensure that the employee is safely transported to a hospital
or
- "home". (At the employee's expense)

By the way:

- The manager can prohibit any consumption of alcohol or intoxicants, which is what he/she is doing with this instruction




Occupational health care

- Preventive occupational health examinations are offered to RWTH employees by the university doctor
- Before the examination, please download the "Survey form for employees of RWTH Aachen University", fill it in and take it with you
- Help: "Declaration on the Occupational Health Precautionary Ordinance and the new questionnaire"
- The survey form and the declaration can be found on the university doctor's page: www.hsa.rwth-aachen.de
- The university medical center is the company medical center of RWTH Aachen University and offers the following services:
 - Employment examination
 - Voluntary, compulsory or at the request of the employees occupational medical examinations
 - Individual counselling for difficult work and life situations
 - Not an accident insurance physician
 - Address: Pauwelsstraße 19
- In the event of an occupational accident: Either to the hospital or accident insurance physician
- accident insurance physician can be found here: <https://lviweb.dguv.de/faces/adf.task-flow?adf.tfId=partner-task-flow&adf.tfDoc=%2FWEB-INF%2Fpartner-task-flow.xml&VerzeichnisTyp=D> or here: <https://rwth-aachen.agu-hochschulen.de/index.php?id=254>
- Employees of RWTH are insured with the Unfallkasse NRW (North Rhine-Westphalia Accident Insurance Fund)

Accident at work


- The accident at work is an accident that the insured person suffers during an insured activity

Business activities, including
business trips and business journeys



Dienstwege,
Dienstfahrten

Storage, transport, maintenance or replacement of work equipment in connection
with the insured activity




Insured activities:

- Direct route to and from the workplace
- All activities during work
- Participation in company sports events
- Participation in official celebrations and excursions of the department (company parties and excursions)
- Business trips

Not insured are:

- Food intake
- Smoking
- defecation

Travel accident



Behavior on the way to and from PEM

Insured path - Some definitions:

- **Third place** = place other than home or place of work (and staying more than two hours)
- **Detour** = the insured trip is extended for private reasons; no insurance coverage unless the detour is minor
- **Off track** = the insured person goes beyond the destination or in the opposite or lateral direction for private reasons; never insurance coverage
- **Way during work** = purpose? (e.g. route to meal off company premises is insured - not the meal itself).
- **Minor interruption of the route** = private things done "on the side in passing" (e.g. kiosk at the roadside); no insurance cover for longer interruptions

Accident report

- Notification must be made within 3 days after knowledge of the accident
- Notification is only necessary if the accident results in an inability to work for 3 or more days
- Please complete the accident report together with Tim Louis, Felix Blasum, Kira Franken or Erich Friedrich
- The accident report must be sent to the Staff Office for Occupational Safety



Der für Sie zuständige Unfallversicherungsträger ist die

Unfallkasse Nordrhein-Westfalen

Arbeits- und Wegeunfälle melden Sie bitte sofort Ihrem Arbeitgeber, damit dieser die Unfallanzeige erstellen und an uns weiterleiten kann.

Für diesen Betrieb zuständig ist:

Unfallkasse NRW
Regionaldirektion Westfalen-Lippe
Postfach 59 67
48135 Münster
Tel. 0251 2102-0
Fax 0251 218569
westfalen-lippe@unfallkasse-nrw.de

www.unfallkasse-nrw.de

UNFALLANZEIGE	
1 Name und Anschrift des Unternehmens	
2 Unternehmensnummer des Unfallversicherungsträgers	
3 Empfänger	
4 Name, Vorname des Versicherten	
5 Geburtsdatum	
6 Straße, Hausnummer	
7 Geschlecht	
8 Staatsangehörigkeit	
9 Leiharbeiternehmer	
10 Auszubildender	
11 Ist der Versicherte	
12 Anspruch auf Entgeltfortzahlung	
13 Krankenkasse des Versicherten (Name, PLZ, Ort)	
14 Tödlicher Unfall?	
15 Unfallzeitpunkt	
16 Unfallort (genaue Orts- und Straßenangabe mit PLZ)	
17 Ausführliche Schilderung des Unfallhergangs (Verlauf, Bezeichnung des Betriebsteils, ggf. Beteiligung von Maschinen, Anlagen, Gefahrstoffen)	

Die Angaben beruhen auf der Schilderung ☐ des Versicherten ☐ anderer Personen

Behaviour in case of fire

- Keep calm and consider your own safety
- Get help:
 - Press the fire alarm
 - Telephone 113 (university guard) or 112 (at Avantis often Dutch fire department, alternatively +49 241 19296 → Direct extension to police & fire department in Aachen)
- Leave the building (**not in the lift!**)
- Follow escape and rescue route signs
- Assembly point: Wait for fire brigade
- If necessary, instruct fire brigade
- Rescue of human life takes precedence over fire-fighting
- Attempts to extinguish the fire may only be made without endangering oneself

Verhalten im Brandfall

Ruhe bewahren

1. Brand melden



Brandmelder betätigen
Notruf absetzen: 112
Wer meldet?
Wo ist etwas passiert?
Was ist passiert?
Wie viele Personen sind betroffen?
Warten auf Rückfragen!

2. In Sicherheit bringen



gefährdete Personen mitnehmen
Türen schließen
gekennzeichneten Rettungswegen folgen
Aufzug nicht benutzen
Anweisungen beachten

3. Löschversuch unternehmen



Feuerlöscher,
Wandhydrant / Löschschlauch,
Mittel zur Brandbekämpfung benutzen

Behaviour during incipient fires

- Use hand fire extinguisher
- Pull safety splint
- Extinguish downwind
- Extinguish from front to back
- If possible, use several fire extinguishers
- Use several fire extinguishers at the same time if necessary
- Extinguish electrical fires with CO2
- Keep fire extinguishers free
- Report used fire extinguishers to T. Louis for refilling



Fire protection signs



Fire extinguisher



Extinguishing hose



Do not use the elevator
in case of fire!



Fire alarm



Means and devices
for fire fighting




Wall Alarm
Telephone


You can find all fire protection signs here at Wikipedia: <https://de.wikipedia.org/wiki/Brandschutzzeichen>

Fire plan and assembly points


- Assembly points are located on the grass verge between the car park and the road on the right and left
- Escape routes are marked
- The most important routes for us are through the main entrance and the side entrance to the left of the student hallway.
- The escape way are marked on the following slides



Escape Way Ground Floor



Escape Way First Floor



Escape Way Second Floor

RETTUNGSWEG / ESCAPE WAY / VLUCHTWEG

Verhalten im Brandfall
Ruhe bewahren

1. Brand melden Brandmelder betätigen und
Telefon: Extern 112 (Intern 666)
 Wo brennt es?
Was brennt?
Wie viel brennt?
Welche Gefahren?
Warten auf Rückfragen!

2. In Sicherheit bringen Gefährdete Personen mitnehmen
Türen schließen
Gekennzeichneten
Rettungswegen folgen
Aufzug nicht benutzen
Anweisungen beachten

3. Löschversuch unternehmen Feuerlöscher,
Wandhydrant / Löschschlauch,
Mittel und Geräte zur
Brandbekämpfung
benutzen

Standort

- Standort
Current position
U bevindt zich hier
- Feuerlöscher
Fire extinguisher
Brandblusser
- Brandmelder
Fire alarm call point
Brandmelder
- Richtungsangabe
Direction arrow safe conditions
Looprichtung
- Notausgang
Emergency Exit
Nooduitgang
- Fluchtweg
Escape route
Vluchtweg
- Sammelstelle
Meeting place
Verzamelplaats
- Bedienstelle Rauchabzug
Trigger smoke outlet
Rookafvoer
- Aufzug im Brandfall nicht benutzen
Do not use lift in event of fire
Lift niet gebruiken in geval van brand

2. OBERGESCHOSS / GEBÄUDE 2

2nd FLOOR / BUILDING 2

2. VERDIEPING / GEBOUW 2

SecuriPlan
Sachverständigen- und Ingenieurbüro für
technische Brandschutzkonzepte GmbH
Bentzenstraße 30, 41812 Erkratz
Tel: 02481/87721-0, www.securiplan.de

Blatt-Nr.: _____, Ges./Gepr.: _____, Stand: _____, Geschoss: _____, Datum: _____
1982 © BSHW 19.04.2017 2. Obergeschoss 11.04.2014

Rescue signs




Escape route,
emergency exit



First aid



Emergency phone



Collection point



Eyewash device



Automatic
external
defibrillator

You can find all rescue signs here at Wikipedia: <https://de.wikipedia.org/wiki/Rettungszeichen>

Prohibition signs



Access for
unauthorized
persons prohibited



Smoking
prohibited



For pedestrians
prohibited



Food and drink
prohibited



Use of gloves
prohibited



No access for
persons with
pacemaker

You can find all prohibition signs here at Wikipedia: <https://de.wikipedia.org/wiki/Verbotszeichen>


Warning signs



Warning of
explosive
atmosphere



Warning of
flammable
substances



Warning of
electrical voltage



Hot surface
warning



Warning against
hand injuries



Slip hazard
warning

You can find all warning signs here at Wikipedia: <https://de.wikipedia.org/wiki/Warnzeichen>

Commandment signs



Use hearing protection



Use eye protection



Use protective shoes



Use protective gloves




Wash hands



Use pedestrian walkway

You can find all commandment signs here at Wikipedia: <https://de.wikipedia.org/wiki/Gebotszeichen>

Rescue chain and first aid courses



First aid

- If there is an eye or ear, nose or throat injury, the injured person should consult the nearest specialist
- Foreign bodies in the eye: Do not rub, rinse with water (running water/eye shower)
- Cool sprains and, if necessary, consult an accident and emergency doctor
- In case of serious injuries: Carry out first aid, call first aiders, inform rescue service
- Record minor injuries (self-care, e.g. plaster) or serious injuries (first aid given) in the first-aid book and inform the manager in case of serious injuries



NOTRUF- und NOTFALLNUMMERN

RWTH AACHEN
UNIVERSITY



FEUERWEHR

112



RETTUNGSDIENST / NOTARZT

112



POLIZEI

110



HOCHSCHULWACHE

113

(nur aus dem Hochschulfestnetz)
⇒ von extern/mobil: +49 241 80 94250

NOTRUF-ANGABEN

RWTH AACHEN
UNIVERSITY



Wer ruft an?	⇒ Name, Institut, Einrichtung, ...
Wo?	⇒ Adresse, Anfahrt, Gebäudeteil, Etage, ... die offizielle Hausanschrift eines Hochschulgebäudes reicht oft nicht aus, bitte beschreiben Sie möglichst genau die Anfahrt und beauftragen eine andere anwesende Person, als Einweiser/Lotse für die Rettungskräfte tätig zu werden
Was?	⇒ Feuer, Unfall, Bedrohung, ...
Wie?	⇒ kurze Beschreibung der Lage bzw. der Situation (z. B. wieviel Verletzte, ...)
Warten!	⇒ Telefonhörer erst auflegen, wenn die Notrufzentrale das Gespräch beendet



Accidents involving electricity or voltage

- Possible consequences of electric current in the body:
 - Cramping of the musculature
 - Touched object can no longer be released
 - Cardiac arrest → Death

Measures:

- 1. disconnect power
 - Switch off, pull out plug, remove fuse
- If not possible
 - Place yourself in an insulated position
 - Separate the victim from parts with a non-conductive object
- 2. call rescue service or emergency doctor
- 3. initiate first aid

In the event of an electrical accident, **ALWAYS** consult an accident insurance physician!



Electrical hazards Li-ion or Li-polymer batteries (I/II)

Protective measures and rules of conduct:

- Observe the manufacturer's operating instructions / safety data sheet
- Protect Li batteries from mechanical stress (shocks, falls, vibrations)
- Protect battery terminals from short circuits
- Do not expose Li batteries directly and permanently to high temperatures - store in a cool and dry place
- Check Li batteries regularly for damage:
 - If there are signs of smoke, heat, odor, noise or deformation - disconnect the battery from the device and immediately place it in a safe storage location (e.g. fire-resistant container or safe distance from flammable materials)

Electrical hazards Li-ion or Li-polymer batteries (II/II)

Protective measures and rules of conduct:

- During the charging process, place the battery in a fireproof tray or on a non-flammable surface.
- Use only chargers approved by the manufacturer
- Avoid too high charging voltages and overcharging
- In the event of malfunctions, switch off the charger immediately
- Unplug charger; disconnect Li-ion battery if safe to do so
- Immediately report any defects found to the supervisor
- Collect defective batteries in appropriate storage boxes until they are collected by the manufacturer or taken away by the disposal company.



Operating Instructions (OI)

To be prepared for:

- Machinery, equipment and hazardous activities → To be studied before working on machinery
- Hazardous substances → To be studied before handling hazardous substances
- Biological agents
- PPE/skin protection
- Not required for simple work equipment

Hazard symbol with
hazard designation

Employees who handle hazardous substances must be instructed about existing hazards and protective measures on the basis of the operating instructions

RWTH AACHEN UNIVERSITY Abt. 10.5 Infrastrukturelles Gebäudemanagement	BETRIEBSANWEISUNG	Stand: 12/2015
	Tisch- und Ständerbohrmaschinen Geltungsbereich und Tätigkeiten KFZ-Werkstatt	
Anwendungsbereich Arbeiten an Tisch- und Ständerbohrmaschinen sowie an Bohrwerken jeder Größe		
Gefahren für Mensch und Umwelt		
	- Erfaßt werden an Kleidung und Haaren durch offenen Antrieb; Bohrspindel, Bohrer oder herum schleuderndes Werkstück;	
	- Getroffen werden durch herumschleuderndes Werkstück oder wegfliegende Teile oder Abfälle;	
	- Schnittverletzungen durch Späne;	
	- Beim Umgang mit Kühlschmierstoffen sind Hautschäden und Allergien möglich.	
Schutzmaßnahmen und Verhaltensregeln		
	- Antriebe vor Einschalten der Maschine verdecken;	
	- Werkstücke festspannen bzw. am Anschlag anlegen;	
	- Bohrer- und Werkstückwechsel nur bei Stillstand;	
	- Späne nur mit Spänehooken oder Besen entfernen;	
	- Lange Haare (länger als Spindelumfang) durch Haarnetz oder Mütze verdecken;	
	- Enganliegende Kleidung tragen (Ärmel mit Bündchen oder nach innen aufkrempeln),	
	- Krawatten, Schals, Armbanduhr, Hand- und Arschmuck sind unzulässig;	
	- Handschuhe dürfen bei Bohrarbeiten nicht getragen werden;	
	- Kühlfüssigkeiten so führen, daß Umgebung nicht benetzt wird, ggf. Abweiser benutzen.	
Verhalten bei Störungen		
	- Bei Bruch oder Festsetzen des Bohrers sowie bei herumschleudernden Teilen Maschine sofort abschalten und Störung im Stillstand beseitigen	
Verhalten bei Unfällen / Notruf (0) 112 oder 113		
	Ersthelfer: Dekielinski, Wolfgang - Gehlen Wilhelm	
	- Maschine abschalten, Verletzten bergen, Erste Hilfe leisten (Blutungen stillen, abgerissene Gliedmaßen in Plastikbeutel mitgeben, Brüche ruhig stellen)	
	- Unfall dem Werkmeister melden. Notruf absetzen.	
Instandhaltung, Entsorgung		
	- Späne nach Abschluß jeder Bohrarbeit in Spänesammelbehälter entsorgen.	
	- Maschine zum Arbeitsende reinigen, Mängel an Maschine dem Aufsichtsführenden mitteilen.	
	- Instandhaltungsarbeiten nur durch hiermit beauftragte Personen.	
Folgen der Nichtbeachtung		
	Gesundheitliche Folgen: Verletzung, Erkrankung	

Dealing with hazardous substances (I/III)

- What are hazardous substances?
- Substances and products (mixtures), with one or more **"hazard characteristics"**, e.g.
 - toxic
 - irritant
 - corrosive
 - oxidising
 - carcinogenic
 - toxic to fertility → CMR - substances
 - Mutagenic
- Hazardous substances in the "working system" can have a dangerous effect on humans and the environment
- Disinfectants are also considered hazardous substances (flammable / toxic)
- Do not store next to food, stimulants or medicines
 - Better in separate rooms
- **Store only in original packaging → Transfer to other containers only allowed with clear labeling (photograph original label, print and attach to new container)**
- Observe the general ban on smoking
- No ingestion of foodstuffs or stimulants

GESTIS database: <https://gestis.dguv.de/list>



Dealing with hazardous substances (II/III)

- **Liquids:** not more than 2.5 l
 - Toxic, carcinogenic, mutagenic or fertility-threatening (CMR) liquids: not more than 0.5 l
 - Very toxic liquids: not more than 0.1 l
- **Solids:** not more than 1 kg
 - Toxic, carcinogenic, mutagenic or fertility-threatening (CMR) solids: not more than 0.5 kg
 - Very toxic solids: not more than 0.1 kg
- **Gases** e.g. Ar, N₂, or H₂ (without central gas supply): smallest possible container size max. 50 l pressurised gas cylinder
 - Very toxic, carcinogenic, mutagenic or fertility-endangering gases: lecture bottle or small steel bottles



Dealing with hazardous substances (III/III)

New labeling:

ALT			NEU		
Symbole	Bezeichnung		GHS-Symbole	Bezeichnung	Wirkungsbeispiele
	E	Explosionsgefährlich		GHS01 Explodierende Bombe	Explodieren durch Feuer, Schlag, Reibung, Erwärmung; Gefahr durch Feuer, Luftdruck, Splitter.
	F+ F	Hochentzündlich Leichtentzündlich		GHS02 Flamme	Sind entzündbar; Flüssigkeiten bilden mit Luft explosionsfähige Mischungen; erzeugen mit Wasser entzündbare Gase oder sind selbstentzündbar.
	O	Brandfördernd		GHS03 Flamme über Kreis	Wirken oxidierend und verstärken Brände. Bei Mischung mit brennbaren Stoffen entstehen explosionsgefährliche Gemische.
Keine Entsprechung				GHS04 Gasflasche	Gasflaschen unter Druck können beim Erhitzen explodieren, tiefkalte Gase erzeugen Kälteverbrennungen.
	C	Ätzend		GHS05 Ätzwirkung	Zerstören Metalle und verätzen Körpergewebe; schwere Augenschäden sind möglich.
	T+ T	Sehr giftig Giftig		GHS06 Totenkopf mit Knochen	Führen in kleineren Mengen sofort zu schweren gesundheitlichen Schäden oder zum Tode.
	Xn	Gesundheitsschädlich	Keine direkte Entsprechung		
	Xi	Reizend			
Keine Entsprechung				GHS07 Ausrufezeichen	Führen zu gesundheitlichen Schäden, reizen Augen, Haut oder Atemwegsorgane.
Keine direkte Entsprechung				GHS08 Gesundheitsgefahr	Wirken allergieauslösend, krebserzeugend (carcinogen), erbgutverändernd (mutagen), fortpflanzungsgefährdend und fruchtschädigend (reprotoxisch) oder organschädigend.
	N	Umweltgefährlich		GHS09 Umwelt	Sind für Wasserorganismen schädlich, giftig oder sehr giftig, akut oder mit Langzeitwirkung.

Disposal:

- Subject area 11.21 Service Centre Waste Management (SCA)
- abfallwirtschaft@zhv.rwth-aachen.de
- It is not permitted to enter the depot without prior notification at the depot office
- Relatively harmless substances can be transported there by Hubert



Driving official vehicles

- The driver must:
 - Possess a valid driving license (loss or general unfitness to drive must be reported to the transport logistics manager).
 - Hold a valid official driving license of authority
 - Maintain the logbook
 - Book the vehicle via Outlook before the journey
 - Take breaks (at least 15 minutes every 2 hours) into account when planning your schedule
 - Observe the traffic regulations
 - Observe the operating instructions / operating manual
 - Check the vehicle for visible defects before starting the journey
 - In case of defects, do not start the vehicle and report the defects to the supervisor + poolfahrzeug@pem.rwth-aachen.de
 - Take into account the expected road conditions (heavy rain, snow, ice, etc.)
 - Observe the recommended speed (130 km/h)
 - Keep a safe distance (half the speedometer)



VDU workplace

- Min. 1.5 m² free movement area
- Min. 0.8 m width of connecting paths
- Flicker-free and uniform lighting
- Room temperature between 19-23° (19° Special regulation 2022)
- Shading of sunlight must be possible
- No disturbing noise sources (long telephone calls in meeting rooms or in the corridor)
- **Arrange work table and work place appropriately:**
 - Width min. 1.60 m
 - Depth min. 0.80 m
 - Height 72 cm or adjustable
 - Sufficient leg and foot room
 - Screen centrally in the field of vision

- **Ergonomic sitting posture:**
 - Forearm and thigh horizontal
 - Angle between upper and lower arm at least 90° .
 - Angle of upper and lower leg at least 90° .
 - Feet on floor
 - [Link to the video on how to adjust the chair correctly](#)
 - Seat check under: [Dauphin Sitzcheck \(arbeitsplatzcheck.com\)](https://arbeitsplatzcheck.com)



Summary

- Follow instructions
- Work equipment may only be handled by instructed and authorized employees
- Observe operating instructions
- Do not tamper with protective equipment
- Use prescribed PPE
- Use work equipment only for its intended purpose
- Ensure that the workplace is ergonomically adjusted
- Visually inspect work equipment before each use
- Report defects and secure equipment against further use
- Most important: **Use common sense!**



Questions?

